

STATEWIDE INVESTIGATION OF  
TRAUMATIC BRAIN AMONG PRISONERS

# DATA CODEBOOK

THE MEDICAL UNIVERSITY OF SOUTH CAROLINA



## Table of Contents

<b>CONTRIBUTORS</b> .....	5
<b>INTRODUCTION</b> .....	7
<b>TIPS ON USING THE DATA CODEBOOK</b> .....	9
Sampling Plan .....	9
Interview .....	9
<b>SOUTH CAROLINA DEPARTMENT OF CORRECTIONS</b> .....	11
SCDC Variables and Attributes .....	11
Definitions of the SCDC Variables .....	12
Descriptive Statistics of SCDC Variables .....	14
<b>PARTICIPANT QUESTIONNAIRE</b> .....	19
Administrative Entries .....	21
Privacy .....	21
Participant Demographics .....	21
Offender's Children .....	23
Educational Attainment .....	23
Employment Prior to Incarceration .....	24
Health Insurance .....	25
Buss-Perry Aggression Scale .....	25
Physical Health .....	30
Non-TBI Traumas .....	31
Tobacco Use .....	34
Medical Conditions/Medicines .....	35
Counseling While Incarcerated .....	40
General Traumas .....	40
History of Substance Dependency .....	42
History of Substance Use Disorder .....	44
Drug Abuse .....	45
Mental Health (Part 1) .....	50
Childhood Experiences .....	53
Social Support .....	53
Physical Punishment .....	58
Emotional Abuse .....	59
Sexual Abuse .....	60
Adversity/Neighborhood .....	61
Adult Physical, Emotional, and Sexual Abuse .....	62
MOS-Cognitive Functioning Scale .....	63
Cognitive Performance Test: Trail Making A & B .....	64
Criminal History .....	64
Family & Peer Influence .....	66
Post-Traumatic Stress Disorder .....	66
Mental Health (Part 2) .....	76
Resiliency Scale .....	81
Impulsivity Scale .....	82

Psychopathy Scale .....	84
Abbreviated Dysregulation Inventory .....	87
Interviewer Comments .....	90
<b>DATA CODEBOOK DESCRIPTIVE STATISTICS .....</b>	<b>91</b>
Administrative Entries .....	92
Privacy.....	92
Demographics: Gender, DOB, Race, Location, Marital Status .....	92
Offender’s Children .....	95
Educational Attainment .....	96
Employment Prior to Incarceration .....	97
Health Insurance .....	99
Buss-Perry Aggression Scale .....	99
Physical Health .....	105
Non-TBI Central Nervous System Insults .....	107
Tobacco Misuse .....	111
Adverse Health Conditions/Medicines .....	111
Counseling While Incarcerated .....	119
General Traumas (Divorce, Property Crimes, etc.) .....	119
History of Substance Abuse/Alcohol Abuse .....	121
General Substance Abuse .....	125
Mental Health (Part 1).....	133
Childhood Experiences .....	136
Social Support.....	138
Physical Punishment .....	143
Emotional Abuse.....	145
Sexual Abuse.....	146
Adversity/Neighborhood .....	148
Physical, Emotional, and Sexual Abuse as an Adult .....	148
Cognitive Performance Test: Trail Making A & B.....	152
Criminal History.....	152
Family & Peer Influence.....	155
Post-Traumatic Stress Disorder .....	156
Mental Health (Part 2).....	168
Resiliency Scale .....	174
Impulsivity Scale.....	176
Psychopathy Scale .....	178
Abbreviated Dysregulation Inventory .....	182
Closing Questions.....	186
<b>HISTORY of LIFETIME TBI .....</b>	<b>187</b>
TBI Tool: TBI 01-TBI 04.....	187
TBI Tool: TBI 05-TBI 08.....	199
TBI Tool: TBI 09-TBI 12.....	210

## Contributors

Collaborations among the following investigators, associates, and agency colleagues have made this study a huge success.

- ◆ *Centers for Disease Control and Prevention/NCIPC/Division of Injury Response (DIR)*
- ◆ *South Carolina Department of Corrections Administrators & Participants*
- ◆ *Medical University of South Carolina Research Team*
  - Elisabeth Pickelsimer, DA, Principal Investigator
  - Pamela Ferguson, PhD, Project Epidemiologist
  - Monica Cornelius, MPH, PhD Candidate, Research Assistant
  - Erica Johnson, MPH, Research Associate
  - Abeba Teklehaimanot, BS, Research Assistant
- ◆ *Co-investigators*
  - Jenny Bogner, PhD, Ohio State University
  - Kathy Brewer-Smyth, PhD, University of Delaware
  - John Corrigan, PhD, Ohio State University
  - Tony Dukes, PhD, (formerly SC Department of Probation, Parole and Pardon Services), University of South Carolina
  - Diana Fishbein, PhD, RTI International
  - Pamela Lattimore, PhD, RTI International
  - Marlena Wald, MPH, MLS; CDC, formerly NCIPC, DIR
- ◆ *South Carolina Office of Research & Statistics & Data Sharing State Agencies*
- ◆ *South Carolina Department of Probation, Parole & Pardon Services (in particular, Tammi Moorer)*
- ◆ *RTI International Interviewers & Supervisors*

Acknowledgment: The “Statewide Investigation of Traumatic Brain Injury Among Prisoners Data Codebook” was developed under Cooperative Agreement # U49CE001318 from the Division of Injury Response, National Center for Injury Prevention and Control, Centers for Disease Control and Prevention.

Citation: Pickelsimer EE, Ferguson PL, Cornelius ME, Teklehaimanot A, Johnson ER. Data Codebook of the Statewide Investigation of Traumatic Brain Injury Among Prisoners Study. Medical University of South Carolina, Charleston, South Carolina, 2012.

For more information about this project and potential future projects associated with these data please contact Mark Faul, PhD, MA at [mfaul@cdc.gov](mailto:mfaul@cdc.gov).



## Introduction

Through the reauthorization of the Traumatic Brain Injury (TBI) Act of 2000 (Public Law [P.L.] 104–166), Children’s Health Act (P.L. 106-310), Congress charged the Centers for Disease Control and Prevention (CDC) with “Section 1302—Expand the study of incidence and prevalence of traumatic brain injury to specifically include individuals in institutional settings.” In response, CDC funded the Medical University of South Carolina (award # U49CE001318) to conduct the “Statewide Investigation of TBI in Prisons” (SITBIP) study to determine the interrelationships among a history of TBI, substance abuse, and violent or aggressive behavior problems of adult offenders in South Carolina state prisons. Identification of TBI in this sub-population is important for effective offender management and for linkage to services upon their community re-entry. Study findings are intended to inform public health programs and thereby improve the health of offenders, reduce recidivism, and increase the offenders’ potential for successful community reintegration.

We invite you to use the SITBIP Data Codebook to select variables for future analysis of SITBIP data. We have a large amount of data to share and hope many researchers can benefit from our efforts.

*Elisabeth Pickelsimer*

Elisabeth Pickelsimer, DA  
Principal Investigator  
Division of Biostatistics and Epidemiology  
Medical University of South Carolina  
Charleston, South Carolina





## Tips on Using the Data Codebook

The Data Codebook contains frequencies and percentages of offender responses to an in-person interview for the Statewide Investigations of Traumatic Brain Injury in Prisons Study. In addition, it contains the study's questionnaire and offender data provided by the South Carolina Department of Corrections (SCDC), mainly for the randomization procedure. Multiple occurrences of questionnaire item responses are indicated by suffix a, b, c, to d. "Don't know" or "refused" were response options for all questions except the "History of TBI Tool." Frequencies are not indicated where there were no "don't know" or "refused" responses or where no data were missing. Note that many variables have a lower number of responses. This primarily results from skip patterns, not missingness. Again, please refer to the interview to follow the skip patterns, but note that for some questions, the skip pattern was not followed. Highlighted questions in the Codebook or questionnaire were not asked of participants who were not eligible for release.

An R (for revised) at the beginning of a variable code indicates the variable has been changed from its original response. This may be due to various reasons, mainly categorizing open-ended responses, changing other variables due to open-ended responses, or removing information on the history of TBI tool about injuries considered not related to the head.

At least one reference is provided for specific questions or sets of questions which were used verbatim or modified from its original form. No reference is provided for non-standardized questions.

### Sampling Plan

The sampling plan consists of 1) 'release' offenders— proportionately stratified random sample of offenders about to be released by expiration of sentence ('max-out') or parole and 2) 'non-release' offenders— random sample of offenders sentenced to death or life without parole. Because the plan attempts equal proportions of males & females, six strata were sampled: 1) offenders within 3 to 4 months of completing their sentences (males and females), 2) offenders just granted parole release (males and females), and 3) long-term offenders who would not soon be released (males and females).

The sampling plan excluded offenders who were non-SC residents (~6%); under 18 years of age; non-English speaking (<1%); deemed mental incapable of understanding informed consent (<1%); housed outside of SCDC facilities (<1%); sentenced as sexual predators, if in 'release' group (~4%); tagged with detainers, if in 'release' group (~30%); potentially dangerous to interviewer (<1%), or included in a previous sample (~7%).

### Interview

Please note that some questions were modified to be more appropriately stated for an offender population. The wording for a question in the Codebook may be shortened. Please refer to the questionnaire section for the expanded wording of these questions. Bracketed wording in the questionnaire indicates directions specific to the interviewer. You will also find questions that are considered confidential and will not have frequencies provided (eg, anticipated town of residence after community re-entry). In total, 320 males and 316 females were interviewed between April 2009 and April 2010. The interview data were recorded onto ScanTron® forms. Each participant was shown a separate card that had response options written down for each question that had more than two response options.

Before the SCDC would approve the study, they required the researchers to agree to report any information the offender may provide about current alcohol or illicit drug use. Therefore, the researchers elected to assess alcohol and illicit drug use prior to this incarceration, not during, so as to not have to report a willing participant.

## South Carolina Department of Corrections (SCDC)

SCDC has 27 male facilities and 3 female facilities. Offenders have sentences of more than 90 days. The offender population on March 15, 2010 was 23,904 (22,392 males, 1,512 females) at which time SCDC classified 69% of males and 49% of females as minorities (primarily black). Approximately 13,500 offenders are released annually.

### Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Informat	Label
20	ARREST_STATE	Char	2	\$2.	\$2.	ARREST_STATE
1	CASEID	Char	11	\$11.	8.	CaseID
22	CHEMDEP	Char	1			
9	CURINDYS	Num	8			
12	CURRAGE	Num	8			
21	CUSTLVL	Char	80	\$40.	\$80.	Custody Level
14	DETNIND	Char	1			
10	PARDTE	Num	8	MMDDYY8.		
24	PRIM_LANG	Char	7			
3	RACE	Char	1	\$1.	\$1.	RACE
19	RELDTE	Num	8	MMDDYY8.		
4	SEX	Char	1	\$1.	\$1.	SEX
23	SEX_PRDT	Char	7			
11	TIMETORE	Num	8			
8	TOTINDYS	Num	8			
2	WRATREAD	Num	8			
13	inst	Num	5			
18	instdesc	Char	80			
17	instrest	Char	80			
16	instrstr	Char	1	\$1.	\$1.	INST_ASSIGN
7	maxdte	Num	8	MMDDYY8.	DATE9.	PROJ_MAXOUT_DATE
15	mental	Char	2	\$2.	\$2.	MENTAL_IND
25	prefix	Char	1	\$1.	\$1.	SCDC_ID_TYPE
6	totinyr	Num	8	4.	4.	TOT_SENT_YRS
5	vioclass	Char	1	\$1.	\$1.	VIOL_EVER_IND

## Definitions of SCDC Variables:

**TIMETORE** –offender’s time to serve to release using the offender’s earliest release date (parole or maxout) and subtracting the sentence start date (Release date - Sentence Start Date). Sentence length based on earliest release possible at present. **Maxout**: offender who will serve a complete sentence. Be aware that SC sentencing laws has changed several times and the analyst may wish to refer to those for certain analyses. **Parole**: offender who will be released before serving a complete sentence. not included in released dataset.

**TOTINDYS** –total sentence length in days

**TOTINYR** –use to determine if ineligible for parole (sentence years reflect lifer as 999 and death row as 888 - use to assign different questionnaire)

**RELDTE** –presumed date of release not included in released dataset.

**MAXDTE** –max-out date not included in released dataset.

**PARDTE** -next parole hearing date. If missing, offender was ineligible for parole. Variable not included in released dataset.

**CURINDYS** -computed variable showing the current sentence in days (in regard to shortened sentence length after parole/probation violation). *CURINDYS has the remaining sentences of probation/parole violators. However, if you want to know who they are, you have to look at their “last admission type”. If someone is re-incarcerated for their remaining sentence time after a parole violation, then CURINDYS would be shorter than TOTINDYS.* Variable not included in the released dataset.

**LSTADMTYPE** -last admission type

**ASOFDTE** –data current as of this date not included in released dataset.

**SEX** -to sample by gender

**RACE** -to check that samples are representative of population racial proportions

**CURRAGE** -current age - SCDC excluded those under 18 years of age

**CHEMDEP** –whether offender was chemically dependent at time of incarceration

**VIOCLASS** -defines an offender as violent if the offender has had at least one violent conviction (ever), regardless of the legislative effective date

**PREFIX** – to identify offenders as Youth Offender Act (YOA) (if =‘Y’)

**ARREST\_STATE** -state living in prior to incarceration (to exclude non-residents of SC) not included in released dataset.

**MENTAL** -to exclude offenders with mental retardation, or MENTAL=‘MR’ not included in released dataset.

**INSTDESC** -name of facility. To locate offenders, & to exclude those in psychiatric hospital (INSTDESC=‘GILLIAM PSY’) not included in released dataset.

**INSTRSTR** –coded institutional medical assignment (equivalent to descriptive INSTREST)

[Use (INSTDESC=‘GILLIAM PSY’)OR(INSTRSTR=‘C’). They are not necessarily equivalent.] not included in released dataset.

**INST** –location codes of institutions [Use (100<INST<600). Code excluded those not listed in an SCDC facility, or INSTDESC IN (‘BERKELEY CO’, ‘CHARLESTON CO’, ‘JUST CARE INC(COLA CARE C’, ‘RICHLAND CO’,

'SPARTANBURG CO', 'COLORADO', 'FLORENCE CO', 'FLORIDA', 'GREENVILLE CO', 'GRNVLL MEMRL HSPTL', 'HORRY CO', 'LANCASTER CO', 'LEXINGTON CO', 'MARLBORO COUNTY PARK HOSP', 'PALMETTO RCHLAND', 'PENNSYLVANIA', 'RICHLAND CO', 'SPARTANBURG CO', 'SPRINGS MEMORIAL', 'TENNESSEE', TRIDENT REGIONAL', 'TUOMEY REGIONAL', 'YORK CO'] -not included in released dataset.

**INSTREST** -to exclude offenders housed in special management units (inpatient psych or mentally retarded, or INSTRSTR IN ('C', 'G') not included in released dataset.

**PRIM\_LANG** - whether an offender's primary language is English. However, it is a relatively new variable and will not have been entered for all offenders in the current population (only the more recent admissions). not included in released dataset.

**DETNIND** -offenders with detainers (an order to release inmates into custody of others). not included in released dataset.

**SEX\_PRDT** - sexual predators released to the custody of the Department of Mental Health. not included in released dataset.

**SID** -to exclude former offenders who volunteered to pre-test questionnaire in case they have returned to prison. not included in released dataset.

**SCDC ID** number -not included in released dataset.

**NAME** (first, middle, last, suffix): -not included in released dataset.

**DOB** -date of birth not included in released dataset.

**CUSTLVL** -custody level of facility

## Descriptive Statistics for SCDC Variables

Variable	Code Value	Description	Freq Males	Percent Males	Freq Females	Percent Females
CURRAGE	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Current age	N=320 $\bar{X}$ = 34.82 SD=10.41 Med=32 Rng=(19, 67)		N=316 $\bar{X}$ = 36.09 SD=9.36 Med=35 Rng=(19, 63)	
RACE	B=Black C=Asian I=American Indian O=Other P=Pacific Islander/Hawaiian W=White X=Unknown	Race	B=216 C=0 I=0 O=2 P=0 W=102 X=0	B=67.50 C=0.00 I=0.00 O=0.63 P=0.00 W=31.88 X=0.00	B=152 C=0 I=1 O=2 P=0 W=161 X=0	B=48.10 C=0.00 I=0.32 O=0.63 P=0.00 W=50.95 X=0.00
ARREST_STATE	1=South Carolina 2=Other	State of residence prior to incarceration	1=320 2=0	1=100.00 2=0.00	1=316 2=0	1=100.00 2=0.00
PRIM_LANG	1=English 2=Unknown	Primary language	1=263 2=57	1=82.19 2=17.81	1=222 2=94	1=70.25 2=29.75
MENTAL	MH=NMH (No Mental Health Treatment) MI=MH-I (Mentally Ill) MR=MH-R (Mentally Retarded) M1=MI-1 (Inpatient Mental Health) M2=MI-2 (Major Mental Illness) M3=MI-3 (Outpatient Mental Health) M4=MI-4 (Stable/Mentally Ill) OK=MH-S (Mentally Stable) SA=Substance Abuse Treatment	Mental health status	MH=259 MI=0 MR=0 M1=0 M2=4 M3=23 M4=0 OK=9 SA=20	MH=82.22 MI=0.00 MR=0.00 M1=0.00 M2=1.27 M3=7.30 M4=0.00 OK=2.81 SA=6.25	MH=120 MI=0 MR=0 M1=0 M2=5 M3=85 M4=0 OK=2 SA=92	MH=37.97 MI=0.00 MR=0.00 M1=0.00 M2=1.58 M3=26.90 M4=0.00 OK=0.63 SA=29.11
CHEMDEP	1=yes 2=no	Chemical dependency status	1=126 2=194	1=39.38 2=60.63	1=146 2=170	1=46.20 2=53.80

## Descriptive Statistics for SCDC Variables

Variable	Code Value	Description	Freq Males	Percent Males	Freq Females	Percent Females
DETNIND	1=yes	Offenders with detainers	1=14	1=4.38	1=2	1=0.63
	2=no		2=306	2=95.63	2=314	2=99.37
VIOCLASS	1=violent	Violent offender classification	1=112	1=35.00	1=69	1=21.84
	2=nonviolent		2=208	2=65.00	2=247	2=78.16
SEX_PRDT	1=Yes	Sexual predators (released to the custody of the Department of Mental Health)	1=6	1=1.88	1=1	1=0.32
	2=No		2=302	2=95.00	2=301	2=95.25
	U=Unknown		U=10	U=3.13	U=14	U=4.43
LSTADMTYPE	1=Community Supervision Rev	Last admission type	1=7	1=2.19	1=0	1=0.00
	2=New Admission		2=236	2=73.75	2=255	2=80.70
	3=New Sent W/O Pr/Cs/Sf Rev		3=26	3=8.13	3=23	3=7.28
	4=New Sent W/Out Parole-Rev		4=8	4=2.50	4=3	4=0.95
	5=Parle-Vio Delay Aft Incar		5=1	5=0.31	5=0	5=0.00
	6=Parole Violator		6=2	6=0.63	6=4	6=1.27
	7=Probation Violator		7=26	7=8.13	7=28	7=8.86
	8=Serving Sc Sent In Oj		8=1	8=0.31	8=0	8=0.00
	9=Yoa Conversion		9=6	9=1.88	9=0	9=0.00
	10=Yoa Parole Violator		10=7	10=2.19	10=3	10=0.95
CUSTLVL	1=Death Row	Custody level	1=1	1=0.31	1=0	1=0.00
	2=Disciplinary Detention		2=11	2=3.44	2=5	2=1.58
	3=Intake R&E Offenders		3=5	3=1.56	3=20	3=6.33
	4=Medium		4=8	4=2.50	4=4	4=1.27
	5=Minimum Out		5=72	5=22.50	5=70	5=22.08
	6=Minimum Out-Restrict		6=79	6=24.69	6=129	6=40.82
	7=Minimum In		7=140	7=43.75	7=85	7=26.90
	8=Protective Custody		8=1	8=0.31	8=0	8=0.00
	9=Short Term Lockup		9=3	9=0.94	9=3	9=0.95

## Descriptive Statistics for SCDC Variables

Variable	Code Value	Description	Freq Males	Percent Males	Freq Females	Percent Females
<b>INST/ INSTDESC</b>	MAX=Maximum MED=Medium MIN=Minimum	Institutional code and associated level of facility	MAX=103 MED=130 MIN=87	MAX=32.19 MED=40.63 MIN=27.19	MAX=232 MED=0 MIN=84	MAX=73.42 MED=0.00 MIN=26.
<b>INSTREST/ INSTSTR</b>	A=No Restriction B=Chronic Infirmary Care C=Inpatient Psychiatric D=Brci/Woci Therapeutic E=Dialysis Accessible F=Intermediate Care Unit G=Mental Retard Program H=Handicap Unit I=Area Mental Health Center J=24 Hour Nursing Coverage K=Daily Nursing Coverage L=Outpatient Mental Health N=Regional Medical Center P=Residential Substance Abu X=Sex Offender Program Y=General Substance Abuse .= Missing	Coded institutional medical assignment and associated institutional restriction	A=262 B=0 C=0 D=6 E=0 F=0 G=0 H=0 I=4 J=14 K=22 L=6 N=1 P=0 X=0 Y=0 .=5	A=81.88 B=0.00 C=0.00 D=1.88 E=0.00 F=0.00 G=0.00 H=0.00 I=1.25 J=4.38 K=6.88 L=1.88 N=0.31 P=0.00 X=0.00 Y=0.00 .=1.56	A=183 B=0 C=0 D=7 E=0 F=0 G=0 H=1 I=5 J=23 K=65 L=18 N=0 P=0 X=0 Y=2 .=12	A=57.91 B=0.00 C=0.00 D=2.22 E=0.00 F=0.00 G=0.00 H=0.32 I=1.58 J=7.28 K=20.57 L=5.70 N=0.00 P=0.00 X=0.00 Y=0.63 .=3.80
<b>PREFIX</b>	1=Youthful Offender Act .=Missing	In Youthful Offender Act program	1=7 .=313	1=2.19 .=97.81	1=3 .=313	1=0.95 .=99.05
<b>TOTINYR</b>	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Sentence length in years (999 = life without parole, 888 = death sentence)	N=294 $\bar{X}$ = 5.49 SD=4.32 Med=4.00 Rng=(0.00, 30.00) 888=1 999=25	888=0.34 999=8.50	=283 $\bar{X}$ = 3.49 SD=3.62 Med=2.00 Rng=(0.00, 35.00) 888=0 999=33	888=0.00 999=11.67



## Descriptive Statistics for SCDC Variables

Variable	Code Value	Description	Freq Males	Percent Males	Freq Females	Percent Females
TOTINDYS	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Sentence length in days	N=294 $\bar{X}$ = 1998.79 SD=1543.30 Med=1440.00 Rng=(180.00, 10800.00) 319680=1 359640=25	319680=0.31 359640=7.81	N=283 $\bar{X}$ = 1305.38 SD=1281.83 Med=1020.00 Rng=(180.00, 12660.00) 319680=0 359640=33	319680=0.00 359640=11.67
CURINDYS	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range 319680=death sentence 359640=life without parole	Current sentence in days	N=294 $\bar{X}$ = 1844.36 SD=1479.80 Med=1440.00 Rng=(165.00, 10800.00) 319680=1 359640=25	319680=0.31 359640=7.81	N=283 $\bar{X}$ = 1267.71 SD=1281.27 Med=900.00 Rng=(180.00, 12660.00) 319680=0 359640=33	319680=0.00 359640=11.67
TIMEORE	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Time until release in days	N=294 $\bar{X}$ = 1273.08 SD=1220.96 Med=746.00 Rng=(120.00, 5632.00)		N=297 $\bar{X}$ = 1146.99 SD=1902.06 Med=475.00 Rng=(120.00, 11132.00)	
RELDTTE	N=Frequency Rng=Range	Presumed date of release	N=294 Rng=(2009, 2010)		N=297 Rng=(2009, 2026)	
PARDTE	N=Frequency Rng=Range	Next parole hearing date	N=165 Rng=(2005, 2011)		N=194 Rng=(2009, 2026)	

### Descriptive Statistics for SCDC Variables

Variable	Code Value	Description	Freq Males	Percent Males	Freq Females	Percent Females
MAXDTE	N=Frequency Rng=Range	Max-out date	N=295 Rng=(1994, 2012)		N=283 Rng=(2009, 2026)	
WRATREAD	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Reading level	N=312 $\bar{X}$ = 8.37 SD=3.21 Med=8.2 Rng=(0.00, 12.9)		N=313 $\bar{X}$ = 9.75 SD=3.20 Med=10.2 Rng=(2.1, 13.00)	

PARTICIPANT QUESTIONNAIRE:  
STATEWIDE INVESTIGATION OF TRAUMATIC  
BRAIN INJURY AMONG PRISONERS

Version 2-15-09



*Interviewer only*

### **Administrative Entries**

Q1. Enter RTI case ID #

Q2. Enter Headway ID #

Q3. Enter date of interview \_\_\_\_/\_\_\_\_/\_\_\_\_

Q4. Enter survey start time and indicate am/pm [military time]:

### **Privacy**

Q5. Are you in a separate room?

☐ 1=yes

☐ 2=no [GO TO Q7]

Q6. Is the door closed?

☐ 1=yes

☐ 2=no

Q7. Is the respondent sitting so that his/her lips cannot be read by anyone who could also see the paper instrument?

☐ 1=yes

☐ 2=no [*adjust position so that lips cannot be read.*]

Q8. [Are you confident the interview setting is private? For an interview setting to be considered private, you must be certain that the questions you read and the respondent's answers **cannot** be: (1) overheard, or (2) ascertained by someone looking through a window.]

☐ 1=yes

☐ 2=no [*Because you have indicated the interview setting is not private, you cannot proceed with the interview. You will need to break-off the interview until a private setting can be found.*]

### **Demographics: Gender, DOB, Race, Location, Marital Status**

Q9. Gender of respondent:

☐ 1=male

☐ 2=female

*Note 1: Highlighted areas indicate questions that were not asked of offenders who would not be released.*

*Note 2: Most questions answered by respondent include D=don't know and R=refused as response options.*

## Socio-demographic

*"Thank you for taking part in this interview. First, please answer a few questions about yourself."*

Q10. What is your date of birth? [If R is not yet 18 years of age or refuses to give date of birth, you must stop the interview.] \_\_\_\_/\_\_\_\_/\_\_\_\_

Q11. What is your race? [Allow multiple responses.]

☐ 1=White

☐ 2=Black or African American

☐ 3=Asian or East Indian

☐ 4=American Indian or Alaskan Native

☐ 5=Native Hawaiian or other Pacific Islander

☐ 6=Other [GO TO Q12, All Other Responses  
GO TO Q13]

Q12. Specify Other Race: \_\_\_\_\_

Q13. Are you of Mexican, Latino, or Hispanic origin?

☐ 1=yes

☐ 2=no

Q14. How much do you weigh? Record pounds \_\_\_\_\_

Q15. How tall are you? Record inches \_\_\_\_\_

Q16. Since 1996, what years did you live in South Carolina? [Check all that apply.]

☐ 1=all of them

☐ 2=1996

☐ 3=1997

☐ 4=1998

☐ 5=1999

☐ 6=2000

☐ 7=2001

☐ 8=2002

☐ 9=2003

☐ 10=2004

☐ 11=2005

☐ 12=2006

☐ 13=2007

☐ 14=2008

☐ 15=2009

Q17. Where did you live right before you came to prison this time? Please tell me the address or name of the neighborhood you lived in. By "neighborhood" we mean your home and the area around where you lived. Please tell me if you did not have a permanent place to live. (*Response confidential*)

Q18. In what city is that? (*Response confidential*)

Q19. In what state is that? *Specify:* \_\_\_\_\_

Q20. Where will you live when you are released this time? Please tell me the address or name of the neighborhood where you will live. (*Response confidential*)

Q21. In what city is that? (*Response confidential*)

Q22. In what state is that? *Specify:* \_\_\_\_\_

Q23. At the time of this incarceration, what was your marital status? Were you . . . [Allow multiple responses]

- |   |   |
|---|---|
| <input type="checkbox"/> 1=married  | <input type="checkbox"/> 4=divorced                 |
| <input type="checkbox"/> 2=not married, but living together<br>with a partner | <input type="checkbox"/> 5=widowed                  |
| <input type="checkbox"/> 3=separated  | <input type="checkbox"/> 6=single and never married |

Q24. Has your marital status changed since this incarceration?

- ☐ 1=yes
- ☐ 2=no [GO TO Q26]

Q25. How has your marital status changed? Have you . . . [Allow more than one response]

- |                                      |                                     |
|--------------------------------------|-------------------------------------|
| <input type="checkbox"/> 1=married   | <input type="checkbox"/> 3=divorced |
| <input type="checkbox"/> 2=separated | <input type="checkbox"/> 4=widowed  |

### Offender's Children

Q26. How many living children do you have? [If 0, GO TO Q29]

Q27. How many of your children were younger than age 18 at the time of your incarceration? [If 0, GO TO Q29]

Q28. During the **six months** before your incarceration this time, did you have primary care responsibilities for any of your **own** children under the age of 18? By “your own” we mean your biological or legally adopted children. By “primary care responsibilities,” we mean that the children lived with you most of the time, you fed and clothed them, and that you were not paid for this.

- ☐ 1=yes
- ☐ 2=no

### Educational Attainment

Q29. How far have you gone in school?

- |  |  |
|--|--|
| <input type="checkbox"/> 1= never attended school or only attended kindergarten    | <input type="checkbox"/> 5= grade 12 or GED (high school graduate)                           |
| <input type="checkbox"/> 2= grades 1 through 5 (which is called elementary school) | <input type="checkbox"/> 6= college for 1 year to 3 years (some college or technical school) |
| <input type="checkbox"/> 3= grades 6 through 8 (which is called middle school)     | <input type="checkbox"/> 7= college for 4 years or more (college graduate)                   |
| <input type="checkbox"/> 4= grades 9 through 11 (some high school)                 | <input type="checkbox"/> 8= graduate school (masters or doctoral degree)                     |

## Employment Prior to Incarceration

Q30. Have you **ever** had a job for which you got paid? (Non-standard)

☐ 1=yes

☐ 2=no [GO TO Q35]

Q31. Just before this incarceration, were you working for pay?

☐ 1=yes

☐ 2=no [GO TO Q35]

Q32. What was your **last** job title? In other words, what kind of job did you have?

☐ If job title **is not** familiar → [GO TO Q33]

☐ If job title **is** familiar → [GO TO Q34]

*Specify:* \_\_\_\_\_

Q33. What skills were needed for the job?

*Specify:* \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Q34. Did you receive job benefits, such as group health coverage or a retirement plan, in your **last** paying job? (*non-standard*)

☐ 1=yes

☐ 2=no

Q35. In the **six months** before this incarceration, what was your major source of support? [*Allow multiple responses*]

☐ 1=working for pay [GO TO Q39 IF THIS IS THE ONLY RESPONSE REPORTED.]

☐ 2=support from family

☐ 3=support from friends

☐ 4=a government program, such as Medicaid, food stamps, AFDC, SSI, or SSDI

☐ 5=illegal activities, such as selling drugs, prostitution, stealing, or writing or forging bad checks

☐ 6=a legal settlement

☐ 7=unemployment or Workers' Compensation

☐ 8=other [GO TO Q36, OTHER RESPONSES EXCEPT FOR "1" GO TO Q37]

Q36. Specify other major source of support. *Specify:* \_\_\_\_\_



Q37. What was the **main** reason you were not working before you were incarcerated this time? You . . .

- |   |  |
|---|--|
| <input type="checkbox"/> 1= did not try to find work                                      | <input type="checkbox"/> 6= were too young to work                           |
| <input type="checkbox"/> 2= tried but could not find work                                 | <input type="checkbox"/> 7= were retired                                     |
| <input type="checkbox"/> 3= were attending school or job training                         | <input type="checkbox"/> 8= did not have transportation                      |
| <input type="checkbox"/> 4= were unable to work due to alcohol or drug problem            | <input type="checkbox"/> 9= were needed at home                              |
| <input type="checkbox"/> 5= were unable to work due to other health or disability problem | <input type="checkbox"/> 10= were incarcerated                               |
|   | <input type="checkbox"/> 11=other [GO TO Q38, ALL OTHER RESPONSES GO TO Q39] |

Q38. Specify other main reason for not working. *Specify:* \_\_\_\_\_

### Health Insurance

Q39. **Just before your incarceration this time**, what health insurance coverage did you have?

- |   |  |
|---|--|
| <input type="checkbox"/> 1= private or commercial, for example, Blue Cross/Blue Shield, PPO, Cigna, HMO | <input type="checkbox"/> 5= Children's Health Insurance Program, known as CHIP     |
| <input type="checkbox"/> 2= military, for example, Champus or Tricare                                   | <input type="checkbox"/> 6= uninsured or you self paid                             |
| <input type="checkbox"/> 3= Medicaid  | <input type="checkbox"/> 7= some other kind [GO TO Q40, OTHER RESPONSES GO TO Q41] |
| <input type="checkbox"/> 4= Medicare or SSDI  |  |

Q40. Specify other type of health insurance coverage. *Specify:* \_\_\_\_\_

### Buss-Perry Aggression Scale

*"I'm going to now read a series of statements and I want you to tell me how much that statement is like you. The choices are very unlike me, somewhat unlike me, neither unlike nor like me, somewhat like me, or very like me."*

Q41. Once in a while I can't control the urge to strike another person.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q42. I flare up quickly but get over it quickly.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q43. I am sometimes eaten up with jealousy.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q44. If someone “bugs” me enough, I may hit that person. (Note: Original version of scale, “Given enough provocation, I may hit another person.” Q modified to simplify the wording.)

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q45. At times I feel I have gotten a raw deal out of life.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q46. I tell my friends openly when I disagree with them.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q47. If somebody hits me, I hit back.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q48. When frustrated, I let my irritation show.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q49. I often find myself disagreeing with people.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q50. Other people always seem to get the breaks.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q51. I get into fights a little more than the average person.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q52. I sometimes feel like a powder keg ready to explode. (Note: Q similar to Abbreviated Dysregulation Inventory except “bomb” instead of “powder keg” in ADI)

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q53. When people annoy me, I may tell them what I think of them.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q54. I wonder why sometimes I feel so bitter about things.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q55. If I have to resort to violence to protect my rights, I will.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q56. I know that “friends” talk about me behind my back.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q57. I am an even-tempered person. Even tempered means you are able to keep from “flying off the handle.”

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q58. There are people who pushed me so far that we came to blows.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q59. I am suspicious of overly friendly strangers.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q60. I can't help getting into arguments when people disagree with me.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q61. Some of my friends think I'm a hothead.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q62. I cannot think of a good reason for ever hitting a person.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q63. Sometimes I fly off the handle for no good reason.

- |   |   |
|---|---|
| <input type="checkbox"/> 1=very unlike me             | <input type="checkbox"/> 4=somewhat like me |
| <input type="checkbox"/> 2=somewhat unlike me         | <input type="checkbox"/> 5=very like me     |
| <input type="checkbox"/> 3=neither unlike nor like me |   |

Q64. I sometimes feel that people are laughing at me behind my back.

☐ 1=very unlike me

☐ 4=somewhat like me

☐ 2=somewhat unlike me

☐ 5=very like me

☐ 3=neither unlike nor like me

Q65. I have threatened people I know.

☐ 1=very unlike me

☐ 4=somewhat like me

☐ 2=somewhat unlike me

☐ 5=very like me

☐ 3=neither unlike nor like me

Q66. When people are especially nice, I wonder what they want.

☐ 1=very unlike me

☐ 4=somewhat like me

☐ 2=somewhat unlike me

☐ 5=very like me

☐ 3=neither unlike nor like me

Q67. My friends say that I'm somewhat argumentative.

☐ 1=very unlike me

☐ 4=somewhat like me

☐ 2=somewhat unlike me

☐ 5=very like me

☐ 3=neither unlike nor like me

Q68. I have become so mad that I have broken things.

☐ 1=very unlike me

☐ 4=somewhat like me

☐ 2=somewhat unlike me

☐ 5=very like me

☐ 3=neither unlike nor like me

Q69. I have trouble controlling my temper.

☐ 1=very unlike me

☐ 4=somewhat like me

☐ 2=somewhat unlike me

☐ 5=very like me

☐ 3=neither unlike nor like me

## Physical Health

*“These next questions refer to your health now and your current daily activities. Please tell me the one answer that best fits how things have been for you during **the past 30 days**.”*

Q70. In general, would you say your **health** is . . .

☐ 1=excellent

☐ 4=fair

☐ 2=very good

☐ 5=poor

☐ 3=good

Q71. Compared to a year ago, how would you rate your health in general **now**? Would you say it is . . .

☐ 1=much better now than a year ago

☐ 4=somewhat worse now than a  
year ago

☐ 2=somewhat better now than a year ago

☐ 5=much worse now than a year ago

☐ 3=about the same as a year ago

Q72. [Females only.] Are you pregnant?

☐ 1=yes

☐ 2=no

*“After each of the next questions, please tell me if it is definitely true, mostly true, mostly false, or definitely false. If you don’t know, just tell me.”*

Q73. I seem to get **sick** a little **easier** than other people. Would you say that’s . . .

☐ 1=definitely true

☐ 4=definitely false

☐ 2=mostly true

☐ D=don’t know

☐ 3=mostly false

Q74. I am as **healthy** as **anybody** I know. Would you say that’s . . .

☐ 1=definitely true

☐ 4=definitely false

☐ 2=mostly true

☐ D=don’t know

☐ 3=mostly false

Q75. I expect my **health** to get **worse**.

☐ 1=definitely true

☐ 4=definitely false

☐ 2=mostly true

☐ D=don’t know

☐ 3=mostly false

Q76. My **health** is **excellent**.

☐ 1=definitely true

☐ 2=mostly true

☐ 3=mostly false

☐ 4=definitely false

☐ D=don't know

### Non-TBI Traumas

*"Now please tell me ..."*

Q77. Has a doctor or other healthcare person like a nurse **ever** told you that you had damaged your brain or did not have enough oxygen when you were being born?

☐ 1=yes

☐ 2=no [GO TO Q80]

Q78. Did you develop problems **as a child** because of this?

☐ 1=yes

☐ 2=no [GO TO Q80]

Q79. What were those problems? *Specify:* \_\_\_\_\_

Q80. Has a doctor or other healthcare person like a nurse **ever** told you that you had Fetal Alcohol Syndrome?

☐ 1=yes

☐ 2=no [GO TO 83]

Q81. Did you develop problems **as a child** because of this?

☐ 1=yes

☐ 2=no [GO TO Q83]

Q82. What were those problems? *Specify:* \_\_\_\_\_

Q83. Has a doctor or other healthcare person like a nurse **ever** told you that you had a brain tumor?

☐ 1=yes

☐ 2=no [GO TO Q86]

Q84. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q86]

Q85. What are those problems? *Specify:* \_\_\_\_\_

Q86. Has a doctor or other healthcare person like a nurse **ever** told you that you had a bad brain infection, for example, meningitis, encephalitis, or an HIV or AIDS related-brain infection?

☐ 1=yes

☐ 2=no [GO TO Q89]

Q87. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q89]

Q88. What are those problems? *Specify:* \_\_\_\_\_

Q89. Has a doctor or other healthcare person like a nurse **ever** told you that you had a drug overdose?

☐ 1=yes

☐ 2=no [GO TO Q92]

Q90. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q92]

Q91. What are those problems? *Specify:* \_\_\_\_\_

Q92. Has a doctor or other healthcare person like a nurse **ever** told you that you had surgery on your brain?

☐ 1=yes

☐ 2=no [GO TO Q95]

Q93. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q95]

Q94. What are those problems? *Specify:* \_\_\_\_\_

Q95. Has a doctor or other healthcare person like a nurse **ever** told you that you had a stroke?

☐ 1=yes

☐ 2=no [GO TO Q98]

Q96. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q98]

Q97. What are those problems? *Specify:* \_\_\_\_\_



Q98. Has a doctor or other healthcare person like a nurse **ever** told you that you had a seizure they had trouble stopping or controlling?

☐ 1=yes

☐ 2=no [GO TO Q101]

Q99. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q101]

Q100. What are those problems? *Specify:* \_\_\_\_\_

Q101. Were you **ever**, including as a child, exposed to poisons or toxic chemicals, for example, lead paint, methamphetamine, mercury, carbon monoxide, or pesticides?

☐ 1=yes

☐ 2=no [GO TO Q105]

Q102. What poisons or toxic chemicals were you exposed to?

*Specify:* \_\_\_\_\_

Q103. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q105]

Q104. What are those problems? *Specify:* \_\_\_\_\_

Q105. Were you **ever**, including as a child, in a situation where you passed out because you could not get enough air, such as choking, strangulation, or almost drowning?

☐ 1=yes

☐ 2=no [GO TO Q108]

Q106. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q108]

Q107. What are those problems? *Specify:* \_\_\_\_\_

Q108. Were you **ever**, including as a child, struck by lightning or had a severe electric shock?

☐ 1=yes

☐ 2=no [GO TO Q111]

Q109. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q111]

Q110. What are those problems? *Specify:* \_\_\_\_\_

Q111. Have you **ever** had CPR to restart your breathing or heart? [Clarification: This does not include resuscitation while being born or while in an incubator because being born is asked in Q78.]

☐ 1=yes

☐ 2=no [GO TO Q114]

Q112. Did you develop problems afterward that affect you **today**?

☐ 1=yes

☐ 2=no [GO TO Q114]

Q113. What are those problems? *Specify:* \_\_\_\_\_

### **Tobacco Use**

Q114. Have you smoked at least 100 cigarettes in your entire life?

☐ 1=yes

☐ 2=no [GO TO INSTRUCTIONS FOR Q120]

Q115. Has smoking cigarettes caused you to develop problems that affect you today?

☐ 1=yes

☐ 2=no [GO TO Q117]

Q116. What are those problems? *Specify:* \_\_\_\_\_

Q117. On average, on the days when you smoked the most, **how many cigarettes** did you have in one day? [If R reports # in packs, convert to cigarettes—there are 20 cigarettes in a pack of American cigarettes.]

Record number here. \_\_\_\_\_

Q118. Altogether, what was the longest period of time in months and years that you **smoked**? [Record both years and months, if appropriate.] Record months here. \_\_\_\_\_

Q119. Record years here. \_\_\_\_\_

## Medical Conditions/Medicines

*Which of the following physical or mental health conditions has a doctor or other healthcare person, like a nurse, told you that you **currently** have? Do you have . . .*

Q120. Sick cell anemia? Do not include sickle cell **trait**.

☐ 1=yes

☐ 2=no [GO TO Q122]

Q121. *(You just told me you have sickle cell anemia).* Please tell me the name of the medicine, if any, you are **currently** taking for sickle cell anemia.

*Specify:* \_\_\_\_\_

Q122. Asthma?

☐ 1=yes

☐ 2=no [GO TO Q124]

Q123. Please tell me the name of the medicine, if any, you are **currently** taking for asthma

*Specify:* \_\_\_\_\_

Q124. Diabetes?

☐ 1=yes

☐ 2=no [GO TO Q126]

Q125. Please tell me the name of the medicine, if any, you are **currently** taking for diabetes.

*Specify:* \_\_\_\_\_

Q126. High blood pressure? Remember, we are interested in knowing if a doctor or other healthcare person, like a nurse, has told you that you **currently** have this.

☐ 1=yes

☐ 2=no [GO TO Q128]

Q127. Please tell me the name of the medicine, if any, you are **currently** taking for high blood pressure.

*Specify:* \_\_\_\_\_

Q128. Heart disease?

☐ 1=yes

☐ 2=no [GO TO Q130]

Q129. Please tell me the name of the medicine, if any, you are **currently** taking for heart disease.

*Specify:* \_\_\_\_\_

Q130. Seizure condition, seizure disorder, or epilepsy?

☐ 1=yes

☐ 2=no [GO TO Q132]

Q131. Please tell me the name of the medicine, if any, you are **currently** taking for a seizure condition or epilepsy.

*Specify:* \_\_\_\_\_

Q132. Hepatitis B or C?

☐ 1=yes

☐ 2=no [GO TO Q134]

Q133. Please tell me the name of the medicine, if any, you are **currently** taking for hepatitis B or C.

*Specify:* \_\_\_\_\_

Q134. HIV or AIDS?

☐ 1=yes

☐ 2=no [GO TO Q136]

Q135. Please tell me the name of the medicine, if any, you are **currently** taking for HIV or AIDS.

*Specify:* \_\_\_\_\_

Q136. Liver disease?

☐ 1=yes

☐ 2=no [GO TO Q138]

Q137. Please tell me the name of the medicine, if any, you are **currently** taking for liver disease.

*Specify:* \_\_\_\_\_

Q138. Kidney disease?

☐ 1=yes

☐ 2=no [GO TO QUESTION 140]

Q139. Please tell me the name of the medicine, if any, you are **currently** taking for kidney disease.

*Specify:* \_\_\_\_\_

Q140. Arthritis?

☐ 1=yes

☐ 2=no [GO TO Q142]

Q141. Please tell me the name of the medicine, if any, you are **currently** taking for arthritis.

*Specify:* \_\_\_\_\_

Q142. Chronic back pain?

☐ 1=yes

☐ 2=no [GO TO Q144]

Q143. Please tell me the name of the medicine, if any, you are **currently** taking for chronic back pain.

*Specify:* \_\_\_\_\_

Q144. Cancer?

☐ 1=yes

☐ 2=no [GO TO Q149]

Q145. Specify up to two types of cancer.

*Specify:* \_\_\_\_\_

Q146. Please tell me the name of the medicine, if any, you are **currently** taking for cancer.

*Specify:* \_\_\_\_\_

Q147. If applicable, specify an additional type of cancer

*Specify:* \_\_\_\_\_

Q148. Enter name of medicine for type of cancer.

*Specify:* \_\_\_\_\_

Q149. Depression? Again, remember we are interested in knowing if a doctor or other healthcare person, like a nurse, has told you that you **currently** have this.

☐ 1=yes

☐ 2=no [GO TO Q151]

Q150. Please tell me the name of the medicine, if any, you are **currently** taking for depression.

*Specify:* \_\_\_\_\_

Q151. Anxiety disorder?

☐ 1=yes

☐ 2=no [GO TO QUESTION 153]

Q152. Please tell me the name of the medicine, if any, you are **currently** taking for anxiety disorder.

*Specify* \_\_\_\_\_

Q153. Schizophrenia or psychosis?

☐ 1=yes

☐ 2=no [GO TO QUESTION 155]

Q154. Please tell me the name of the medicine, if any, you are **currently** taking for schizophrenia or psychosis.

*Specify:* \_\_\_\_\_

Q155. Attention deficit disorder, hyperactivity, ADD, or ADHD?

☐ 1=yes

☐ 2=no [GO TO Q157]

Q156. Please tell me the name of the medicine, if any, you are **currently** taking for attention deficit

*Specify:* \_\_\_\_\_

Q157. Bipolar disorder or mania?

☐ 1=yes

☐ 2=no [GO TO Q159]

Q158. Please tell me the name of the medicine, if any, you are **currently** taking for bipolar disorder or mania.

*Specify:* \_\_\_\_\_

Q159. Post traumatic stress disorder, which is also called PTSD?

☐ 1=yes

☐ 2=no [GO TO Q161]

Q160. Please tell me the name of the medicine, if any, you are **currently** taking for post traumatic stress disorder.

*Specify:* \_\_\_\_\_

Q161. Impulse control disorder, such as difficulty controlling negative urges, or angry rages, gambling, self-abusive behavior, or fire starting?

☐ 1=yes

☐ 2=no [GO TO Q163]

Q162. Please tell me the name of the medicine, if any, you are **currently** taking for impulse control disorder or difficulty controlling negative urges.

*Specify:* \_\_\_\_\_

Q163. Alcohol dependency?

☐ 1=yes

☐ 2=no [GO TO Q165]

Q164. Please tell me the name of the medicine, if any, you are **currently** taking for alcohol dependency.

*Specify:* \_\_\_\_\_

Q165. Drug dependency?

☐ 1=yes

☐ 2=no [GO TO Q167]

Q166. Please tell me the name of the medicine, if any, you are **currently** taking for drug dependency.

*Specify:* \_\_\_\_\_

Q167. Other emotional or substance abuse disorders?

☐ 1=yes

☐ 2=no [GO TO Q170]

Q168. Specify other emotional or substance abuse disorder.

*Specify:* \_\_\_\_\_

Q169. Please tell me the name of the medicine, if any, you are **currently** taking for other emotional or substance abuse disorders.

*Specify:* \_\_\_\_\_

Q170. Any other medical conditions we did not ask about?

☐ 1=yes

☐ 2=no [GO TO Q177]

Q171. Specify up to three other medical disorders.

*Specify:* \_\_\_\_\_

Q172. Please tell me the name of the medicine, if any,  
you are **currently** taking for other medical disorder.

*Specify:* \_\_\_\_\_

Q173. If applicable, specify additional other medical disorder

*Specify:* \_\_\_\_\_

Q174. Please tell me the name of the medicine, if any, you are **currently** taking for other medical disorder.

*Specify:* \_\_\_\_\_

Q175. If applicable, specify additional other medical disorder.

*Specify:* \_\_\_\_\_

Q176. Please tell me the name of the medicine, if any, you are **currently** taking for other medical disorder.

*Specify:* \_\_\_\_\_

Q177. Are you **currently** taking any other medicines?

☐ 1=yes

☐ 2=no [GO TO QUESTION 182]

Q178. What medicines are you **currently** taking?

*Specify:* \_\_\_\_\_

Q179. What do you take this medicine for?

*Specify:* \_\_\_\_\_

Q180. If applicable, record second medicine here.

*Specify:* \_\_\_\_\_

Q181. What do you take this medicine for?

*Specify:* \_\_\_\_\_

### **Counseling While Incarcerated**

Q182. While incarcerated this time, have you **received** help or counseling for a mental health problem, including improving your **mood**, managing **stress**, or emotional **upsets**?

☐ 1=yes

☐ 2=no

### **General Traumas (Divorce, Property Crimes, etc.)**

*“Sometimes while growing up, events happen that may affect people later on in life. Please tell me if any of the following happened **before** you were **18** years of age. **Before age 18 . . .**”*

*“Before age 18...”*

Q183. Did you suffer a serious personal **injury** or **illness**, such as one that took a long time to get better from? If it’s not reported, probe about this injury when administering the TBI screener.

☐ 1=yes

☐ 2=no

Q184. Did someone very close to you have a serious injury or illness, unexpectedly die, or were they murdered?

☐ 1=yes

☐ 2=no



Q185. Did you experience the separation or divorce of your parents? [If R says his/her parents split up before R was born, code "no".]

☐ 1=yes

☐ 2=no

☐ 3=parents never married

Q186. Were you raised in a home **other** than that of your birth parent or parents?

☐ 1=yes

☐ 2=no [GO TO Q190]

Q187. In whose home or homes did you live? (*non-standard*) (*Allow multiple responses.*)

☐ 1= grandparent's

☐ 4= foster parent's or orphanage

☐ 2= other relative's

☐ 5= adoptive parent's

☐ 3= friend's

☐ 6=other [GO TO Q188, ALL OTHER RESPONSES  
GO TO 189]

Q188. Specify other type of person here. *Specify:*\_\_\_\_\_

Q189. How old were you when you went to live with someone other than your birth parent or parents?

\_\_\_\_\_

Q190. **Before age 18**, how many times did you move residences, even in the same town? \_\_\_\_\_

Q191. **Before age 18**, other than your parents, how many different caregivers did you have \_\_\_\_\_

Q192. **Before age 18**, was an adult always available to supervise you?

☐ 1=yes

☐ 2=no

Q193. **Before age 18**, did you witness violence towards others, including close family members?

☐ 1=yes

☐ 2=no

Q194. **Before age 18**, did anyone in your immediate family ever suffer a **serious mental** or **psychiatric** illness or have a "breakdown"?

☐ 1=yes

☐ 2=no

Q195. **Before age 18**, were you the victim of a **property** crime such as burglary or theft of something very dear to you? (modified ETI)

☐ 1=yes

☐ 2=no

Q196. **Before age 18**, were you the victim of a **personal** crime such as armed robbery, assault, or rape? (ETI)

☐ 1=yes

☐ 2=no

## History of Injuries

*[Use separate History of TBI Tool.]*

## History of substance use

*“Now I want to ask you about your possible alcohol or drug use in a general way. Let’s think about it in terms of the **last 12 months** that you lived on the **outside**. For these questions, when I use the term “drugs,” I am asking you about **both** illegal and prescription drugs and alcohol.”*

*“During the **last 12 months** that you lived on the outside . . .”*

## History of Substance/Alcohol Abuse

Q197. Did you use “street” drugs, alcohol, or **abuse prescription** drugs?

☐ 1=yes

☐ 2=no [GO TO Q210]

Q198. Did you use **larger amounts** of drugs or use them for a **longer** time than you planned or intended?

☐ 1=yes

☐ 2=no

Q199. Did you try to cut **down** on your drug use but were **unable** to do it?

☐ 1=yes

☐ 2=no

Q200. Did you spend **a lot of time** getting drugs, using them, or recovering from their use?

☐ 1=yes

☐ 2=no

Q201. Did you get so **high** or **sick** from drugs that it **kept** you from doing work, going to school, or caring for children?

☐ 1=yes

☐ 2=no

Q202. Did you get so **high** or **sick** from drugs that it **caused** an accident or put you or others in danger?

☐ 1=yes

☐ 2=no

Q203. Did you spend **less time** at work, school, or with friends so that you could use drugs?

☐ 1=yes

☐ 2=no

Q204. Did your drug use **cause** emotional or psychological problems?

☐ 1=yes

☐ 2=no

Q205. Did your drug use **cause** problems with family, friends, work, or police?

☐ 1=yes

☐ 2=no

Q206. Did your drug use **cause** physical health or medical problems?

☐ 1=yes

☐ 2=no

Q207. Did you **increase** the amount of a drug you were taking so that you could get the same **effects** as before?

☐ 1=yes

☐ 2=no

Q208. Did you ever keep taking a drug to **avoid withdrawal** symptoms or keep from getting **sick**?

☐ 1=yes

☐ 2=no

Q209. Did you get sick or have withdrawal symptoms when you quit or missed taking a drug?

☐ 1=yes

☐ 2=no

## History of substance use disorder

*“Now I want to ask you questions that are more **specific** about your use of alcohol or drugs **before** this incarceration.”*

Q210. Other than a few sips, have you **ever** had an alcoholic **beverage**, such as liquor, beer, wine, or cocktails?

☐ 1=yes

☐ 2=no [GO TO Q220]

### Males:

Q211. Did you ever have a period in your life when you usually drank **more** than **two** alcoholic beverages **per day**?

☐ 1=yes

☐ 2=no [GO TO Q219]

Q212. Altogether, what was the longest period of time in months or years that you usually drank **more** than **two** alcoholic beverages **per day** during the **12 months** before this incarceration? [Record both years and months, if appropriate.] Record months here. \_\_\_\_\_

Q213. Record years here. \_\_\_\_\_

Q214. Generally, how **often** did you drink **more** than **two** alcoholic beverages **per day** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

### Females:

Q215. Did you ever have a period in your life when you usually drank **more** than **one** alcoholic beverage **per day**?

☐ 1=yes

☐ 2=no [GO TO Q219]

Q216. What was the longest period of time in months or years you usually drank **more than one alcoholic beverage per day**? [Record both years and months, if appropriate.] Record months here. \_\_\_\_\_

Q217. Record years here. \_\_\_\_\_

Q218. Generally, how **often** did you drink **more** than **one** alcoholic beverage **per day** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q219. On the **days** you drank during the 12 months before this incarceration, on average how **many** drinks did you have? **Record whole or partial drinks using decimal point on answer sheet.**  
[For example, record half a drink as 0.5] \_\_\_\_\_

*[Clarification: a "drink" is 1 can (12 oz) or bottle of beer (12 oz), 1 (4-5 oz) glass of wine, 1 cocktail, or 1 shot of liquor. If respondent reports 32 or 40 oz can of beer, divide ounces by 12 and record 2 or 3 plus partial quantities.]*

## General Substance Abuse

*"It is normal that people have at least tried a few drugs. Please tell me about specific types of drugs you may have ever used, **including** the legal use of medicines such as pain killers and tranquilizers. I'll say a group name and then you can tell me if you have ever used any of them. Then I will ask you how old you were when you first used the drug and a few questions about how often you used the drug."*

Q220. Have you ever used **marijuana**, which is also called nickel or dime bag, weed, blunt, roach, Mary Jane, THC, hashish, hash oil, reefer, or pot?

☐ 1=yes

☐ 2=no [GO TO 225]

Q221. How old were you when you first used **marijuana**? \_\_\_\_\_

Q222. Altogether, what was the longest period of time in months or years that you used **marijuana**?  
*[Record both years and months, if appropriate.]* Record months here. \_\_\_\_\_

Q223. Record years here. \_\_\_\_\_

Q224. Generally, how often did you use **marijuana** during the **12** months before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q225. Have you ever used **heroin** also known as "tar," "jones," "brother," or "Versace"?

☐ 1=yes

☐ 2=no [GO TO Q230]

Q226. How old were you when you first used **heroin**? \_\_\_\_\_

Q227. Altogether, what as the longest period of time in months or years that you used **heroin**? *[Record both years and months, if appropriate.]* Record months here. \_\_\_\_\_

Q228. Record years here. \_\_\_\_\_

Q229. Generally, how often did you use **heroin** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q230. Have you ever used other **opiates** or **analgesics**, such as morphine, methadone, opium, salvia, codeine, Oxycontin, Hydrocodone, Lortab, Demerol, Vicodin, or Percocet?

☐ 1=yes

☐ 2=no [GO TO Q235]

Q231. How old were you when you first used other **opiates** or **analgesics**? \_\_\_\_\_

Q232. Altogether, what was the longest period of time in months or years that you used **other opiates** or **analgesics**? Record months here. \_\_\_\_\_

Q233. Record years here. \_\_\_\_\_

Q234. Generally, how **often** did you use other **opiates** or **analgesics** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q235. Have you ever used either **cocaine**, also known as coke or blow; or **crack**, also known as rock?

☐ 1=yes

☐ 2=no [GO TO Q240]

Q236. How old were you when you first used **cocaine** or **crack**? \_\_\_\_\_

Q237. Altogether, what was the longest period of time in months or years that you used **cocaine** or **crack**? Record months here. \_\_\_\_\_

Q238. Record years here. \_\_\_\_\_

Q239. Generally, how **often** did you use **cocaine** or **crack** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q240. Have you ever used **tranquilizers** or **sedatives**, such as Thorazine, Mellaril, Special K, benzo, downers, Ativan, Valium, Xanax, or Librium?

☐ 1=yes

☐ 2=no [GO TO Q245]

Q241. How old were you when you first used **tranquilizer** or **sedatives**? \_\_\_\_\_

Q242. Altogether, what was the longest period of time in months or years that you used **tranquilizers** or **sedatives**? Record months here. \_\_\_\_\_

Q243. Record years here. \_\_\_\_\_

Q244. Generally, how **often** did you use **tranquilizers** or **sedatives** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q245. Have you ever used **amphetamines**, such as speed, crank, uppers, crystal meth, ice, ecstasy, XTC, or X?

☐ 1=yes

☐ 2=no [GO TO Q250]

Q246. How old were you when you first used **amphetamines**? \_\_\_\_\_

Q247. Altogether, what was the longest period of time in months or years that you used **amphetamines**? Record months here. \_\_\_\_\_

Q248. Record years here. \_\_\_\_\_

Q249. Generally, how **often** did you use **amphetamines** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q250. Have you ever used **barbiturates**, such as Quaaludes, yellows, or rods?

☐ 1=yes

☐ 2=no [GO TO Q255]

Q251. How old were you when you first used **barbiturates**? \_\_\_\_\_

Q252. Altogether, what was the longest period of time in months or years that you used **barbiturates**? Record months here. \_\_\_\_\_

Q253. Record years here. \_\_\_\_\_

Q254. Generally, how **often** did you use **barbiturates** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q255. Have you ever used **hallucinogens**, such as acid, LSD, mescaline, mushrooms, or peyote?

☐ 1=yes

☐ 2=no [GO TO Q260]

Q256. How old were you when you first used a **hallucinogen**? \_\_\_\_\_

Q257. Altogether, what was the longest period of time in months or years that you used **hallucinogens**?

Record months here. \_\_\_\_\_

Q258. Record years here. \_\_\_\_\_

Q259. Generally, how **often** did you use **hallucinogens** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q260. Have you ever used **PCP**, also known as flakes, lovely, or angel dust?

☐ 1=yes

☐ 2=no [GO TO Q265]

Q261. How old were you when you first used **PCP**?

Q262. Altogether, what was the longest period of time in months or years that you used **PCP**?

Record months here. \_\_\_\_\_

Q263. Record years here. \_\_\_\_\_

Q264. Generally, how **often** did you use **PCP** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q265. Have you ever used an **inhalant**, such as huffing, glue, thinner, aerosols, paint spray, nitrate, rush, climax, locker room, whippets, or poppers?

☐ 1=yes

☐ 2=no [GO TO Q270]

Q266. How old were you when you first used an **inhalant**? \_\_\_\_\_

Q267. Altogether, what was the longest period of time in months or years that you used **inhalants**?

Record months here. \_\_\_\_\_

Q268. Record years here. \_\_\_\_\_



Q269. Generally, how **often** did you use **inhalants** during the **12 months** before this incarceration?

☐ 1=never

☐ 3=every week

☐ 2=occasionally

☐ 4=every day

Q270. In the **last 12 months** you lived on the **outside**, which **drug** caused you the **most** serious problem? [Allow only one response.]

☐ 1=none of them

☐ 2= alcohol

☐ 3= marijuana or hashish, which are also called nickel, dime bag, weed, blunt, roach, mary jane, THC, hash oil, reefer, or pot

☐ 4= hallucinogens, such as LSD, which is also called acid; PCP, which is also called flakes, angel dust, or lovely; psychedelics, mescaline, mushrooms, or peyote

☐ 5= inhalants, which are also called huffing, glue, thinner, aerosols, paint spray, nitrate, rush, climax, locker room, whippets, or poppers

☐ 6= crack, which is also known as rock, or freebase

☐ 7= heroin and cocaine, mixed together as a speedball

☐ 8= cocaine by itself, which is also known as coke or blow

☐ 9= heroin by itself, which is also called tar, jones, brother, or Versace

☐ 10= non-prescription street methadone

☐ 11= other opiates, such as opium, morphine, methadone, salvia, codeine, Oxycontin, Hydrocodone, Lortab, Demerol, Vicodin, or Percocet

☐ 12= methamphetamines, which is also called meth, crystal meth, or ice

☐ 13= amphetamines, such as speed, crank, uppers, ecstasy, XTC, or X

☐ 14= tranquilizers, barbiturates, or sedatives, such as Thorazine, Mellaril, Special K, Ativan, Valium, or Librium, which are also called downers, benzo, Quaaludes, yellows, or rods

Q271. How many **times** before this incarceration have you ever been in an **alcohol** or **drug treatment** program? Do **not** include AA, NA, or CA meetings.

☐ 1=never

☐ 4=3 times

☐ 2=1 time

☐ 5=4 or more times

☐ 3=2 times

Q272. **During** this incarceration, have you **received** help for an **alcohol** or drug **problem**?

☐ 1=yes

☐ 2=no

## Mental Health (Part 1)

*"Now I'm going to read you a series of statements. After I read each of the statements, please answer either 'true' or 'false' as it applies to you."*

Q273. Lately, my strength seems to be draining out of me, even in the morning.

☐ 1=true

☐ 2=false

Q274. I enjoy doing so many different things that I can't make up my mind what to do first.

☐ 1=true

☐ 2=false

Q275. I feel weak and tired much of the time.

☐ 1=true

☐ 2=false

Q276. If my family puts pressure on me, I'm likely to feel angry and resist doing what they want.

☐ 1=true

☐ 2=false

Q277. People make fun of me behind my back, talking about the way I act or look.

☐ 1=true

☐ 2=false

Q278. My drug habits have often gotten me into a good deal of trouble in the past.

☐ 1=true

☐ 2=false

Q279. Sometimes I can be pretty rough and mean in my relations with my family.

☐ 1=true

☐ 2=false

Q280. As a teenager, I got into lots of trouble because of bad school behavior.

☐ 1=true

☐ 2=false

Q281. I like to flirt with members of the opposite sex.

☐ 1=true

☐ 2=false

Q282. I'm a very erratic person, changing my mind and feelings all the time.

☐ 1=true

☐ 2=false

Q283. Lately, I have begun to feel like smashing things.

☐ 1=true

☐ 2=false

Q284. Lately, I have gone all to pieces.

☐ 1=true

☐ 2=false

Q285. I do what I want without worrying about its effect on others.

☐ 1=true

☐ 2=false

Q286. I guess I'm a fearful and inhibited person.

☐ 1=true

☐ 2=false

Q287. I've done a number of stupid things on impulse that ended up causing me great trouble.

☐ 1=true

☐ 2=false

Q288. I feel terribly depressed and sad much of the time now.

☐ 1=true

☐ 2=false

Q289. A long time ago, I decided it's best to have little to do with people.

☐ 1=true

☐ 2=false

Q290. When things get boring, I like to stir up some excitement.

☐ 1=true

☐ 2=false

Q291. I have an alcohol problem that has made difficulties for me and my family.

☐ 1=true

☐ 2=false

Q292. Punishment never stopped me from doing what I wanted.

☐ 1=true

☐ 2=false

Q293. There are many times, when for no reason, I feel very cheerful and full of excitement.

☐ 1=true

☐ 2=false

Q294. In recent weeks, I feel worn out for no special reason.

☐ 1=true

☐ 2=false

Q295. I've become very jumpy in the last few weeks.

☐ 1=true

☐ 2=false

Q296. Ideas keep turning over and over in my mind and they won't go away.

☐ 1=true

☐ 2=false

Q297. I avoid most social situations because I expect people to criticize or reject me.

☐ 1=true

☐ 2=false

Q298. When I'm alone, I often feel the strong presence of someone nearby who can't be seen.

☐ 1=true

☐ 2=false

Q299. I feel pretty aimless and don't know where I'm going in life.

☐ 1=true

☐ 2=false

Q300. I can't seem to sleep, and I wake up just as tired as when I went to bed.

☐ 1=true

☐ 2=false

Q301. Lately, I've been sweating a great deal and feel very tense.

☐ 1=true

☐ 2=false

Q302. I keep having strange thoughts that I wish I could get rid of.

☐ 1=true

☐ 2=false

### Childhood Experiences

*"We're going to switch topics now. First I'm going to ask you a few questions about your mother, then I will ask you some questions about your childhood. For the first question, please answer 'yes' or 'no'."*

Q303. Did your birth mother take care of you during the first few months after you were born?

(non-standard)

☐ 1=yes [GO TO Q306]

☐ 2=no

Q304. What prevented your mother from taking care of you during the first few months after you were born? (non-standard)

☐ 1=she was too young to take care of you

☐ 2=her physical or mental health did not permit her to take care of you

☐ 3=you were in the hospital during this time

☐ 4=she had died

☐ 5=she gave you up for adoption

☐ 6=she was not permitted to take care of you

☐ 7=she was incarcerated

☐ 8=she did not want to take care of you

☐ 9=other [GO TO Q305, ALL OTHER RESPONSES GO TO 306]

Q305. Specify other reason. *Specify:* \_\_\_\_\_

Q306. How old was your mother when she had her first child? \_\_\_\_\_

Q307. How old was your mother when you were born? \_\_\_\_\_

Q308. Did you find your childhood experience with school work to be . . .

☐ 1=easy

☐ 3=somewhat difficult

☐ 2=somewhat easy

☐ 4=difficult

Q309. **Before age 18**, how many times did you change schools without your other classmates changing with you? That is, how many times did you go to a different school where you were the "new kid on the block?" \_\_\_\_\_

Q310. Did you **ever** have to repeat a grade in school because you were having a hard time with the school work?

☐ 1=yes

☐ 2=no

Q311. Did a school person **ever** tell you or tell your parent or caregiver that you needed to be in a special education class?

☐ 1=yes

☐ 2=no

Q312. Did a teacher, psychologist, counselor, or other school or healthcare person **ever** tell you that you had a problem with learning, attention, or concentration? For example, Attention Deficit Disorder, which is also called ADD; Attention Deficit Hyperactivity Disorder, which is also called ADHD; dyslexia; or a reading, speech, or writing problem.

☐ 1=yes

☐ 2=no

Q313. Did you **ever** qualify for free or reduced lunch?

☐ 1=yes

☐ 2=no

☐ 3=your school did not offer free or reduced lunch

Q314. What health insurance coverage did you have most often when you were a child?

☐ 1= private or commercial, for example, Blue Cross/Blue Shield, PPO, Cigna, HMO

☐ 2= military, for example, Champus or Tricare

☐ 3= Medicaid

☐ 4= Medicare or SSDI

☐ 5= Children's Health Insurance Program, known as CHIP

☐ 6= uninsured or your family self paid

☐ 7=some other kind [GO TO Q315, ALL OTHER RESPONSES GO TO 316]

Q315. Specify other kind of health insurance coverage.

*Specify:* \_\_\_\_\_

## Social Support

*"Now I'd like to ask what it was like when you were growing up. These first questions can be answered yes' or 'no.' Please answer these questions as it would apply to the person you lived with the longest."*

When you were growing up.....

Q316. Did your parent or another primary caregiver ask if you'd gotten your homework done?

☐ 1=yes

☐ 2=no

Q317. Did your parent or primary caregiver know if you did not come home on time?

☐ 1=yes

☐ 2=no

Q318. When you were not at home, did your parent or primary caregiver know where you were and with whom?

☐ 1=yes

☐ 2=no

Q319. Were the rules in your family clear?

☐ 1=yes

☐ 2=no

Q320. Did your family have clear rules about alcohol and drug use?

☐ 1=yes

☐ 2=no

Q321. If you had drunk some beer or wine or liquor (for example, vodka, whiskey, or gin) without your parent's or caregiver's permission, would you have been caught by one of them?

☐ 1=yes

☐ 2=no

Q322. If you had skipped school, would you have been caught by your parent or primary caregiver?

☐ 1=yes

☐ 2=no

Q323. If you had carried a hand gun without your parent's or caregiver's permission, would you have been caught by one of them?

☐ 1=yes

☐ 2=no

Q324. Did people in your family often insult or yell at each other?

☐ 1=yes

☐ 2=no

Q325. Did people in your family have serious arguments?

☐ 1=yes

☐ 2=no

Q326. Did your family argue about the same things over and over?

☐ 1=yes

☐ 2=no

*“Again, please answer these questions as they would apply to the person you lived with the longest. When you were growing up . . .”*

Q327. Did you feel very close to your **mother** or a **female** caregiver?

☐ 1=yes

☐ 2=no

☐ 3=did not have a mother or female caregiver [GO TO Q330]

Q328. Did you share your thoughts and feelings with your **mother** or **female** caregiver?

☐ 1=yes

☐ 2=no

Q329. Did you enjoy spending time with your **mother** or a **female** caregiver?

☐ 1=yes

☐ 2=no

Q330. Did you feel very close to your **father** or **male** caregiver?

☐ 1=yes

☐ 2=no

☐ 3=did not have a father or male caregiver [GO TO Q233]

Q331. Did you share your thoughts and feelings with your **father** or **male** caregiver?

☐ 1=yes

☐ 2=no

Q332. Did you enjoy spending time with your **father** or **male** caregiver?

☐ 1=yes

☐ 2=no



*“When you were growing up...”*

Q333. Did your parent or primary caregiver give you lots of chances to do fun things with him or her?

☐ 1=yes

☐ 2=no

Q334. Did your parent or primary caregiver ask you what you thought before most family decisions affecting you were made?

☐ 1=yes

☐ 2=no

Q335. If you had a personal problem, could you ask your parent or primary caregiver for help?

☐ 1=yes

☐ 2=no

Q336. Did your parent or primary caregiver notice when you were doing a good job and let you know about it?

☐ 1=yes

☐ 2=no

*“When you were growing up...”*

Q337. How often did your parent or primary caregiver tell you they were proud of you for something you’d done?

☐ 1=almost daily

☐ 4=rarely

☐ 2=weekly

☐ 5=never

☐ 3=monthly

Q338. How wrong did your parent or primary caregiver feel it would be for you to steal anything worth more than \$5? Was that . . .

☐ 1=not wrong at all

☐ 2=wrong

☐ 3=very wrong

Q339. How wrong did your parent or primary caregiver feel it would be for you to draw graffiti, or write things or draw pictures on buildings or other property without the owner’s permission? Was that...

☐ 1=not wrong at all

☐ 2=wrong

☐ 3=very wrong

Q340. How wrong did your parent or primary caregiver feel it would be for you to pick a fight with someone? Was that....

☐ 1=not wrong at all

☐ 2=wrong

☐ 3=very wrong

Q341. How wrong did your parent or primary caregiver feel it would be for you to drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly?

☐ 1=not wrong at all

☐ 2=wrong

☐ 3=very wrong

Q342. How wrong did your parent or primary caregiver feel it would be for you to smoke cigarettes?

☐ 1=not wrong at all

☐ 2=wrong

☐ 3=very wrong

Q343. How wrong did your parent or primary caregiver feel it would be for you to smoke marijuana?

☐ 1=not wrong at all

☐ 2=wrong

☐ 3=very wrong

Q344. **Before age 18**, did you live with a problem drinker, alcoholic, or someone who used alcohol or drugs illegally?

☐ 1=yes

☐ 2=no

### Physical Punishment

*"These next questions are about acts of physical punishment you may have experienced as a child."*

Q345. **Before** age 18, were you punched, kicked, choked, shoved, slapped in the face with an open hand, or purposely burned? [*Clarify Q345 includes school or fights while incarcerated.*]

☐ 1=yes

☐ 2=no [GO TO Q347]

Q346. Who was the person or persons who did this? *(Allow multiple responses.)*

- |  |  |
|--|--|
| <input type="checkbox"/> 1=parent or primary caregiver       | <input type="checkbox"/> 4=someone your age    |
| <input type="checkbox"/> 2=another relative                  | <input type="checkbox"/> 5=an authority figure |
| <input type="checkbox"/> 3=spouse or boyfriend or girlfriend | <input type="checkbox"/> 6=someone else        |

*[Clarification: #2=relative includes a sibling; #4=someone your age includes classmate, bully, friend, fellow offender. #5=an authority figure includes persons like corrections officer, minister, school official, police officer, court official.]*

Q347. **Before** age 18, were you hit or spanked with an object like a belt, fly-swatter, a board, cord, or coat hanger or had an object thrown at you? *[Clarification: includes while in prison or juvenile facility.]*

- ☐ 1=yes  
☐ 2=no [GO TO Q349]

Q348. Who was the person or persons who did this? *(Allow multiple responses.)*

- |  |  |
|--|--|
| <input type="checkbox"/> 1=parent or primary caregiver       | <input type="checkbox"/> 4=someone your age    |
| <input type="checkbox"/> 2=another relative                  | <input type="checkbox"/> 5=an authority figure |
| <input type="checkbox"/> 3=spouse or boyfriend or girlfriend | <input type="checkbox"/> 6=someone else        |

Q349. **Before** age 18, were you tied up or locked in a closet, trunk, or other small space?

- ☐ 1=yes  
☐ 2=no [GO TO Q351]

Q350. Who was the person or persons who did this? *(Allow multiple responses.)*

- |  |  |
|--|--|
| <input type="checkbox"/> 1=parent or primary caregiver       | <input type="checkbox"/> 4=someone your age    |
| <input type="checkbox"/> 2=another relative                  | <input type="checkbox"/> 5=an authority figure |
| <input type="checkbox"/> 3=spouse or boyfriend or girlfriend | <input type="checkbox"/> 6=someone else        |

### **Emotional Abuse**

Q351. **Before** age 18, were you put down or ridiculed, treated in a cold and uncaring way, ignored, or told that you were stupid, ugly, no good, or unwanted?

- ☐ 1=yes  
☐ 2=no [GO TO Q353]

Q352. Who was the person or persons who did this? *[Allow multiple responses.]*

- |  |  |
|--|--|
| <input type="checkbox"/> 1=parent or primary caregiver       | <input type="checkbox"/> 4=someone your age    |
| <input type="checkbox"/> 2=another relative                  | <input type="checkbox"/> 5=an authority figure |
| <input type="checkbox"/> 3=spouse or boyfriend or girlfriend | <input type="checkbox"/> 6=someone else        |

Q353. **Before** age 18, did a parent or caregiver get out of control and yell, scream, or curse at you?

- ☐ 1=yes  
☐ 2=no

Q354. **Before** age 18, did your parents or caregivers often fail to meet your basic needs, such as making sure you had food, clothing, shelter, etc.?

- ☐ 1=yes  
☐ 2=no

### Sexual Abuse

*"The next questions are about sexual acts. Some questions may make you feel uneasy. Please remember that we have to ask all questions of everyone, but you are free to refuse to answer any question."*

Q355. **Before** age 18, were you touched on the private parts of your body, for example your breasts, thighs, crotch, or genitals, in a way that was unwelcome or made you feel uncomfortable?

- ☐ 1=yes  
☐ 2=no [GO TO Q357]

Q356. Who was the person or persons who did this? *[Allow multiple responses.]*

- |  |  |
|--|--|
| <input type="checkbox"/> 1=parent or primary caregiver       | <input type="checkbox"/> 4=someone your age    |
| <input type="checkbox"/> 2=another relative                  | <input type="checkbox"/> 5=an authority figure |
| <input type="checkbox"/> 3=spouse or boyfriend or girlfriend | <input type="checkbox"/> 6=someone else        |

Q357. **Before** age 18, were you forced or persuaded to touch another person's private parts or have someone rub their private parts against you? *(modified ETI)*

- ☐ 1=yes  
☐ 2=no [GO TO Q359]

Q358. Who was the person or persons who did this? *[Allow multiple responses.]*

- |  |  |
|--|--|
| <input type="checkbox"/> 1=parent or primary caregiver       | <input type="checkbox"/> 4=someone your age    |
| <input type="checkbox"/> 2=another relative                  | <input type="checkbox"/> 5=an authority figure |
| <input type="checkbox"/> 3=spouse or boyfriend or girlfriend | <input type="checkbox"/> 6=someone else        |

Q359. **Before** age 18, did anyone perform, or have you perform, anal, genital, or oral sex on him or her against your will or for drugs or money?

☐ 1=yes

☐ 2=no [GO TO Q361]

Q360. Who was the person or persons who did this? *[Allow multiple responses.]*

☐ 1=parent or primary caregiver

☐ 4=someone your age

☐ 2=another relative

☐ 5=an authority figure

☐ 3=spouse or boyfriend or girlfriend

☐ 6=someone else

### **Adversity/Neighborhood**

“Now I have a few questions about the neighborhoods you lived in as a child. By neighborhood we mean the general area near your house where you might have played or visited with friends. Please tell me ‘true’ or ‘false’ if ...”

Q361. Living in my neighborhood made it hard to stay out of trouble.

☐ 1=true

☐ 2=false

Q362. Drugs and alcohol were a major problem in my neighborhood.

☐ 1=true

☐ 2=false

Q363. I was afraid to play outside in my neighborhood.

☐ 1=true

☐ 2=false

Q364. The police often came to my neighborhood to find someone whom they thought may have committed a crime.

☐ 1=true

☐ 2=false

Q365. People often yelled at each other and got into fights in my neighborhood.

☐ 1=true

☐ 2=false

## Physical, Emotional, and Sexual Abuse as an Adult

*I now need to ask you a few questions similar to some I've already asked, but these questions apply to your experiences **since** you turned 18."*

Q366. **Since you turned 18**, have you ever been punched, kicked, choked, shoved, slapped in the face with an open hand, or purposely burned?

☐ 1=yes

☐ 2=no [GO TO Q368]

Q367. Who was the person or persons who did this? *(Allow multiple responses.)*

☐ 1=parent or primary caregiver

☐ 4=someone your age

☐ 2=another relative

☐ 5=an authority figure

☐ 3=spouse or boyfriend or girlfriend

☐ 6=someone else

Q368. **Since you turned 18**, have you been put down or ridiculed, treated in a cold and uncaring way, ignored, or told that you were stupid, ugly, no good, or unwanted?

☐ 1=yes

☐ 2=no [GO TO Q370]

Q369. Who was the person or persons who did this? *(Allow multiple responses.)*

☐ 1=parent or primary caregiver

☐ 4=someone your age

☐ 2=another relative

☐ 5=an authority figure

☐ 3=spouse or boyfriend or girlfriend

☐ 6=someone else

Q370. **Since you turned 18**, did anyone perform, or have you perform anal, genital, or oral sex on him or her against your will or for drugs or money?

☐ 1=yes

☐ 2=no [GO TO Q372]

Q371. Who was the person or persons who did this? *(Allow multiple responses.)*

☐ 1=parent or primary caregiver

☐ 4=someone your age

☐ 2=another relative

☐ 5=an authority figure

☐ 3=spouse or boyfriend or girlfriend

☐ 6=someone else

**Cognitive dysfunction MOS-Cognitive Functioning Scale.**

*“Now, I am going to read a list of statements to see if they describe how you have been during the **past 24 hours**. Please tell me if . . .”*

Q372. During the **past 24 hours** you had difficulty **reasoning** and **solving problems**, for example, making plans, making decisions, or learning new things? (modified by MacKenzie 2002)

☐ 1=yes

☐ 2=no [GO TO Q374]

Q373. Did you have a little, a moderate amount, or a great deal of difficulty?

☐ 1=a little

☐ 2=a moderate amount

☐ 3=a great deal

Q374. During the **past 24 hours** did you **forget**, for example, things that happened recently or where you put things or where you were supposed to be?

☐ 1=yes

☐ 2=no [GO TO Q376]

Q375. Did you have a little, a moderate amount, or a great deal of difficulty?

☐ 1=a little

☐ 2=a moderate amount

☐ 3=a great deal

Q376. During the **past 24 hours** did you have trouble keeping your **attention** on any activity for long?

☐ 1=yes

☐ 2=no [GO TO Q378]

Q377. Did you have a little, a moderate amount, or a great deal of difficulty?

☐ 1=a little

☐ 2=a moderate amount

☐ 3=a great deal

Q378. During the **past 24 hours** did you have difficulty doing activities involving **concentration** and **thinking**?

☐ 1=yes

☐ 2=no [GO TO Q380]

Q379. Did you have a little, a moderate amount, or a great deal of difficulty?

- ☐ 1=a little  
☐ 2=a moderate amount  
☐ 3=a great deal

Q380. Since your incarceration this time, have you received **help** improving your **memory** or **problem-solving** skills?

- ☐ 1=yes  
☐ 2=no

### Cognitive Performance Test: Trail Making A & B

Q381. Did respondent successfully complete Part A?

- ☐ 1=yes  
☐ 2=no[GO TO 385.]  
☐ 3=respondent refused to take test [GO TO 385.]

Q382. Record time here. \_\_\_\_\_

Q383. Did respondent successfully complete Part B?

- ☐ 1=yes  
☐ 2=no[GO TO 385.]  
☐ 3=respondent refused to take test [GO TO 385.]

Q384. Record time here. \_\_\_\_\_

*"Now I'd like to ask about your experiences with the criminal justice system."*

### Criminal History

Q385. Even though you may have not been caught, how old were you the **first time** you committed a crime, such as stealing or taking something that did not belong to you, destroying property, or hurting someone very badly? *[Do not include underage smoking or drinking, speeding, parking tickets, truancy, or driving without a license. Do include DUI and DWI.]* \_\_\_\_\_

Q386. How old were you the **first time** you were arrested? \_\_\_\_\_

Q387. How many times in your life have you been **arrested**?

- ☐ 1=1  
☐ 2=2-5  
☐ 3=6-10  
☐ 4=more than 10

Q388. How many times in your life have you been **convicted** of a crime? \_\_\_\_\_



Q389. How old were you the **first time** you were **convicted** of a crime? \_\_\_\_\_

[If 18 and older at time of conviction, GO TO Q391]

Q390. In your entire life, how many times have you ever been locked up in a juvenile detention facility, a juvenile training school, or any other kind of juvenile correctional facility because of committing a crime? \_\_\_\_\_

Q391. **Not counting** your **current term** of incarceration, how many times in your life have you been sent to prison? \_\_\_\_\_

Q392. Have you **ever** committed any **violent** crimes, regardless of whether or not you were caught? By violent crimes, we mean things like physical or sexual assault, rape, robbery, manslaughter, attempted murder, murder, vehicular manslaughter, or vehicular homicide, and it doesn't matter whether you did or did not know the person.

☐ 1=yes

☐ 2=no [GO TO Q395]

Q393. During any of those violent crimes, did you hurt or kill anyone?

☐ 1=yes

☐ 2=no

Q394. Have you committed a violent crime more than once?

☐ 1=yes

☐ 2=no

Q395. What was your conviction offense for your current incarceration? By "conviction offense" we mean the conviction for which you were originally sent to prison. [Allow multiple responses.]

☐ 1=burglary

☐ 7=forgery

☐ 2=robbery of a business or person

☐ 8=fraud

☐ 3=assault

☐ 9=drug dealing/trafficking

☐ 4=murder

☐ 10=drug possession

☐ 5=theft

☐ 11=sex offense

☐ 6=car theft

☐ 12=some other offense.

Q396. Specify other offense. \_\_\_\_\_

Q397. Are you currently serving time for a probation or parole violation?

☐ 1=yes

☐ 2=no [GO TO Q399]

Q398. Was the parole violation for a technical violation, like failing to report, or for a new crime?

☐ 1=technical violation

☐ 2=new crime

### Family & Peer Influence

Q399. Other than yourself, has a close relative, such as your parent, step-parent, grandparent, brother, sister, wife, husband, partner, uncle, aunt, cousin, or child, **ever** served time in a correctional facility, such as a jail, prison, or juvenile corrections center?

☐ 1=yes

☐ 2=no [GO TO Q401]

Q400. How is that person or persons related to you? [Allow multiple responses.]

☐ 1=grandparent

☐ 4=spouse/partner

☐ 2=parent/step-parent

☐ 5=child

☐ 3=brother/sister

☐ 6=uncle/aunt/cousin

Q401. Have any of your **close friends** ever been convicted of a crime for which they served time in a correctional facility, such as a jail, prison, or juvenile correctional center?

☐ 1=yes

☐ 2=no

### Post-Traumatic Stress Disorder

*"In these next questions, I'm going to ask you about some bad experiences that you may have had. Some of what I will ask may be upsetting, but remember you are free to refuse to answer any question."*

Q402. Some people have terrible things happen to them that most people never go through-things like being attacked, even raped; being in a fire, flood, or bad traffic accident; being threatened with a weapon; or seeing someone being badly injured or killed. Did something like this ever happen to you?

☐ 1=yes

☐ 2=no [GO TO Q520]

*Please look at this list. It has experiences that you may have had. Tell me which, if any, have happened to you and then tell me how old you were when they happened. If it went on for a while, give the ages it occurred, like from age "3 to 6". If there is a bad experience you had that's not on the list, please tell me what it was. If none of these things have ever happened to you, we'll go on to the next question. These are important questions, but if answering any of them is too upsetting, remember that you can refuse to answer.*

Q403. Have any of the following things ever happened to you? Being hit, shaken, shoved hard, slapped, burned, beaten, choked, kicked, tied up, locked in a closet or other small place, punched, or thrown as a child. *[IF NEEDED: Has this ever happened to you?]*

☐ 1=yes

☐ 2=no [GO TO Q408]

Q404. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q406]

Q405. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_

Q406. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q407. Record ending age here. \_\_\_\_\_

Q408. Being seriously neglected as a child (*for example, not having someone to take care of your basic needs, like providing food, a safe place to sleep and live, healthy living space, love, supervision, etc.*). *[IF NEEDED: Has this ever happened to you?]*

☐ 1=yes

☐ 2=no [GO TO Q413]

Q409. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q411]

Q410. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q413]

Q411. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q412. Record ending here. \_\_\_\_\_

Q413. Being called names, told you were worthless, put down, ignored for a long period of time, or other types of neglect as a child by one of your parents or caregivers? *[IF NEEDED, ASK: Has this ever happened to you?]*

☐ 1=yes

☐ 2=no [GO TO Q418]

Q414. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q416]

Q415. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q418]

Q416. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q417. Record ending age here. \_\_\_\_\_

Q418. Being sexually molested or raped. [IF NEEDED, ASK: Has this ever happened to you?]

☐ 1=yes

☐ 2=no [GO TO Q423]

Q419. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q421]

Q420. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q423]

Q421. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q422. RECORD ENDING AGE HERE. \_\_\_\_\_

Q423. Being attacked by someone not close to you or by a stranger? [IF NEEDED, ASK: Has this ever happened to you?]

☐ 1=yes

☐ 2=no [GO TO Q428]

Q424. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q426]

Q425. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_

Q426. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q427. Record ending age here. \_\_\_\_\_

Q428. Being attacked by someone close to you, like a relative or boyfriend or girlfriend. [IF NEEDED, ASK: Has this ever happened to you?]

☐ 1=yes

☐ 2=no [GO TO Q433]

Q429. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q431]

Q430. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q433]

Q431. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q432. Record ending age here. \_\_\_\_\_

Q433. Seeing someone being badly hurt or killed. [IF NEEDED, ASK: Has this ever happened to you?]

☐ 1=yes

☐ 2=no [GO TO Q438.]

Q434. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q436.]

Q435. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q438.]

Q436. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q437. Record ending age here. \_\_\_\_\_

Q438. Being in a fire, flood or other disaster. [IF NEEDED, ASK: Has this ever happened to you?]

☐ 1=yes

☐ 2=no [GO TO Q443.]

Q439. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q441.]

Q440. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q443.]

Q441. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q442. Record ending age here. \_\_\_\_\_

Q443. Being threatened with a weapon, held captive, or kidnapped. [IF NEEDED, ASK: Has this ever happened to you?]

☐ 1=yes

☐ 2=no [GO TO Q448.]

Q444. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q446]

Q445. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q458]

Q446. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q447. Record ending age here. \_\_\_\_\_

Q448. Being almost killed or badly hurt, such as in an accident. [IF NEEDED, ASK: Has this ever happened to you?]

☐ 1=yes

☐ 2=no [GO TO Q453]

Q449. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q451]

Q450. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q453]

Q451. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q452. Record ending age here. \_\_\_\_\_

Q453. Being in direct military combat in a war. *[IF NEEDED, ASK: Has this ever happened to you?]*

☐ 1=yes

☐ 2=no [GO TO Q458.]

Q454. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q456.]

Q455. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q458.]

Q456. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q457. Record ending age here. \_\_\_\_\_

Q458. Finding out that someone close to you such as a family member or close friend had died or was in a bad accident. *[IF NEEDED, ASK: Has this ever happened to you?]*

☐ 1=yes

☐ 2=no [GO TO Q463]

Q459. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q461]

Q460. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q463]

Q461. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q462. Record ending age here. \_\_\_\_\_

Q463. Have you had any other very bad experience that was not on this list? *[IF NEEDED: Has this ever happened to you?]*

☐ 1=yes

☐ 2= no [GO TO Q469]

Q464. What was that? *Specify:* \_\_\_\_\_

Q465. Did this happen once, or did it go on over a period of time?

☐ 1=once

☐ 2=over time [GO TO Q467]

Q466. How old were you when this happened? If you're having trouble remembering, give me your best guess. \_\_\_\_\_ [GO TO Q469]

Q467. How old were you during this period of time? Just give me the age range. If you're having trouble remembering, just give me your best guess. Record starting age here. \_\_\_\_\_

Q468. Record ending age here. \_\_\_\_\_

*"For the following questions, think about what effect this event (or these events) may have had on you throughout your life."*

Q469. Because of something that happened to you, did you ever have upsetting thoughts or images about the traumatic event that came into your head when you did not want them to?

☐ 1=yes

☐ 2=no [GO TO Q472]

Q470. How old were you when you first started feeling like this? \_\_\_\_\_

Q471. How old were you when you stopped feeling like this? If it's still going on, just give me your current age. \_\_\_\_\_

Q472. Because of something that happened to you, did you ever have bad dreams or nightmares about the traumatic event?

☐ 1=yes

☐ 2=no [GO TO Q475.]

Q473. How old were you when you first started having these? \_\_\_\_\_

Q474. How old were you when you stopped having these? If it's still going on, just give me your current age. \_\_\_\_\_

Q475. Because of something that happened to you, did you **ever** relive the traumatic event, acting or feeling as if it were happening again?

☐ 1=yes

☐ 2=no [GO TO Q478]

Q476. How old were you when you first started feeling like this? \_\_\_\_\_



Q477. How old were you when you stopped feeling like this? If it's still going on, just give me your current age. \_\_\_\_\_

Q478. Because of something that happened to you, did you **ever** feel emotionally upset when you were reminded of the traumatic event (*for example, feeling scared, angry, sad, guilty, etc.*)?

☐ 1=yes

☐ 2=no [GO TO Q481]

Q479. How old were you when you first started feeling like this? \_\_\_\_\_

Q480. How old were you when you stopped feeling like this? If it's still going on, just give me your current age. \_\_\_\_\_

Q481. Because of something that happened to you, did you **ever** experience physical reactions when you were reminded of the traumatic event (*for example, breaking out in a sweat, heart beating faster*)?

☐ 1=yes

☐ 2=no [GO TO Q484]

Q482. How old were you when you first started feeling like this? \_\_\_\_\_

Q483. How old were you when you stopped feeling like this? If it's still going on, just give me your current age. \_\_\_\_\_

Q484. Because of something that happened to you, did you **ever** try not to think about, talk about, or have feelings about the traumatic event?

☐ 1=yes

☐ 2=no [GO TO Q487]

Q485. How old were you when you first started doing this? \_\_\_\_\_

Q486. How old were you when you stopped doing this? If it's still going on, just give me your current age. \_\_\_\_\_

Q487. Because of something that happened to you, did you **ever** try to avoid activities, people, or places that reminded you of the traumatic event?

☐ 1=yes

☐ 2=no [GO TO Q490]

Q488. How old were you when you first started doing this? \_\_\_\_\_

Q489. How old were you when you stopped doing this? If it's still going on, just give me your current age. \_\_\_\_\_

Q490. Because of something that happened to you, were you **ever** not able to remember an important part of the traumatic event?

☐ 1=yes

☐ 2=no [GO TO Q493]

Q491. How old were you when you first started having this problem? \_\_\_\_\_

Q492. How old were you when you stopped having this problem? If it's still going on, just give me your current age. \_\_\_\_\_

Q493. Because of something that happened to you, did you **ever** have much less interest or participate much less often in important activities?

☐ 1=yes

☐ 2=no [GO TO Q496]

Q494. How old were you when you first started doing this? \_\_\_\_\_

Q495. How old were you when you stopped doing this? If it's still going on, just give me your current age. \_\_\_\_\_

Q496. Because of something that happened to you, did you **ever** feel distant or cut off from people around you?

☐ 1=yes

☐ 2=no [GO TO Q499]

Q497. How old were you when you first started feeling like this? \_\_\_\_\_

Q498. How old were you when you stopped feeling like this? If it's still going on, just give me your current age. \_\_\_\_\_

Q499. Because of something that happened to you, did you **ever** feel emotionally numb (for example, being unable to cry or unable to have loving feelings)?

☐ 1=yes

☐ 2=no [GO TO Q502]

Q500. How old were you when you first started feeling like this? \_\_\_\_\_

Q501. How old were you when you stopped feeling like this? If it's still going on, just give me your current age. \_\_\_\_\_

Q502. Because of something that happened to you, did you **ever** feel as if your future plans or hopes would not come true (*for example, you would not have a career, marriage, children, or a long life*)?

☐ 1=yes

☐ 2=no [GO TO Q505]

Q503. How old were you when you first started feeling like this? \_\_\_\_\_

Q504. How old were you when you stopped feeling like this? If it's still going on, just give me your current age. \_\_\_\_\_

Q505. Because of something that happened to you, did you **ever** have trouble falling or staying asleep?

☐ 1=yes

☐ 2=no [GO TO Q508]

Q506. How old were you when you first started having this problem? \_\_\_\_\_

Q507. How old were you when you stopped having this problem? If it's still going on, just give me your current age. \_\_\_\_\_

Q508. Because of something that happened to you, did you **ever** feel irritable or have fits of anger?

☐ 1=yes

☐ 2=no [GO TO Q511]

Q509. How old were you when you first started feeling like this? \_\_\_\_\_

Q510. How old were you when you stopped feeling like this? If it's still going on, just give me your current age. \_\_\_\_\_

Q511. Because of something that happened to you, did you **ever** have trouble concentrating (for example, drifting in and out of conversations, losing track of a story on television, forgetting what you read)?

☐ 1=yes

☐ 2=no [GO TO Q514]

Q512. How old were you when you first started having this problem? \_\_\_\_\_

Q513. How old were you when you stopped having this problem? If it's still going on, just give me your current age. \_\_\_\_\_

Q514. Because of something that happened to you, were you **ever** overly alert (for example, checking to see who was around you, being uncomfortable with your back to the door, etc)?

☐ 1=yes

☐ 2=no [GO TO Q517]

Q515. How old were you when you first started having this problem? \_\_\_\_\_

Q516. How old were you when you stopped having this problem? If it's still going on, just give me your current age. \_\_\_\_\_

Q517. Because of something that happened to you, were you **ever** jumpy or easily startled (for example, when someone walked up behind you)?

☐ 1=yes

☐ 2=no [GO TO Q520]

Q518. How old were you when you first started having this problem? \_\_\_\_\_

Q519. How old were you when you stopped having this problem? If it's still going on, just give me your current age. \_\_\_\_\_

## **Mental Health (Part 2)**

*"Now I'm going to read you a series of statements. After I read each of the statements, please answer either 'true' or 'false' as it applies to you."*

Q520. My mood seems to change a great deal from one day to the next.

☐ 1=true

☐ 2=false

Q521. There are members of my family who say I'm selfish and think only of myself.

☐ 1=true

☐ 2=false

Q522. People have said in the past that I became too interested and too excited about too many things.

☐ 1=true

☐ 2=false

Q523. My feelings toward important people in my life often swing from loving them to hating them.

☐ 1=true

☐ 2=false

Q524. In social groups I am almost always very self-conscious and tense.

☐ 1=true

☐ 2=false

Q525. I guess I don't take many of my family responsibilities as seriously as I should.

☐ 1=true

☐ 2=false

Q526. Ever since I was a child, I have been losing touch with the real world.

☐ 1=true

☐ 2=false

Q527. I can't experience much pleasure because I don't feel I deserve it.

☐ 1=true

☐ 2=false

Q528. I've had many periods in my life when I was so cheerful and used up so much energy that I fell into a low mood.

☐ 1=true

☐ 2=false

Q529. I have completely lost my appetite and have trouble sleeping most nights.

☐ 1=true

☐ 2=false

Q530. I worry a great deal about being left alone and having to take care of myself.

☐ 1=true

☐ 2=false

Q531. The memory of a very upsetting experience in my past keeps coming back to haunt my thoughts.

☐ 1=true

☐ 2=false

Q532. I seem to have lost interest in most things that I used to find pleasurable, such as sex.

☐ 1=true

☐ 2=false

Q533. I've gotten into trouble with the law a couple of times.

☐ 1=true

☐ 2=false

Q534. People think I sometimes talk about strange or different things than they do.

☐ 1=true

☐ 2=false

Q535. I'll do something desperate to prevent a person I love from abandoning me.

☐ 1=true

☐ 2=false

Q536. I seem to make a mess of good opportunities that come my way.

☐ 1=true

☐ 2=false

Q537. When I'm alone and away from home, I often begin to feel tense and panicky.

☐ 1=true

☐ 2=false

Q538. People sometimes get annoyed with me because they say I talk too much or too fast for them.

☐ 1=true

☐ 2=false

Q539. I feel deeply depressed for no reason I can figure out.

☐ 1=true

☐ 2=false

Q540. I don't have the energy to concentrate on my everyday responsibilities anymore.

☐ 1=true

☐ 2=false

Q541. I sometimes feel crazy-like or unreal when things start to go badly in my life.

☐ 1=true

☐ 2=false

Q542. Being alone, without the help of someone close to depend on, really frightens me.

☐ 1=true

☐ 2=false

Q543. I know I've spent more money than I should buying illegal drugs.

☐ 1=true

☐ 2=false

Q544. I can tell that people are talking about me when I pass them.

☐ 1=true

☐ 2=false

Q545. I'm very good at making up excuses when I get into trouble.

☐ 1=true

☐ 2=false

Q546. I feel that most people think poorly of me.

☐ 1=true

☐ 2=false

Q547. I frequently feel there's nothing inside me, like I'm empty and hollow.

☐ 1=true

☐ 2=false

Q548. I spend my life worrying over one thing or another.

☐ 1=true

☐ 2=false

Q549. There are certain thoughts that keep coming back again and again in my mind.

☐ 1=true

☐ 2=false

Q550. Few things in life give me pleasure.

☐ 1=true

☐ 2=false

Q551. I feel shaky and have difficulty falling asleep because painful memories of a past event keep running through my mind.

☐ 1=true

☐ 2=false

Q552. Looking ahead as each day begins makes me feel terribly depressed.

☐ 1=true

☐ 2=false

Q553. I've never been able to shake the feeling that I'm worthless to others.

☐ 1=true

☐ 2=false

Q554. I have tried to commit suicide.

☐ 1=true

☐ 2=false

Q555. I don't understand why some people smile at me.

☐ 1=true

☐ 2=false

Q556. I get very tense with people I don't know well because they want to harm me.

☐ 1=true

☐ 2=false

Q557. I seem to create situations with others in which I get hurt or feel rejected.

☐ 1=true

☐ 2=false

Q558. I often get lost in my thoughts and forget what's going on around me.

☐ 1=true

☐ 2=false

Q559. There are terrible events from my past that come back repeatedly to haunt my thoughts and dreams.

☐ 1=true

☐ 2=false

Q560. I act quickly much of the time and don't think things through as I should.

☐ 1=true

☐ 2=false

Q561. I repeat certain behaviors again and again, sometimes to reduce my anxiety and sometimes to stop something bad from happening.

☐ 1=true

☐ 2=false

Q562. I have given serious thought recently to doing away with myself.

☐ 1=true

☐ 2=false



Q563. People tell me that I'm a very proper and moral person.

☐ 1=true

☐ 2=false

### Resiliency Scale

*"Again I am going to read a series of statements, but this time I want you to tell me if the statement, as it applies to you, is not true at all, is rarely true, is sometimes true, is often true, or is true nearly all of the time."*

Q564. I am able to adapt when changes occur.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

Q565. I can deal with whatever comes my way.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

Q566. I try to see the humorous side of things when I am faced with problems.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

Q567. Having to cope with stress can make me stronger.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

Q568. I tend to bounce back after illness, injury, or other hardships.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

Q569. I believe I can achieve my goals, even if there are obstacles.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

Q570. Under pressure, I stay focused and think clearly.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

Q571. I am not easily discouraged by failure.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

Q572. I think of myself as a strong person when dealing with life's challenges and difficulties.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

Q573. I am unable to handle unpleasant or painful feelings like sadness, fear, and anger.

☐ 1=not true at all

☐ 4=often true

☐ 2=rarely true

☐ 5=true nearly all the time

☐ 3=sometimes true

### Impulsivity Scale

*"Next, after I read each statement, please tell me if the statement is more like you or not like you."*

Q574. I like to have new and exciting experiences and sensations even if they are a little frightening.

☐ 1=not like me

☐ 2=like me

Q575. I like doing things just for the thrill of it.

☐ 1=not like me

☐ 2=like me

Q576. I sometimes do 'crazy' things just for fun.

☐ 1=not like me

☐ 2=like me

Q577. I sometimes like to do things that are a little frightening.

☐ 1=not like me

☐ 2=like me

Q578. I enjoy getting into new situations where you can't predict how things will turn out.

☐ 1=not like me

☐ 2=like me

Q579. I'll try anything once.

☐ 1=not like me

☐ 2=like me

Q580. I prefer friends who are excitingly unpredictable.

☐ 1=not like me

☐ 2=like me

Q581. I like "wild" uninhibited parties.

☐ 1=not like me

☐ 2=like me

Q582. I would like the kind of life where one is on the move and traveling a lot, with lots of change and excitement.

☐ 1=not like me

☐ 2=like me

Q583. I am an impulsive person.

☐ 1=not like me

☐ 2=like me

Q584. I like to explore a strange city or section of town by myself, even if it means getting lost.

☐ 1=not like me

☐ 2=like me

Q585. I would like to take off on a trip with no pre-planned or definite routes or timetables.

☐ 1=not like me

☐ 2=like me

Q586. Before I begin a complicated job, I make careful plans.

☐ 1=not like me

☐ 2=like me

Q587. I don't spend much time on the details of planning ahead.

☐ 1=not like me

☐ 2=like me

Q588. I tend to begin a new job without much advanced planning on how I will do it.

☐ 1=not like me

☐ 2=like me

Q589. I usually think about what I am going to do before doing it.

☐ 1=not like me

☐ 2=like me

Q590. I often do things on impulse.

☐ 1=not like me

☐ 2=like me

Q591. I often get so carried away by new and exciting things and ideas that I never think of possible complications.

☐ 1=not like me

☐ 2=like me

Q592. I tend to change interests frequently.

☐ 1=not like me

☐ 2=like me

### Psychopathy Scale

*"After I read each of the next statements please tell me the extent that you agree or disagree with the statement. There are no right or wrong answers. You will probably disagree with some statements and agree with others."*

Q593. I am often bored.

☐ 1=disagree strongly

☐ 2=disagree somewhat

☐ 3=agree somewhat

☐ 4=agree strongly

Q594. In today's world, I feel justified in doing anything I can get away with to succeed.

☐ 1=disagree strongly

☐ 2=disagree somewhat

☐ 3=agree somewhat

☐ 4=agree strongly

Q595. Before I do anything, I carefully consider the possible consequences.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q596. My main purpose in life is getting as many goodies as I can.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q597. I quickly lose interest in tasks I start.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q598. I have been in a lot of shouting matches with other people.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q599. Even if I were trying very hard to sell something, I wouldn't lie about it.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q600. I find myself in the same kinds of trouble, time after time.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q601. I enjoy manipulating other people's feelings.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q602. I find that I am able to pursue one goal for a long time.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q603. Looking out for myself is my top priority.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q604. I tell other people what they want to hear so that they will do what I want them to do.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q605. Cheating is not justifiable because it is unfair to others.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q606. Love is overrated.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q607. I would be upset if my success came at someone else's expense.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q608. When I get frustrated, I often "let off steam" by blowing my top.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q609. For me, what's right is whatever I can get away with.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q610. Most of my problems are due to the fact that other people just don't understand me.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q611. Success is based on survival of the fittest: I am not concerned about the losers

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q612. I don't plan anything very far in advance.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q613. I feel bad if my words or actions cause someone else to feel emotional pain.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q614. Making a lot of money is my most important goal.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q615. I let others worry about higher values; my main concern is with the bottom line.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q616. I often admire a really clever scam.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q617. People who are stupid enough to get ripped off usually deserve it.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

Q618. I make a point of trying not to hurt others in pursuit of my goals.

☐ 1=disagree strongly

☐ 3=agree somewhat

☐ 2=disagree somewhat

☐ 4=agree strongly

### Abbreviated Dysregulation Inventory

*"Now I am going to read a series of statements. I would like you to tell me how often they are true of you."*

Q619. I have trouble controlling my temper. (*identical to BPAS*)

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q620. I have difficulty remaining seated during meals. (*Q wording revised for prison setting.*)

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q621. I develop a plan for all my important goals.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q622. I lose sleep because I worry.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q623. I get very fidgety after a few minutes if I am supposed to sit still.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q624. I put my plans into action.

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |

Q625. When I am angry I lose control over my actions.

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |

Q626. I have difficulty keeping my attention on tasks.

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |

Q627. I think about the future consequences of my actions.

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |

Q628. I often feel like a bomb ready to explode.

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |

Q629. I get into arguments when people disagree with me.. (*same as BP.*)

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |

Q630. Once I have a goal, I make a plan on how to reach it.

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |

Q631. I fly off the handle for no good reason.

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |

Q632. Little things or distractions throw me off.

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |

Q633. As soon as I see things are not working, I do something about it.

- |  |  |
|--|--|
| <input type="checkbox"/> 1=never true        | <input type="checkbox"/> 3=mostly true |
| <input type="checkbox"/> 2=occasionally true | <input type="checkbox"/> 4=always true |



Q634. There are days when I'm "on edge" all the time.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q635. I can't seem to stop moving.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q636. I consider what will happen before I make a plan.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q637. I easily become emotionally upset when I am tired.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q638. Most of the time I don't pay attention to what I am doing.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q639. I think about my mistakes to make sure they don't happen again.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q640. Often I am afraid I will lose control of my feelings.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q641. I get bored easily.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q642. I spend time thinking about how to reach my goals.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q643. I slam doors when I am mad.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q644. I am easily distracted.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q645. Failure at a task or in school makes me work harder.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q646. My mood goes up and down without a reason.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q647. I spend money without thinking about it first.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

Q648. I stick to a task until it is finished.

☐ 1=never true

☐ 3=mostly true

☐ 2=occasionally true

☐ 4=always true

### Closing Questions

*"We have finished the interview! Thank you for taking part."*

Q649. Survey ending time [military time]: \_\_\_\_\_

Q650. Interviewer: [WRITE DOWN ANYTHING NOT ASKED DURING THIS INTERVIEW THAT YOU THINK WE SHOULD KNOW SUCH AS COMPLIANCE OF PARTICIPANT.] \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

## Data Codebook Descriptive Statistics

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Note-1: Questions without reference to a published measure are considered non-standard questions. Note-2: Please refer to the accompanying questionnaire for additional text for some questions.						
<b>Administrative Entries</b>						
Q1	case ID #	Case ID #	1-638			
Q2	interviewer's ID #	Headway ID #	confidential			
Q3	1-12 0-3, 0-9 09, 10	Range Date of interview	4/6/2009-2/1/2010		4/6/2009-4/7/2010	
Q4	am, pm	Survey start time AM or PM	AM= PM=	AM= PM=	AM= PM=	AM= PM=
<b>Privacy</b>						
Q5	1=yes 2=no .=missing	Are you in a separate room?	1=271 2=45 .=4	1=84.69 2=14.06 .=1.25	1=316 2=0 .=0	1=100 2=0 .=0
Q6†	1=yes 2=no .=missing	Is the door closed?	1=270 2=9 .=41	1=84.38 2=2.81 .=12.81	1=316 2=0 .=0	1=100 2=0.00 .=0.00
Q7	1=yes 2=no .=missing	Is respondent sitting so lips cannot be read by anyone who could see paper instrument?	1=313 2=1 .=6	1=97.81 2=0.31 .=1.88	1=316 2=0 .=0	1=100 2=0.00 .=0.00
Q8	1=yes .=missing	Interview setting private?	1=313 .=7	1=97.81 .=2.19	1=316 .=0	1=100 .=0.0
Q9	1=male 2=female	Gender?	1=320	1=50.31	2=316	2=49.69
<b>Demographics: Gender, DOB, Race, Location, Marital Status</b>						
Q10	N=Frequency $\bar{X}$ = Mean SD=Std. Dev Med=Median Rng=Range	Date of birth? Median age at interview provided.	N=320 $\bar{X}$ =35.49 SD=10.48 Med=33 Rng=(20, 68)		N=316 $\bar{X}$ =36.92 SD=9.41 Med=36 Rng=(20, 64)	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q11 Code all that apply	1=white 2=black or African American 3=Asian or East Indian 4=American Indian or Alaskan Native 5=native Hawaiian or other Pacific Islander 6=other - specify .=missing	Race	1=103 2=213 3=1 4=12 5=0 6=5	1=32.19 2=66.56 3=0.31 4=3.75 5=0.00 6=1.56	1=160 2=153 3=1 4=27 5=0 6=3	1=50.63 2=48.42 3=0.32 4=8.54 5=0.00 6=0.95
Q12†	text	Specify other race.	See master dataset for responses		See master dataset for responses	
Q13	1=yes 2=no D=don't know .=missing	Are you of Mexican, Latino, or Hispanic origin?	1=11 2=296 D=0 .=13	1=3.44 2=92.5 D=0.00 .= 4.06	1=4 2=310 D=2 .=0	1=1.27 2=98.10 D=0.63 .=0.00
Q14	N=Frequency $\bar{X}$ = Mean SD=Std. Dev Med=Median Rng=Range	How much do you weigh? Average and range provided.	N=318 $\bar{X}$ =188.78 SD=34.79 Med=185.00 Rng=(118, 400)		N=311 $\bar{X}$ =175.85 SD=40.95 Med=170 Rng=(100, 340)	
Q15	N=Frequency $\bar{X}$ = Mean SD=Std. Dev Med=Median Rng=Range .=missing	How tall are you? Average and range provided.	N=319 $\bar{X}$ =70.12 SD=3.11 Med=71.00 Rng=(60, 80) .=1		N=312 $\bar{X}$ =64.54 SD=2.88 Med=65.00 Rng=(55, 74) .=4	
R_Q14	UW=underweight NW=normal OW=overweight OB=obese .=missing	BMI: <18.5 = underweight 18.5-24.9 = normal 25.0-29.9 = overweight ≥30.0=obese	UW=1 NW=110 OW=141 OB=66 .=2	UW=0.31 NW=34.38 OW=44.06 OB=20.63 .=0.63	UW=1 NW=75 OW=108 OB=127 .=5	UW=0.32 NW=23.73 OW=34.18 OB=40.19 .=1.58
BMI	N=Frequency $\bar{X}$ =Mean SD=Std. Dev Med=Median Rng=Range .=missing	BMI	N=318 $\bar{X}$ =26.97 SD=4.46 Med=26.45 Rng=(16.89, 49.99) .=2		N=311 $\bar{X}$ =29.68 SD=6.71  Med=28.24 Rng=(15.96, 60.22) .=5	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q16	1=all of them	Since 1996, what years did you live in South Carolina? (For single years, add that specific value to 1=all of them.)	1=268	1=83.75	1=263	1=83.23
	2=1996		2=14	2=4.38	2=13	2=4.11
	3=1997		3=13	3=4.06	3=10	3=3.16
	4=1998		4=11	4=3.44	4=15	4=4.75
	5=1999		5=10	5=3.13	5=16	5=5.06
	6=2000		6=15	6=4.69	6=23	6=7.28
	7=2001		7=19	7=5.94	7=30	7=9.49
	8=2002		8=21	8=6.56	8=34	8=10.76
	9=2003		9=25	9=7.81	9=35	9=11.08
	10=2004		10=31	10=9.69	10=40	10=12.66
	11=2005		11=33	11=10.31	11=43	11=13.61
	12=2006		12=37	12=11.56	12=45	12=14.24
	13=2007		13=37	13=11.56	13=50	13=15.82
	14=2008		14=36	14=11.25	14=51	14=16.14
	15=2009		15=40	15=12.50	15=50	15=15.82
	D=don't know		D=0	D=0.00	D=3	D=0.95
	R=refused		R=0	R=0.00	R=2	R=0.63
Serious and Violent Offender Reentry Initiative (SVORI). Purpose: To compare neighborhoods with State Law Enforcement Division (SLED) identified crime areas in SC.						
Citation: Lattimore PK, Brumbaugh S, Visser C, Lindquist CH, Winterfield L, Salas M, et al. National Portrait of the Serious and Violent Offender Reentry Initiative. Research Triangle Park, NC: RTI International, 2004.						
Q17	text	Where did you live right before you came to prison this time? Please tell me the address or name of the neighborhood you lived in. By "neighborhood" we mean your home and the area around where you lived. Please tell me if you did not have a permanent place to live.	responses confidential			
Q18	text	In what city is that?	responses confidential			
Q19	SC Other	In what state is that?	SC=305 Other=15	SC=95.31	SC=309 Other=7	SC=97.78 Other=2.21
Q20	text	Where will you live when you are released this time?	responses confidential			
Q21	text	In what city is that?	responses confidential			

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q22	SC Other NA=not asked D=don't know R=refused .=missing	In what state is that?	SC=276 Other=13 NA=0 D=0 R=1 .=30	SC=86.25	SC=266 Other=15 NA=3 D=1 R=0 .=31	SC=84.18 Other=4.75 NA=0.95 D=0.32 R=0.00 .=9.81
Q23	1=married 2=not married, but living together with a partner 3=separated  4=divorced 5=widowed 6=single and never married D=don't know	At the time of this incarceration, what was your marital status? Were you ...	1=37 2=70 3=21 4=25 5=6 6=160 D=0	1=11.56 2=21.88 3=6.56 4=7.81 5=1.88 6=50.00 D=0.00	1=59 2=31 3=45 4=42 5=11 6=126 D=2	1=18.67 2=9.81 3=14.24 4=13.29 5=3.48 6=39.87 D=0.63
Q24	1=yes 2=no D=don't know .=missing	Has your marital status changed since this incarceration?	1=33 2=253 D=2 .=32	1=10.31 2=79.06 D=0.63 .=10.00	1=30 2=284 D=1 .=1	1=9.49 2=89.87 D=0.32 .=0.32
Q25†	1=married 2=separated 3=divorced 4=became widowed D=don't know	How has your marital status changed? Have you ...	1=2 2=21 3=9 4=0 D=1	1=6.06 2=63.64 3=27.27 4=0.00 D=3.03	1=3 2=15 3=9 4=3 D=0	1=10.00 2=50.00 3=30.00 4=10.00 D=0.00
<b>Offender's Children</b>						
Q26	text .=missing	How many living children do you have?	0=109 1=68 2=58 3=48 4=12 5=9 6=6 7=3 8=1 9=1 10=2 11=1 .=2	0=34.06 1=21.25 2=18.13 3=15.00 4=3.75 5=2.81 6=1.88 7=0.94 8=0.31 9=0.31 10=0.63 11=0.31 .=0.63	0=52 1=65 2=94 3=60 4=27 5=10 6=4 7=3 8=0 9=0 10=0 11=0 .=1	0=16.40 1=20.57 2=29.75 3=18.99 4=8.54 5=3.16 6=1.27 7=0.95 8=0.00 9=0.00 10=0.00 11=0.00 .=0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q27†	text .=missing	How many of your children were younger than age 18 at the time of your incarceration?	0=30 1=65 2=51 3=37 4=9 5=4 6=6 7=2 10=2 .=5	0=14.22 1=30.81 2=24.17 3=17.54 4=4.27 5=1.90 6=2.84 7=0.95 10=0.95 .=2.37	0=42 1=82 2=80 3=38 4=10 5=7 6=2 7=1 10=0 .=2	0=15.91 1=31.06 2=30.30 3=14.39 4=3.79 5=2.65 6=0.76 7=0.38 10=0.00 .=0.76
Q28†	1=yes 2=no D=don't know R=refused .=missing	During the six months before your incarceration this time, did you have primary care responsibilities for any of your own children under age 18?	1=108 2=75 .=28	1=51.18 2=35.55 .=13.27	1=140 2=84 .=40	1=53.03 2=31.82 .=15.15
Educational Attainment						
Q29	1=never attended school or only attended kindergarten 2=grades 1 through 5 3=grades 6 through 8 4=grades 9 through 11 5=grade 12 or GED (high school graduate) 6=college for 1 year to 3 years (some college or technical school) 7=college for 4 years or more (college graduate) 8=graduate school (masters or doctoral degree) .=missing	How far have you gone in school?	1=0 2=2 3=21 4=131 5=129 6=32 7=3 8=1 .=1	1=0.00 2=0.63 3=6.56 4=40.94 5=40.31 6=10.00 7=0.94 8=0.31 .=0.31	1=1 2=2 3=25 4=100 5=119 6=62 7=6 8=1 .=0	1=0.32 2=0.63 3=7.91 4=31.65 5=37.66 6=19.62 7=1.90 8=0.32 .=0.00



Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Employment Prior to Incarceration</b>						
Q30	1=yes 2=no	Have you <b>ever</b> had a job for which you got paid?	1=304 2=16	1=95.00 2=5.00	1=295 2=21	1=93.35 2=6.65
Q31†	1=yes 2= no D=don't know .=missing	Just before this incarceration, were you working for pay?	1=224 2=76 D=0 .=4	1=73.68 2=25.00 D=0.00 .=1.32	1=145 2=147 D=1 .=2	1=49.15 2=49.83 D=0.34 .=0.68
Q32†	text	What was your <b>last</b> job title? In other words, what kind of job did you have?	See master dataset for responses..		See master dataset for responses..	
Q33†	text	What skills were needed for the job?	See master dataset for responses..		See master dataset for responses.	
R_HHI (Q33)  (where Q31=1)	1= 2= 3= 4= 5= 6= 7= 8= .=missing	1=exec, business owner 2=business manager, nurse, teacher 3=sm business owner, admin 4=clerk, secretary, bank teller, bookkeeper 5=skilled manual worker 6=semi-skilled worker 7=unemployed, unskilled worker 8=homemaker	N=224 1=0 2=1 3=7 4=3 5=56 6=126 7=31 8=0 .=0	1=0.00 2=0.45 3=3.13 4=1.34 5=25.00 6=56.25 7=13.84 8=0.00 .=0.00	N=145 1=0 2=5 3=15 4=10 5=13 6=67 7=32 8=0 .=3	1=0.00 2=3.45 3=10.34 4=6.90 5=8.97 6=46.21 7=22.07 8=0.00 .=2.07
Q34†	1=yes 2=no D=don't know .=missing	Receive job benefits in <b>last</b> paying job?	1=70 2=168 D=2 .=64	1=23.03 2=55.26 D=0.66 .=21.05	1=39 2=113 D=0 .=143	1=13.22 2=38.31 D=0.00 .=48.47

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q35	1=working for pay 2=support from family 3=support from friends 4=a government program, such as Medicaid, food stamps, AFDC, SSI, or SSDI 5=illegal activities, such as selling drugs, prostitution, stealing, or writing or forging bad checks 6=a legal settlement 7=unemployment or workers' compensation 8=other	In the <b>six months</b> before this incarceration, what was your major source of support?	1=222 2=52 3=10 4=16 5=72 6=3 7=3 8=8	1=69.38 2=16.25 3=3.13 4=5.00 5=22.50 6=0.94 7=0.94 8=2.50	1=145 2=104 3=31 4=78 5=85 6=3 7=10 8=5	1=45.89 2=32.91 3=9.81 4=24.68 5=26.90 6=0.95 7=3.16 8=1.58
Q36†	text	Specify other major source of support. (See master dataset for responses.)	See master dataset for responses.		See master dataset for responses.	
Q37†	1=did not try to find work 2=tried but could not find work 3=were attending school or job training 4=were unable to work due to alcohol or drug problem 5=were unable to work due to other health or disability problem 6=were too young to work 7=were retired 8=did not have transportation 9=were needed at home 10=were incarcerated 11=other .=missing	What was the main reason you were <b>not</b> working before you were incarcerated this time?	1=12 2=14 3=1 4=13 5=6 6=1 7=2 8=3 9=0 10=2 11=9 .=13	1=15.79 2=18.42 3=1.32 4=17.11 5=7.89 6=1.32 7=2.63 8=3.95 9=0.00 10=2.63 11=11.84 .=17.11	1=17 2=24 3=2 4=38 5=29 6=1 7=0 8=10 9=11 10=0 11=11 .=4	1=11.56 2=16.33 3=1.36 4=25.85 5=19.73 6=0.68 7=0.00 8=6.80 9=7.48 10=0.00 11=7.48 .=2.72

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q38†	text	Specify other main reason for not working.	See master dataset for responses.		See master dataset for responses.	
Health Insurance						
Q39	1= private or commercial, for example, blue cross/blue shield, PPO, CIGNA, HMO 2= military, for example, Champus or Tricare 3= Medicaid 4= Medicare or SSDI 5= children's health insurance program, known as chip 6= uninsured or self pay 7= some other kind D=don't know .=missing	Before incarceration this time, what health insurance coverage did you have?	1=80 2=5 3=27 4=4 5=1 6=192 7=1 D=3 .=7	1=25.00 2=1.56 3=8.44 4=1.25 5=0.31 6=60.00 7=0.31 D=0.94 .=2.19	1=47 2=2 3=89 4=3 5=1 6=165 7=2 D=0 .=7	1=14.87 2=0.63 3=28.16 4=0.95 5=0.32 6=52.22 7=0.63 D=0.00 .=2.22
Q40†	text	Specify other type of health Insurance coverage. (See master dataset for responses.)	See master dataset for responses.		See master dataset for responses.	
Buss-Perry Aggression Scale						
Purpose: To determine propensity for aggressive/violent behavior Four subscales: [1] Physical Aggression (Q41, 44, 47, 51, 55, 58, 62, 65, 68), [2] Hostility (Q43, 45, 50, 54, 56, 59, 64, 66), [3] Anger (Q42, 48, 52, 57, 61, 63, 69), [4] Verbal Aggression (Q46, 49, 55, 60, 67) Citation: Buss AH, Perry M. The Aggression Questionnaire. J Personality & Social Psychology, 1992; 63(3):254-459.						
Q41	1= very unlike me 2= somewhat unlike me 3= neither unlike nor like me 4= somewhat like me 5= very like me	Once in a while I can't control the urge to strike another person.	1=184 2=42 3=44 4=37 5=13	1=57.50 2=13.13 3=13.75 4=11.56 5=4.06	1=220 2=20 3=20 4=41 5=15	1=69.62 2=6.33 3=6.33 4=12.97 5=4.75

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q42	1= very unlike me 2= somewhat unlike me 3= neither unlike nor like me 4= somewhat like me 5= very like me	I flare up quickly but get over it quickly.	1=73 2=55 3=28 4=96 5=68	1=22.81 2=17.19 3=8.75 4=30.00 5=21.25	1=89 2=36 3=23 4=98 5=70	1=28.16 2=11.39 3=7.28 4=31.01 5=22.15
Q43	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me . =missing	I am sometimes eaten up with jealousy.	1=173 2=29 3=42 4=51 5=24 . =1	1=54.06 2=9.06 3=13.13 4=15.94 5=7.50 . =0.31	1=177 2=46 3=19 4=47 5=27 . =0	1=56.01 2=14.56 3=6.01 4=14.87 5=8.54 . =0.00
Q44	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me	If someone "bugs" me enough, I may hit that person. (Q 44 modified from original version.)	1=168 2=37 3=33 4=49 5=33	1=52.50 2=11.56 3=10.31 4=15.31 5=10.31	1=213 2=20 3=25 4=30 5=28	1=67.41 2=6.33 3=7.91 4=9.49 5=8.86
Q45	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	At times I feel I have gotten a raw deal out of life.	1=79 2=38 3=20 4=103 5=80 D=0	1=24.69 2=11.88 3=6.25 4=32.19 5=25.00 D=0.00	1=81 2=32 3=20 4=107 5=75 D=1	1=25.63 2=10.13 3=6.33 4=33.86 5=23.73 D=0.32
Q46	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me	I tell my friends openly when I disagree with them.	1=38 2=24 3=8 4=66 5=184	1=11.88 2=7.50 3=2.50 4=20.63 5=57.50	1=21 2=30 3=15 4=75 5=175	1=6.65 2=9.49 3=4.75 4=23.73 5=55.38

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q47	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know .=missing	If somebody hits me, I hit back.	1=37 2=24 3=8 4=57 5=193 D=0 .=1	1=11.56 2=7.50 3=2.50 4=17.81 5=60.31 D=0.00 .=0.31	1=80 2=29 3=15 4=53 5=136 D=3 .=0	1=25.32 2=9.18 3=4.75 4=16.77 5=43.04 D=0.95 .=0.00
Q48	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	When frustrated, I let my irritation show.	1=80 2=43 3=23 4=99 5=75 D=0	1=25.00 2=13.44 3=7.19 4=30.94 5=23.44 D=0.00	1=44 2=34 3=26 4=119 5=92 D=1	1=13.92 2=10.76 3=8.23 4=37.66 5=29.11 D=0.32
Q49	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me	I often find myself disagreeing with people.	1=67 2=68 3=33 4=94 5=58	1=20.94 2=21.25 3=10.31 4=29.38 5=18.13	1=73 2=70 3=43 4=93 5=37	1=23.10 2=22.15 3=13.61 4=29.34 5=11.71
Q50	1= very unlike me 2= somewhat unlike me 3= neither unlike nor like me 4= somewhat like me 5= very like me D=don't know	Other people always seem to get the breaks.	1=109 2=43 3=49 4=57 5=59 D=3	1=34.06 2=13.44 3=15.31 4=17.81 5=18.44 D=0.94	1=123 2=33 3=59 4=63 5=37 D=1	1=38.92 2=10.44 3=18.67 4=19.94 5=11.71 D=0.32
Q51	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me	I get into fights a little more than the average person.	1=212 2=27 3=39 4=28 5=14	1=66.25 2=8.44 3=12.19 4=8.75 5=4.38	1=233 2=26 3=24 4=20 5=13	1=73.73 2=8.23 3=7.59 4=6.33 5=4.11

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q52	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me	I sometimes feel like a powder keg ready to explode. Q similar to Q628 "bomb" instead of "powder keg".	1=166 2=34 3=36 4=48 5=36	1=51.88 2=10.63 3=11.25 4=15.00 5=11.25	1=151 2=36 3=21 4=68 5=40	1=47.78 2=11.39 3=6.65 4=21.52 5=12.66
Q53	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me R=refused	When people annoy me, I may tell them what I think of them.	1=62 2=27 3=19 4=97 5=115 R=0	1=19.38 2=8.44 3=5.94 4=30.31 5=35.94 R=0.00	1=56 2=29 3=24 4=90 5=116 R=1	1=17.72 2=9.18 3=7.59 4=28.48 5=36.71 R=0.32
Q54	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	I wonder why sometimes I feel so bitter about things.	1=97 2=49 3=38 4=86 5=50 D=0	1=30.31 2=15.31 3=11.88 4=26.88 5=15.63 D=0.00	1=91 2=45 3=29 4=80 5=69 D=2	1=28.80 2=14.24 3=9.18 4=25.32 5=21.84 D=0.63
Q55	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	If I have to resort to violence to protect my rights, I will.	1=76 2=30 3=26 4=66 5=121 D=1	1=23.75 2=9.38 3=8.13 4=20.63 5=37.81 D=0.31	1=127 2=28 3=32 4=48 5=77 D=4	1=40.19 2=8.86 3=10.13 4=15.19 5=24.37 D=1.27
Q56	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5= very like me D=don't know .=missing	I know that "friends" talk about me behind my back.	1=63 2=37 3=44 4=66 5=106 D=4 .=0	1=19.69 2=11.56 3=13.75 4=20.63 5=33.13 D=1.25 .=0.00	1=70 2=34 3=37 4=77 5=91 D=6 .=1	1=22.15 2=10.76 3=11.71 4=24.37 5=28.80 D=1.90 .=0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q57	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	I am an even-tempered person. Even tempered means you are able to keep from "flying off the handle."	1=38 2=23 3=18 4=79 5=162 D=0	1=11.88 2=7.19 3=5.63 4=24.69 5=50.63 D=0.00	1=43 2=33 3=13 4=89 5=137 D=1	1=13.61 2=10.44 3=4.11 4=28.16 5=43.35 D=0.32
Q58	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	There are people who pushed me so far that we came to blows.	1=95 2=27 3=23 4=74 5=100 D=1	1=29.69 2=8.44 3=7.19 4=23.13 5=31.25 D=0.31	1=124 2=39 3=23 4=61 5=69 D=0	1=39.24 2=12.34 3=7.28 4=19.30 5=21.84 D=0.00
Q59	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	I am suspicious of overly friendly strangers.	1=72 2=19 3=28 4=76 5=124 D=1	1=22.50 2=5.94 3=8.75 4=23.75 5=38.75 D=0.31	1=82 2=37 3=22 4=69 5=102 D=4	1=25.95 2=11.71 3=6.96 4=21.84 5=32.28 D=1.27
Q60	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5= very like me	I can't help getting into arguments when people disagree with me.	1=130 2=62 3=44 4=54 5=30	1=40.63 2=19.38 3=13.75 4=16.88 5=9.38	1=160 2=50 3=40 4=43 5=23	1=50.63 2=15.82 3=12.66 4=13.61 5=7.28
Q61	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know .=missing	Some of my friends think I'm a hothead.	1=132 2=37 3=39 4=64 5=45 D=2 .=1	1=41.25 2=11.56 3=12.19 4=20.00 5=14.06 D=0.63 .=0.31	1=156 2=32 3=19 4=41 5=67 D=1 .=0	1=49.37 2=10.13 3=6.01 4=12.97 5=21.20 D=0.32 .=0.00

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q62	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	I cannot think of a good reason for ever hitting a person.	1=113 2=38 3=44 4=56 5=66 D=3	1=35.31 2=11.88 3=13.75 4=17.50 5=20.63 D=0.94	1=89 2=43 3=38 4=55 5=91 D=0	1=28.16 2=13.61 3=12.03 4=17.41 5=28.80 D=0.00
Q63	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	Sometimes I fly off the handle for no good reason.	1=183 2=36 3=36 4=40 5=25 D=0	1=57.19 2=11.25 3=11.25 4=12.50 5=7.81 D=0.00	1=170 2=45 3=17 4=49 5=34 D=1	1=53.80 2=14.24 3=5.38 4=15.51 5=10.76 D=0.32
Q64	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	I sometimes feel that people are laughing at me behind my back.	1=130 2=48 3=41 4=60 5=41 D=0	1=40.63 2=15.00 3=12.81 4=18.75 5=12.81 D=0.00	1=127 2=31 3=26 4=67 5=63 D=2	1=40.19 2=9.81 3=8.23 4=21.20 5=19.94 D=0.63
Q65	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know .=missing	I have threatened people I know.	1=142 2=24 3=34 4=67 5=52 D=0 .=1	1=44.38 2=7.50 3=10.63 4=20.94 5=16.25 D=0.00 .=0.31	1=174 2=32 3=28 4=48 5=33 D=1 .=0	1=55.06 2=10.13 3=8.86 4=15.19 5=10.44 D=0.32 .=0.00
Q66	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	When people are especially nice, I wonder what they want.	1=63 2=24 3=21 4=96 5=115 D=1	1=19.69 2=7.50 3=6.56 4=30.00 5=35.94 D=0.31	1=50 2=31 3=22 4=101 5=109 D=3	1=15.82 2=9.81 3=6.6 4=31.96 5=34.49 D=0.95



Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q67	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me D=don't know	My friends say that I'm somewhat argumentative.	1=121 2=36 3=38 4=72 5=53 D=0	1=37.81 2=11.25 3=11.88 4=22.50 5=16.56 D=0.00	1=148 2=26 3=22 4=70 5=49 D=1	1=46.84 2=8.23 3=6.96 4=22.15 5=15.51 D=0.32
Q68	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me	I have become so mad that I have broken things.	1=127 2=28 3=22 4=56 5=87	1=39.69 2=8.75 3=6.88 4=17.50 5=27.19	1=130 2=20 3=22 4=65 5=79	1=41.14 2=6.33 3=6.96 4=20.57 5=25.00
Q69	1=very unlike me 2=somewhat unlike me 3=neither unlike nor like me 4=somewhat like me 5=very like me	I have trouble controlling my temper.	1=153 2=46 3=30 4=50 5=41	1=47.81 2=14.38 3=9.38 4=15.63 5=12.81	1=145 2=42 3=22 4=71 5=36	1=45.89 2=13.29 3=6.96 4=22.47 5=11.39
Physical Health						
Q70-Q76: SF-36 Global and General Physical Health Subscales: [1] global health (Q70-Q71), [2] general physical health (Q73-76)						
Citation: Ware JE, Sherbourne CD. The MOS 36-Item Short-Form Health Survey (SF-36): I. Conceptual framework and item selection. Med Care 1992;30:473-483.						
Q70	1=excellent  2=very good 3=good  4=fair 5=poor D=don't know .=missing	In general, would you say your <b>health</b> is . . .	1=121 2=88 3=66 4=26 5=15 D=1 .=3	1=37.81 2=27.50 3=20.63 4=8.13 5=4.69 D=0.31 .=0.94	1=60 2=71 3=87 4=72 5=24 D=1 .=1	1=18.99 2=22.47 3=27.53 4=22.78 5=7.59 D=0.32 .=0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q71	1=much better now than a year ago 2=somewhat better now than a year ago 3=about the same as a year ago 4=somewhat worse now than a year ago 5=much worse now than a year ago .=missing	Compared to a year ago, how would you rate your health in general <b>now</b> ? Would you say it is . . .	1=98 2=51 3=141 4=22 5=6 .=2	1=30.63 2=15.94 3=44.06 4=6.88 5=1.88 .=0.63	1=100 2=48 3=117 4=33 5=18 .=0	1=31.65 2=15.19 3=37.03 4=10.44 5=5.70 .=0.00
Q72†	1=yes 2=no D=don't know .=missing	Are you pregnant?	Not asked.	Not asked.	1=1 2=313 D=1 .=1	1=0.32 2=99.05 D=0.32 .=0.32
Q73	1=definitely true 2=mostly true 3=mostly false 4=definitely false D=don't know .=missing	I seem to get <b>sick</b> a little <b>easier</b> than other people.	1=15 2=27 3=67 4=208 D=2 .=1	1=4.69 2=8.44 3=20.94 4=65.00 D=0.63 .=0.31	1=31 2=31 3=85 4=168 D=1 .=0	1=9.81 2=9.81 3=26.90 4=53.16 D=0.32 .=0.00
Q74	1=definitely true 2=mostly true 3=mostly false 4=definitely false D=don't know .=missing	I am as <b>healthy</b> as <b>anybody</b> I know.	1=133 2=125 3=35 4=26 D=0 .=1	1=41.56 2=39.06 3=10.94 4=8.13 D=0.00 .=0.31	1=74 2=156 3=43 4=38 D=5 .=0	1=23.42 2=49.37 3=13.61 4=12.03 D=1.58 .=0.00
Q75	1=definitely true 2=mostly true 3=mostly false 4=definitely false D=don't know .=missing	I expect my <b>health</b> to get <b>worse</b> .	1=33 2=44 3=67 4=172 D=3 .=1	1=10.31 2=13.75 3=20.94 4=53.75 D=0.94 .=0.31	1=25 2=33 3=76 4=177 D=5 .=0	1=7.91 2=10.44 3=24.05 4=56.01 D=1.58 .=0.00
Q76	1=definitely true 2=mostly true 3=mostly false 4=definitely false D=don't know .=missing	My <b>health</b> is <b>excellent</b> .	1=140 2=126 3=30 4=23 D=0 .=1	1=43.75 2=39.38 3=9.38 4=7.19 D=0.00 .=0.31	1=69 2=142 3=49 4=51 D=4 .=1	1=21.84 2=44.94 3=15.51 4=16.14 D=1.27 .=0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Non-TBI Central Nervous System Insults</b>						
Q77	1=yes 2=no D=don't know .=missing	Has a doctor or other healthcare person like a nurse <b>ever</b> told you that you had damaged your brain or did not have enough oxygen when you were being born?	1=12 2=302 D=3 .=3	1=3.75 2=94.38 D=0.94 .=0.94	1=7 2=307 D=1 .=1	1=2.22 2=97.15 D=0.32 .=0.32
Q78†	1=yes 2=no D=don't know	Did you develop problems <b>as a child</b> because of this?	1=6 2=5 D=1	1=50.00 2=41.67 D=8.33	1=3 2=4 D=0	1=42.86 2=57.14 D=0.00
Q79†	text	What were those problems?	See master dataset for responses.		See master dataset for responses.	
Q80	1=yes 2=no D=don't know .=missing	Has a doctor or other healthcare person like a nurse <b>ever</b> told you that you had Fetal Alcohol Syndrome?	1=2 2=317 D=1 .=0	1=0.63 2=99.06 D=0.31 .=0.00	1=5 2=307 D=3 .=1	1=1.58 2=97.15 D=0.95 .=0.32
Q81†	1=yes 2=no	Did you develop problems <b>as a child</b> because of this?	1=2 2=0 2=1	1=100.00 2=0.00	1=4	1=80.00 2=20.00
Q82†	text	What were those problems?	See master dataset for responses.		See master dataset for responses.	
Q83	1=yes 2=no D=don't know .=missing	Has a doctor or other healthcare person like a nurse <b>ever</b> told you that you had a brain tumor?	1=2 2=313 D=0 .=5	1=0.63 2=97.81 D=0.00 .=1.56	1=1 2=313 D=1 .=1	1=0.32 2=99.05 D=0.32 .=0.32
Q84†	1=yes 2=no	Did you develop problems afterward that affect you <b>today</b> ?	1=2 2=0	1=100.00 2=0.00	1=1 2=0	1=100.00 2=0.00
Q85†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q86	1=yes 2=no D=don't know .=missing	Has a doctor or other healthcare person like a nurse <b>ever</b> told you that you had a bad brain infection, for example, meningitis, encephalitis, or an HIV or AIDS related-brain infection?	1=3 2=312 D=0 .=5	1=0.94 2=97.50 D=0.00 .=1.56	1=6 2=309 D=1 .=0	1=1.90 2=97.78 D=0.32 .=0.00
Q87†	1=yes 2=no D=don't know	Did you develop problems afterward that affect you <b>today?</b>	1=2 2=1 D=0	1=66.67 2=33.33 D=0.00	1=2 2=3 D=1	1=33.33 2=50.00 D=16.67
Q88†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	
Q89	1=yes 2=no .=missing	Has a doctor or other healthcare person like a nurse <b>ever</b> told you that you had a drug overdose?	1=25 2=294 .=1	1=7.81 2=91.88 .=0.31	1=70 2=246 .=0	1=22.15 2=77.85 .=0.00
Q90†	1=yes 2=no D=don't know	Did you develop problems afterward that affect you <b>today?</b>	1=6 2=19 D=0	1=24.00 2=76.00 D=0.00	1=24 2=43 D=3	1=34.29 2=61.43 D=4.29
Q91†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	
Q92	1=yes 2=no D=don't know .=missing	Has a doctor or other healthcare person like a nurse <b>ever</b> told you that you had surgery on your brain?	1=5 2=303 D=1 .=11	1=1.56 2=94.69 D=0.31 .=3.44	1=4 2=312 D=0 .=0	1=1.27 2=98.73 D=0.00 .=0.00
Q93†	1=yes 2=no	Did you develop problems afterward that affect you <b>today?</b>	1=4 2=1	1=80.00 2=20.00	1=3 2=1	1=75.00 2=25.00
Q94†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q95	1=yes 2=no .=missing	Has a doctor or other healthcare person like a nurse <b>ever</b> told you that you had a stroke?	1=7 2=308 .=5	1=2.19 2=96.25 .=1.56	1=9 2=304 .=3	1=2.85 2=96.20 .=0.95
Q96†	1=yes 2=no D=don't know .=missing	Did you develop problems afterward that affect you <b>today</b> ?	1=5 2=2 D=0 .=0	1=71.43 2=28.57 D=0.00 .=0.00	1=5 2=2 D=1 .=1	1=55.56 2=22.22 D=11.11 .=11.11
Q97†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	
Q98	1=yes 2=no D=don't know .=missing	Has a doctor or other healthcare person like a nurse <b>ever</b> told you that you had a seizure they had trouble stopping or controlling?	1=7 2=311 D=1 .=1	1=2.19 2=97.19 D=0.31 .=0.31	1=25 2=290 D=1 .=0	1=7.91 2=91.77 D=0.32 .=0.00
Q99†	1=yes 2=no D=don't know	Did you develop problems afterward that affect you <b>today</b> ?	1=5 2=2 D=0	1=71.43 2=28.57 D=0.00	1=14 2=6 D=5	1=56.00 2=24.00 D=20.00
Q100†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	
Q101	1=yes 2=no D=don't know .=missing	Were you <b>ever</b> , including as a child, exposed to poisons or toxic chemicals, for example, lead paint, methamphetamine, mercury, carbon monoxide, or pesticides?	1=63 2=256 D=0 .=1	1=19.69 2=80.00 D=0.00 .=0.31	1=59 2=254 D=3 .=0	1=18.67 2=80.38 D=0.95 .=0.00
Q102†	text	What poisons or toxic chemicals were you exposed to?	See master dataset for responses.		See master dataset for responses.	
Q103†	1=yes 2=no D=don't know .=missing	Did you develop problems afterward that affect you <b>today</b> ?	1=10 2=47 D=4 .=2	1=15.87 2=74.60 D=6.35 .=3.17	1=12 2=39 D=8 .=0	1=20.34 2=66.10 D=13.56 .=0.00

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q104†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	
Q105	1=yes 2=no D=don't know .=missing	Were you <b>ever</b> , including as a child, in a situation where you passed out because you could not get enough air, such as choking, strangulation, or almost drowning?	1=55 2=262 D=0 .=3	1=17.19 2=81.88 D=0.00 .=0.94	1=67 2=240 D=1 .=8	1=21.20 2=75.95 D=0.32 .=2.53
Q106†	1=yes 2=no D=don't know	Did you develop problems afterward that affect you <b>today</b> ?	1=9 2=40 D=6	1=16.36 2=72.73 D=10.91	1=11 2=48 D=8	1=16.42 2=71.64 D=11.94
Q107†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	
Q108	1=yes 2=no .=missing	Were you <b>ever</b> , including as a child, struck by lightning or had a severe electric shock?	1=21 2=299 .=0	1=6.56 2=93.44 .=0.00	1=20 2=295 .=1	1=6.33 2=93.35 .=0.32
Q109†	1=yes 2=no D=don't know	Did you develop problems afterward that affect you <b>today</b> ?	1=4 2=17 D=0	1=19.05 2=80.95 D=0.00	1=2 2=17 D=1	1=10.00 2=85.00 D=5.00
Q110†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	
Q111	1=yes 2=no D=don't know .=missing	Have you <b>ever</b> had CPR to restart your breathing or heart? This does not include resuscitation while being born or while in an incubator.	1=21 2=290 D=2 .=7	1=6.56 2=90.63 D=0.63 .=2.19	1=33 2=279 D=3 .=1	1=10.44 2=88.29 D=0.95 .=0.32
Q112†	1=yes 2=no D=don't know	Did you develop problems afterward that affect you <b>today</b> ?	1=2 2=18 D=1	1=9.52 2=85.71 D=4.76	1=4 2=25 D=4	1=12.12 2=75.76 D=12.12

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q113†	text	What are those problems?	See master dataset for responses.		See master dataset for responses.	
Tobacco Misuse						
Q114	1=yes 2=no .=missing	Have you smoked at least 100 cigarettes in your entire life?	1=269 2=49 .=2	1=84.06 2=15.31 .=0.63	1=256 2=59 .=1	1=81.01 2=18.67 .=0.32
Q115†	1=yes 2=no D=don't know	Has smoking cigarettes caused you to develop problems that affect you <b>today</b> ?	1=52 2=212 D=5	1=19.33 2=78.81 D=1.86	1=62 2=191 D=3	1=24.22 2=74.61 D=1.17
Q116†	text D=don't know	What are those problems?	See master dataset for responses.		See master dataset for responses.	
Q117†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	On average, on the days when you smoked the most, <b>how many cigarettes</b> did you have in one day?	N=267 $\bar{X}$ = 17.52 SD=13.01 Med=15.00 Rng=(2.00, 100.00)		N=255 $\bar{X}$ = 21.33 SD=14.12 Med=20.00 Rng=(2.00, 80.00)	
Q118†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Altogether, what was the longest period of time in months and years that you <b>smoked</b> ?	N=188 $\bar{X}$ = 0.55 SD=1.99 Med=0.00 Rng=(0.00, 14.00)		N=216 $\bar{X}$ = 0.40 SD=1.99 Med=0.00 Rng=(0.00, 20.00)	
Q119†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Record years here.	N=259 $\bar{X}$ = 13.78 SD=10.53 Med=12.00 Rng=(0.00, 60.00)		N=251 $\bar{X}$ = 14.94 SD=9.73 Med=14.00 Rng=(0.00, 50.00)	
Adverse Health Conditions/Medicines						
Q120	1=yes 2=no D=don't know .=missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have sickle cell anemia?	1=1 2=318 D=1 .=0	1=0.31 2=99.38 D=0.31 .=0.00	1=1 2=313 D=1 .=1	1=0.32 2=99.05 D=0.32 .=0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q121†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for sickle cell anemia.	See master dataset for responses.		See master dataset for responses.	
Q122	1=yes 2=no D=don't know .missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have asthma?	1=35 2=284 D=0 .1	1=10.94 2=88.75 D=0.00 .031	1=77 2=238 D=1 .0	1=24.37 2=75.32 D=0.32 .000
Q123†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for asthma.	See master dataset for responses.		See master dataset for responses.	
Q124	1=yes 2=no D=don't know .missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have diabetes?	1=9 2=311 D=0 .0	1=2.81 2=97.19 D=0.00 .000	1=24 2=288 D=2 .2	1=7.59 2=91.14 D=0.63 .063
Q125†	text D=don't know	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for diabetes.	See master dataset for responses.		See master dataset for responses.	
Q126	1=yes 2=no D=don't know	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have high blood pressure?	1=63 2=255 D=2	1=19.69 2=79.69 D=0.63	1=80 2=235 D=1	1=25.32 2=74.37 D=0.32
Q127†	text D=don't know	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for high blood pressure.	See master dataset for responses.		See master dataset for responses.	
Q128	1=yes 2=no D=don't know .missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have heart disease?	1=10 2=308 D=0 .2	1=3.13 2=96.25 D=0.00 .063	1=25 2=286 D=1 .4	1=7.91 2=90.51 D=0.32 .127



Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q129†	text D=don't know .=missing	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for heart disease.	See master dataset for responses.		See master dataset for responses.	
Q130	1=yes 2=no D=don't know	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have seizure condition, seizure disorder, or epilepsy?	1=6 2=311 D=2 .=1	1=1.88 2=97.19 D=0.63 .=0.31	1=22 2=294 D=0 .=0	1=6.96 2=93.04 D=0.00 .=0.00
Q131†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for a seizure condition or epilepsy.	See master dataset for responses.		See master dataset for responses.	
Q132	1=yes 2=no .=missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have Hepatitis B or C?	1=10 2=310 .=0	1=3.13 2=96.88 .=0.00	1=25 2=289 .=2	1=7.91 2=91.46 .=0.63
Q133†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for hepatitis B or C.	See master dataset for responses.		See master dataset for responses.	
Q134	1=yes 2=no	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have HIV or AIDS?	1=5 2=315	1=1.56 2=98.44 .	1=7 2=309	1=2.22 2=97.78
Q135†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for HIV or AIDS.	See master dataset for responses.		See master dataset for responses.	
Q136	1=yes 2=no	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have liver disease?	1=5 2=315	1=1.56 2=98.44	1=13 2=303	1=4.11 2=95.89

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q137†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for liver disease.	See master dataset for responses.		See master dataset for responses.	
Q138	1=yes 2=no . =missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have kidney disease?	1=2 2=318 . =0	1=0.63 2=99.38 . =0.00	1=7 2=307 . =2	1=2.22 2=97.15 . =0.63
Q139†	text D=don't know	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for kidney disease.	See master dataset for responses.		See master dataset for responses.	
Q140	1=yes 2=no D=don't know . =missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have arthritis?	1=33 2=286 D=0 . =1	1=10.31 2=89.38 D=0.00 . =0.31	1=67 2=245 D=2 . =2	1=21.20 2=77.53 D=0.63 . =0.63
Q141†	text D=don't know . =missing	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for arthritis. (See master dataset for responses.)	D=0 . =10	D=0.00 . =30.30	D=1 . =0	D=1.49 . =0.00
Q142	1=yes 2=no	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have chronic back pain?	1=49 2=271	1=15.31 2=84.69	1=100 2=216	1=31.65 2=68.35
Q143†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for chronic back pain.	See master dataset for responses.		See master dataset for responses.	
Q144	1=yes 2=no D=don't know	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have cancer?	1=2 2=318 D=0	1=0.63 2=99.38 D=0.00	1=6 2=308 D=2	1=1.90 2=97.47 D=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q145†	text	Up to two cancers. Need to code text responses and then add categories to this row.	See master dataset for responses.		See master dataset for responses.	
Q146†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for cancer.	See master dataset for responses.		See master dataset for responses.	
Q147†	text	Diverse responses	See master dataset for responses.		See master dataset for responses.	
Q148†	text	Diverse responses	See master dataset for responses.		See master dataset for responses.	
Q149	1=yes 2=no .=missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have <b>depression</b> ?	1=44 2=275 .=1	1=13.75 2=85.94 .=0.31	1=141 2=175 .=0	1=44.62 2=55.38 .=0.00
Q150†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for depression.	See master dataset for responses.		See master dataset for responses.	
Q151	1=yes 2=no	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have <b>anxiety disorder</b> ?	1=33 2=287	1=10.31 2=89.69	1=101 2=215	1=31.96 2=68.04
Q152†	text D=don't know	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for anxiety disorder.	See master dataset for responses.		See master dataset for responses.	
Q153	1=yes 2=no D=don't know	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have <b>schizophrenia or psychosis</b> ?	1=9 2=311 D=0	1=2.81 2=97.19 D=0.00	1=18 2=296 D=2	1=5.70 2=93.67 D=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q154†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for schizophrenia or psychosis.	See master dataset for responses.		See master dataset for responses.	
Q155	1=yes 2=no D=don't know	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have <b>attention deficit disorder, hyperactivity, ADD, or ADHD?</b>	1=37 2=283 D=0	1=11.56 2=88.44 D=0.00	1=49 2=266 D=1	1=15.51 2=84.18 D=0.32
Q156†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for attention deficit disorder, hyperactivity, ADD, or ADHD.	See master dataset for responses.		See master dataset for responses.	
Q157	1=yes 2=no .=missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have <b>bipolar disorder or mania?</b>	1=20 2=300 .=0	1=6.25 2=93.75 .=0.00	1=77 2=238 .=1	1=24.37 2=75.32 .=0.32
Q158†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for bipolar disorder or mania.	See master dataset for responses.		See master dataset for responses.	
Q159	1=yes 2=no D=don't know .=missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have <b>Post Traumatic Stress Disorder</b> , which is also called PTSD?	1=22 2=296 D=2 .=0	1=6.88 2=92.50 D=0.63 .=0.00	1=46 2=269 D=0 .=1	1=14.56 2=85.13 D=0.00 .=0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q160†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for Post Traumatic Stress Disorder.	See master dataset for responses.		See master dataset for responses.	
Q161	1=yes 2=no . =missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have impulse control disorder?	1=13 2=307 . =0	1=4.06 2=95.94 . =0.00	1=27 2=288 . =1	1=8.54 2=91.14 . =0.32
Q162†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for impulse control disorder or difficulty controlling negative urges.	See master dataset for responses.		See master dataset for responses.	
Q163	1=yes 2=no	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have <b>alcohol dependency</b> ?	1=32 2=288	1=10.00 2=90.00	1=37 2=279	1=11.71 2=88.29
Q164†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for alcohol dependency.	See master dataset for responses.		See master dataset for responses.	
Q165	1=yes 2=no R=refused	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have <b>drug dependency</b> ?	1=53 2=266 R=1	1=16.56 2=83.13 R=0.31	1=94 2=223 R=0	1=29.75 2=70.25 R=0.00
Q166†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for drug dependency.	See master dataset for responses.		See master dataset for responses.	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q167	1=yes 2=no R=refused .=missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have other emotional or substance abuse disorders?	1=7 2=311 R=1 .=1	1=2.19 2=97.19 R=0.31 .=0.31	1=12 2=303 R=0 .=1	1=3.80 2=95.89 R=0.00 .=0.32
Q168†	text	Specify other emotional or substance abuse disorder.	See master dataset for responses.		See master dataset for responses.	
Q169†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for other emotional or substance abuse disorders?	See master dataset for responses.		See master dataset for responses.	
Q170	1=yes 2=no .=missing	Has a doctor or other healthcare person, like a nurse, told you that you <b>currently</b> have any other medical conditions we did not ask about?	1=65 2=254 .=1	1=20.31 2=79.38 .=0.31	1=91 2=224 .=1	1=28.80 2=70.89 .=0.32
Q171†	text	Specify up to three other medical disorders.	See master dataset for responses.		See master dataset for responses.	
Q172†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for.....	See master dataset for responses.		See master dataset for responses.	
Q173†	text	If applicable, specify additional other medical disorder.	See master dataset for responses.		See master dataset for responses.	
Q174†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for (other medical disorder).	See master dataset for responses.		See master dataset for responses.	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q175†	text	If applicable, specify additional other medical disorder.	See master dataset for responses.		See master dataset for responses.	
Q176†	text	Please tell me the name of the medicine, if any, you are <b>currently</b> taking for [name of medical disorder].	See master dataset for responses.		See master dataset for responses.	
Q177	1=yes 2=no .=missing	Are you <b>currently</b> taking any other medicines?	1=16 2=296 .=8	1=5.00 2=92.50 .=2.50	1=23 2=20 .=3	1=7.28 2=91.77 .=0.95
Q178†	text D=don't know	What medicines are you <b>currently</b> taking?	See master dataset for responses.		See master dataset for responses.	
Q179†	text	What do you take this medicine for?	See master dataset for responses.		See master dataset for responses.	
Q180†	text	If applicable, record second medicine.	See master dataset for responses.		See master dataset for responses.	
Q181†	text	What do you take this medicine for?	See master dataset for responses.		See master dataset for responses.	
Received Counseling While Incarcerated						
Q182	1=yes 2=no .=missing	While incarcerated this time, have you <b>received</b> help or counseling for a mental health problem, including improving your <b>mood</b> , managing <b>stress</b> , or emotional <b>upsets</b> ?	1=54 2=263 .=3	1=16.88 2=82.19 .=0.94	1=122 2=190 .=4	1=38.61 2=60.13 .=1.27
General Traumas (Divorce, Property Crimes, etc.)						
Q183-Q186, Q194-Q195 modified ETI. Q193, Q196 ETI. Early Trauma Inventory (ETI). Purpose: To determine general trauma experienced before age 18.						
Citation: Bremner JD, Vermetten E, Mazure CM. Development and preliminary psychometric properties of an instrument for the measurement of childhood trauma: the Early Trauma Inventory. Depression & Anxiety. 2000;12(1):1-12.						
Q190: modified from Adverse Childhood Experiences (ACE) Study.						
Citation: Felitti VJ, Anda RF, Nordenberg D, et al. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. Am J Prev Med. 1998;14:245-258.						

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q183	1=yes 2=no	Did you suffer a serious personal <b>injury or illness</b> , such as one that took a long time to get better from?	1=79 2=241	1=24.69 2=75.31	1=62 2=254	1=19.62 2=80.38
Q184	1=yes 2=no D=don't know .=missing	Did someone very close to you have a serious injury or illness, unexpectedly die, or were they murdered?	1=134 2=184 D=1 .=1	1=41.88 2=57.50 D=0.31 .=0.31	1=141 2=174 D=0 .=1	1=44.62 2=55.06 D=0.00 .=0.32
Q185	1=yes 2=no 3=parents never married D=don't know .=missing	Did you experience the separation or divorce of your parents?	1=125 2=159 3=34 D=2	1=39.06 2=49.69 3=10.63 D=0.63	1=146 2=133 3=37 D=0	1=46.20 2=42.09 3=11.71 D=0.00
Q186	1=yes 2=no .=missing	Were you raised in a home <b>other</b> than that of your birth parent or parents?	1=111 2=207 .=2	1=34.69 2=64.69 .=0.63	1=108 2=208 .=0	1=34.18 2=65.82 .=0.00
Q187†	1=grandparent's 2=other relative's 3=friend's 4=foster parent's or orphanage 5=adoptive parent's 6=other	In whose home or homes did you live?	1=58 2=27 3=11 4=15 5=9 6=3	1=52.25 2=24.32 3=9.91 4=13.51 5=8.11 6=2.70	1=61 2=27 3=8 4=22 5=15 6=4	1=56.48 2=25.00 3=7.41 4=20.37 5=13.89 6=3.70
Q188†	text	Specify other type of person.	See master dataset for responses.		See master dataset for responses.	
Q189†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	How old were you when you went to live with someone other than your birth parent or parents?	N=98 $\bar{X}$ = 6.87 SD=5.06 Med=7.00 Rng=(0.00, 18.00)		N=104 $\bar{X}$ = 7.08 SD=5.26 Med=7.00 Rng=(0.00, 16.00)	
Q190	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	<b>Before age 18</b> , how many times did you move residences, even in the same town?	N=317 $\bar{X}$ = 4.20 SD=7.54 Med=2.00 Rng=(0.00, 100.00)		N=309 $\bar{X}$ = 5.14 SD=6.19 Med=3.00 Rng=(0.00, 36.00)	



Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q191	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	<b>Before age 18</b> , other than your parents, how many different caregivers did you have?	N=314 $\bar{X}$ = 1.22 SD=2.11 Med=1.00 Rng=(0.00, 18.00)		N=310 $\bar{X}$ = 1.21 SD=2.52 Med=0.00 Rng=(0.00, 30.00)	
Q192	1=yes 2=no . =missing	<b>Before age 18</b> , was an adult always available to supervise you?	1=250 2=68 . =2	1=78.13 2=21.25 . =0.63	1=234 2=82 . =0	1=74.05 2=25.95 . =0.00
Q193	1=yes 2=no . =missing	<b>Before age 18</b> , did you witness violence towards others, including close family members?	1=192 2=128 . =0	1=60.00 2=40.00 . =0.00	1=195 2=121 . =1	1=61.71 2=38.29 . =0.31
Q194	1=yes 2=no D=don't know	<b>Before age 18</b> , did anyone in your immediate family ever suffer a <b>serious mental</b> or <b>psychiatric</b> illness or have a "breakdown"?	1=74 2=244 D=2	1=23.13 2=76.25 D=0.63	1=110 2=201 D=5	1=34.81 2=63.61 D=1.58
Q195	1=yes 2=no D=don't know	<b>Before age 18</b> , were you the victim of a <b>property</b> crime such as burglary or theft of something very dear to you?	1=71 2=248 D=1	1=22.19 2=77.50 D=0.31	1=49 2=266 D=1	1=15.51 2=84.18 D=0.32
Q196	1=yes 2=no D=don't know R=refused . =missing	<b>Before age 18</b> , were you the victim of a <b>personal</b> crime such as armed robbery, assault, or rape?	1=44 2=275 D=0 R=0 . =1	1=13.75 2=85.94 D=0.00 R=0.00 . =0.31	1=118 2=196 D=1 R=1 . =0	1=37.34 2=62.03 D=0.32 R=0.32 . =0.00
<b>History of Substance/Alcohol Abuse</b>						
Q197-Q209: Texas Christian University Dependency Scale-II (TCUDS-II). Purpose: To assess pre-incarceration dependency on alcohol or drugs.  Citation: Knight K. Factors to consider when choosing a screen for drug-use problems. Offender Substance Abuse Report, II 2002;3:35-39.						
Q197	1=yes 2=no R=refused . =missing	Did you use "street" drugs, alcohol, or <b>abuse prescription</b> drugs?	1=274 2=44 R=1 . =1	1=85.63 2=13.75 R=0.31 . =0.31	1=248 2=67 R=0 . =1	1=78.48 2=21.20 R=0.00 . =0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q198†	1=yes 2=no	Did you use <b>larger amounts</b> of drugs or use them for a <b>longer</b> time than you planned or intended?	1=147 2=127	1=53.65 2=46.35	1=182 2=66	1=73.39 2=26.61
Q199†	1=yes 2=no	Did you try to cut <b>down</b> on your drug use but were <b>unable</b> to do it?	1=112 2=162	1=40.88 2=59.12	1=148 2=100	1=59.68 2=40.32
Q200†	1=yes 2=no D=don't know .=missing	Did you spend a <b>lot of time</b> getting drugs, using them, or recovering from their use?	1=153 2=121 D=0	1=55.84 2=44.16 D=0.00	1=173 2=74 D=1	1=69.76 2=29.84 D=0.40
Q201†	1=yes 2=no D=don't know	Did you get so <b>high</b> or <b>sick</b> from drugs that it <b>kept</b> you from doing work, going to school, or caring for children?	1=93 2=181 D=0	1=33.94 2=66.06 D=0.00	1=123 2=124 D=1	1=49.60 2=50.00 D=0.40
Q202†	1=yes 2=no D=don't know	Did you get so <b>high</b> or <b>sick</b> from drugs that it <b>caused</b> an accident or put you or others in danger?	1=61 2=211 D=2	1=22.26 2=77.01 D=0.73	1=69 2=178 D=1	1=27.82 2=71.77 D=0.40
Q203†	1=yes 2=no	Did you spend <b>less time</b> at work, school, or with friends so that you could use drugs?	1=85 2=189	1=31.02 2=68.98	1=142 2=106	1=57.26 2=42.74
Q204†	1=yes 2=no D=don't know	Did your drug use <b>cause</b> emotional or psychological problems?	1=82 2=185 D=7	1=29.93 2=67.52 D=2.55	1=150 2=97 D=1	1=60.48 2=39.11 D=0.40
Q205†	1=yes 2=no	Did your drug use <b>cause</b> problems with family, friends, work, or police?	1=166 2=108	1=60.58 2=39.42	1=191 2=57	1=77.02 2=22.98
Q206†	1=yes 2=no D=don't know .=missing	Did your drug use <b>cause</b> physical health or medical problems?	1=42 2=226 D=4 .=2	1=15.33 2=82.48 D=1.46 .=0.73	1=113 2=133 D=2 .=0	1=45.56 2=53.63 D=0.81 .=0.00

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q207†	1=yes 2=no	Did you <b>increase</b> the amount of a drug you were taking so that you could get the same <b>effects</b> as before?	1=126 2=148	1=45.99 2=54.01	1=164 2=84	1=66.13 2=33.87
Q208†	1=yes 2=no D=don't know	Did you ever keep taking a drug to <b>avoid withdrawal</b> symptoms or keep from getting <b>sick</b> ?	1=66 2=207 D=1	1=24.09 2=75.55 D=0.36	1=103 2=145 D=0	1=41.53 2=58.47 D=0.00
Q209†	1=yes 2=no D=don't know .=missing	Did you get <b>sick</b> or have <b>withdrawal</b> symptoms when you quit or missed taking a drug?	1=63 2=207 D=1 .=3	1=22.99 2=75.55 D=0.36 .=1.09	1=97 2=150 D=0 .=1	1=39.11 2=60.48 D=0.00 .=0.40
Q210	1=yes 2=no .=missing	Other than a few sips, have you <b>ever</b> had an <b>alcoholic beverage</b> , such as liquor, beer, wine, or cocktails?	1=309 2=10 .=1	1=96.56 2=3.13 .=0.31	1=283 2=29 .=4	1=89.56 2=9.18 .=1.26
Q211†	1=yes 2=no .=missing	Did you ever have a period in your life when you usually drank <b>more than two</b> alcoholic beverages <b>per day</b> ?	1=204 2=95 .=10	1=66.02 2=30.74 .=3.24	Females not asked this question	
Q212†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Altogether, what was the longest period of time in months that you usually drank <b>more than two</b> alcoholic beverages <b>per day</b> ?	N=194 $\bar{X}$ = 3.56 SD=4.93 Med=0.00 Rng=(0.00, 12.00)			
Q213†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Record years here.	N=197 $\bar{X}$ = 1.84 SD=4.45 Med=0.00 Rng=(0.00, 35.00)			

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q214†	1=never 2=occasionally 3=every week 4=every day . =missing	Generally, how <b>often</b> did you drink <b>more</b> than <b>two</b> alcoholic beverages <b>per day</b> during the <b>12 months</b> before this incarceration?	1=12 2=59 3=36 4=95 . =1	1=5.91 2=29.06 3=17.73 4=46.80 . =0.49	Females not asked this question	
Q215†	1=yes 2=no . =missing	Did you ever have a period in your life when you usually drank <b>more</b> than <b>one</b> alcoholic beverage <b>per day</b> ?	Males not asked this Question		1=151 2=123 . =9	1=53.36 2=43.46 . =3.18
Q216†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	What was the longest period of time in months that you usually drank <b>more</b> than <b>one</b> alcoholic beverage <b>per day</b> ?			N=145 $\bar{X}$ = 0.96 SD=1.95 Med=0.00 Rng=(0.00, 9.00)	
Q217†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Record years here.			N=143 $\bar{X}$ = 5.45 SD=6.82 Med=2.00 Rng=(0.00, 30.00)	
Q218†	1=never 2=occasionally 3=every week 4=every day	Generally, how <b>often</b> did you drink <b>more</b> than <b>one</b> alcoholic beverage <b>per day</b> during the <b>12 months</b> before this incarceration?	Males not asked this question.		1=12 2=50 3=37 4=52	1=7.95 2=33.11 3=24.50 4=34.44
Q219: Modified Behavioral Risk Factor Surveillance System (BRFSS) Alcohol Consumption Scale						
Citation: Remington PL, Smith MY, Williamson DF, Anda RF, et al. Design, characteristics, and usefulness of state-based behavioral risk factor surveillance: 1981-1987. Public Health Reports. 1988;103:366-375.						
Q219†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	On the <b>days</b> you drank during the 12 months before this incarceration, on average how <b>many</b> drinks did you have?	N=300 $\bar{X}$ = 7.46 SD=7.07 Med=6.00 Rng=(0.00, 54.00)		N=278 $\bar{X}$ = 5.29 SD=6.11 Med=3.00 Rng=(0.00, 30.00)	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
General Substance Abuse						
Q220-Q269, Q271: Adapted Substance Abuse Scale, National Institute Drug Abuse (NIDA) Intramural Research Program. Purpose: To quantify use & frequency of drug use prior to incarceration & to develop a severity index for abuse.  Citation: no specific reference available Note: Responses were changed to reflect interviewer comments from Q650.						
Q220	1=yes 2=no R=refused .=missing	Have you ever used <b>marijuana</b> , which is also called nickel or dime bag, weed, blunt, roach, Mary Jane, THC, hashish, hash oil, reefer, or pot?	1=290 2=28 R=1 .=1	1=90.63 2=8.750 R=0.31 .=0.31	1=267 2=48 R=0 .=1	1=84.49 2=15.19 R=0.00 .=0.32
Q221†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old were you when you first used <b>marijuana</b> ?	N=290 $\bar{X}$ = 15.18 SD=4.69 Med=14.00 Rng=5.00, 49.00 .=0		N=266 $\bar{X}$ = 16.25 SD=4.61 Med=15.00 Rng=7.00, 35.00 .=1	
Q222†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what was the longest period of time in months that you used <b>marijuana</b> ?	N=263 $\bar{X}$ = 0.49 SD=1.82 Med=0.00 Rng=0.00, 18.00 .=27		N=251 $\bar{X}$ = 0.33 SD=1.42 Med=0.00 Rng=0.00, 18.00 .=16	
Q223†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record years here.	N=285 $\bar{X}$ = 9.59 SD=8.56 Med=8.00 Rng=0.00, 40.00 .=5		N=262 $\bar{X}$ = 8.84 SD=8.69 Med=6.00 Rng=0.00, 36.00 .=5	
Q224†	1=never  2=occasionally 3=every week 4=every day .=missing	Generally, how often did you use <b>marijuana</b> during the <b>12 months</b> before this incarceration?	1=74 2=65 3=17 4=132 .=2	1=25.52 2=22.41 3=5.86 4=45.52 .=0.69	1=99 2=76 3=23 4=69 .=0	1=37.08 2=28.46 3=8.61 4=25.84 .=0.00
Q225	1=yes 2=no R=refused .=missing	Have you ever used <b>heroin</b> also known as "tar," "jones," "brother," or "Versace"?	1=31 2=287 R=1 .=1	1=9.69 2=89.69 R=0.31 .=0.31	1=65 2=246 R=0 .=5	1=20.57 2=77.85 R=0.00 .=1.58

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q226†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old were you when you first used <b>heroin</b> ?	N=30 $\bar{X}$ = 26.40 SD=8.43 Med=25.50 Rng=13.00, 45.00 .=1		N=65 $\bar{X}$ = 24.37 SD=5.86 Med=25.00 Rng=15.00, 38.00 .=0	
Q227†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what as the longest period of time in months that you used <b>heroin</b> ?	N=25 $\bar{X}$ = 1.12 SD=1.98 Med=0.03 Rng=0.00, 6.00 .=6		N=61 $\bar{X}$ = 0.77 SD=1.79 Med=0.00 Rng=0.00, 7.00 .=4	
Q228†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record years here.	N=29 $\bar{X}$ = 3.41 SD=7.62 Med=0.00 Rng=0.00, 34.00 .=2		N=62 $\bar{X}$ = 2.95 SD=5.50 Med=0.00 Rng=0.00, 27.00 .= 3	
Q229†	1=never  2=occasionally 3=every week 4=every day .=missing	Generally, how often did you use <b>heroin</b> during the <b>12 months</b> before this incarceration?	1=19 2=5 3=0 4=6 .=1	1=61.29 2=16.13 3=0.00 4=19.35 .=3.23	1=40 2=10 3=4 4=11 .=0	1=61.54 2=15.38 3=6.15 4=16.92 .=0.00
Q230	1=yes 2=no R=refused .=missing	Have you ever used other <b>opiates</b> or <b>analgesics</b> , such as morphine, methadone, opium, salvia, codeine, Oxycontin, Hydrocodone, Lortab, Demerol, Vicodin, or Percocet?	1=104 2=212 R=1 .=3	1=32.50 2=66.25 R=0.31 .=0.94	1=146 2=169 R=0 .=1	1=46.20 2=53.48 R=0.00 .=0.32
Q231†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old were you when you first used other <b>opiates</b> or <b>analgesics</b> ?	N=103 $\bar{X}$ = 21.78 SD=7.36 Med=20.00 Rng=9.00, 49.00 .=1		N=141 $\bar{X}$ = 23.21 SD=8.16 Med=21.00 Rng=13.00, 51.00 .=5	
Q232†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what was the longest period of time in months that you used <b>other opiates</b> or <b>analgesics</b> ?	N=100 $\bar{X}$ = 1.35 SD=2.05 Med=0.33 Rng=0.00, 8.00 .=4		N=138 $\bar{X}$ = 0.76 SD=1.55 Med=0.00 Rng=0.00, 6.00 .=8	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q233†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record years here.	N=96 $\bar{X}$ = 3.05 SD=5.18 Med=0.00 Rng=0.00, 23.00 .=8		N=142 $\bar{X}$ = 5.18 SD=6.56 Med=2.00 Rng=0.00, 34.00 .=4	
Q234†	1= never  2=occasionally 3=every week 4=every day .=missing	Generally, how <b>often</b> did you use other <b>opiates</b> or <b>analgesics</b> during the <b>12</b> <b>months</b> before this incarceration?	1=43 2=30 3=16 4=14 .=1	1=41.35 2=28.85 3=15.38 4=13.46 .=0.96	1=50 2=40 3=18 4=37 .=1	1=34.25 2=27.40 3=12.33 4=25.34 .=0.68
Q235	1=yes 2=no R=refused .=missing	Have you ever used either <b>cocaine</b> , also known as coke or blow; or <b>crack</b> , also known as rock?	1=159 2=157 R=2 .=2	1=49.69 2=49.06 R=0.63 .=0.63	1=222 2=93 R=0 .=1	1=70.25 2=29.43 R=0.00 .=0.32
Q236†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old were you when you first used <b>cocaine</b> or <b>crack</b> ?	N=159 $\bar{X}$ = 22.65 SD=7.67 Med=20.00 Rng=12.00, 45.00 .=0		N=221 $\bar{X}$ = 22.65 SD=6.91 Med=21.00 Rng=10.00, 52.00 .=1	
Q237†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what was the longest period of time in months that you used <b>cocaine</b> or <b>crack</b> ?	N=148 $\bar{X}$ = 1.08 SD=2.21 Med=0.00 Rng=0.00, 9.00 .=11		N=209 $\bar{X}$ = 0.46 SD=1.53 Med=0.00 Rng=0.00, 10.00 .=13	
Q238†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record years here.	N=150 $\bar{X}$ = 6.18 SD=7.36 Med=3.00 Rng=0.00, 35.00 .=9		N=216 $\bar{X}$ = 8.02 SD=7.12 Med=6.00 Rng=0.00, 40.00 .=6	
Q239†	1=never  2=occasionally 3=every week 4=every day D=don't know .=missing	Generally, how <b>often</b> did you use <b>cocaine</b> or <b>crack</b> during the <b>12</b> <b>months</b> before this incarceration?	1=41 2=57 3=20 4=41 D=0 .=0	1=25.79 2=35.85 3=12.58 4=25.79 D=0.00 .=0.00	1=45 2=50 3=26 4=99 D=1 .=1	1=20.27 2=22.52 3=11.71 4=44.59 D=0.45 .=0.45

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q240	1=yes 2=no R=refused .=missing	Have you ever used <b>tranquilizers</b> or <b>sedatives</b> , such as Thorazine, Mellaril, Special K, Benzo, downers, Ativan, Valium, Xanax, or Librium?	1=93 2=225 R=1 .=1	1=29.06 2=70.31 R=0.31 .=0.31	1=119 2=196 R=0 .=1	1=37.66 2=62.03 R=0.00 .=0.32
Q241†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old were you when you first used <b>tranquilizers</b> ?	N=92 $\bar{X}$ = 20.53 SD=7.84 Med=18.00 Rng=6.00, 50.00 .=1		N=119 $\bar{X}$ = 22.56 SD=8.67 Med=19.00 Rng=2.00, 53.00 .=0	
Q242†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what was the longest period of time in months that you used <b>tranquilizers</b> ?	N=86 $\bar{X}$ = 1.29 SD=2.34 Med=0.00 Rng=0.00, 12.00 .=7		N=109 $\bar{X}$ = 0.88 SD=1.99 Med=0.00 Rng=0.00, 8.00 .=10	
Q243†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record years here.	N=85 $\bar{X}$ = 3.92 SD=6.71 Med=1.00 Rng=0.00, 36.00 .=8		N=119 $\bar{X}$ = 6.51 SD=8.27 Med=4.00 Rng=0.00, 48.00 .=0	
Q244†	1=never  2=occasionally 3=every week 4=every day .=missing	Generally, how <b>often</b> did you use <b>tranquilizers</b> or <b>sedatives</b> during the <b>12 months</b> before this incarceration?	1=34 2=34 3=12 4=10 .=3	1=36.56 2=36.56 3=12.90 4=10.75 .=3.23	1=32 2=34 3=20 4=32 .=1	1=26.89 2=28.57 3=16.81 4=26.89 .=0.84
Q245	1=yes 2=no R=refused .=missing	Have you ever used <b>amphetamines</b> , such as speed, crank, uppers, crystal meth, ice, ecstasy, XTC, or X?	1=88 2=227 R=1 .=4	1=27.50 2=70.94 R=0.31 .=1.25	1=103 2=212 R=0 .=1	1=32.59 2=67.09 R=0.00 .=0.32
Q246†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old were you when you first used <b>amphetamines</b> ?	N=87 $\bar{X}$ = 22.48 SD=7.06 Med=21.00 Rng=8.00, 44.00 .=1		N=102 $\bar{X}$ = 22.91 SD=7.23 Med=21.00 Rng=12.00, 47.00 .=1	



Variable	Code Value	Description	freq males		percent males	freq females		percent females
Q247†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what was the longest period of time in months that you used <b>amphetamines</b> ?	N=82 $\bar{X}$ = 0.92 SD=1.85 Med=0.00 Rng=0.00, 8.00 .=6			N=96 $\bar{X}$ = 0.70 SD=1.68 Med=0.00 Rng=0.00, 6.00 .=7		
Q248†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record years here.	N=81 $\bar{X}$ = 3.02 SD=4.65 Med=2.00 Rng=0.00, 30.00 .=7			N=101 $\bar{X}$ = 3.83 SD=5.89 Med=1.00 Rng=0.00, 33.00 .=2		
Q249†	1=never  2=occasionally 3=every week 4=every day .=missing	Generally, how <b>often</b> did you use <b>amphetamines</b> during the <b>12 months</b> before this incarceration?	1=38 2=28 3=14 4=7 .=1		1=43.18 2=31.82 3=15.91 4=7.95 .=1.14	1=49 2=24 3=10 4=19 .=1		1=47.57 2=23.30 3=9.71 4=18.45 .=0.97
Q250	1=yes 2=no R=refused .=missing	Have you ever used <b>barbiturates</b> , such as Quaaludes, yellows, or rods?	1=22 2=295 R=1 .=2		1=6.88 2=92.19 R=0.31 .=0.63	1=31 2=284 R=0 .=1		1=9.81 2=88.87 R=0.00 .=0.32
Q251†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	How old were you when you first used <b>barbiturates</b> ?	N=22 $\bar{X}$ = 18.14 SD=5.88 Med=16.50 Rng=12.00, 40.00			N=31 $\bar{X}$ = 18.06 SD=6.44 Med=17.00 Rng=5.00, 44.00		
Q252†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what was the longest period of time in months that you used <b>barbiturates</b> ?	N=19 $\bar{X}$ = 0.89 SD=1.52 Med=0.00 Rng=0.00, 6.00 .=3			N=31 $\bar{X}$ = 0.39 SD=1.23 Med=0.00 Rng=0.00, 6.00 .=0		
Q253†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record years here.	N=20 $\bar{X}$ = 3.55 SD=7.16 Med=1.00 Rng=0.00, 31.00 .=2			N=30 $\bar{X}$ = 6.70 SD=8.53 Med=3.00 Rng=0.00, 29.00 .=1		

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q254†	1=never  2=occasionally 3=every week 4=every day	Generally, how <b>often</b> did you use <b>barbiturates</b> during the <b>12 months</b> before this incarceration?	1=14 2=7 3=0 4=1	1=63.64 2=31.82 3=0.00 4=4.55	1=20 2=5 3=4 4=2	1=64.52 2=16.13 3=12.90 4=6.45
Q255	1=yes 2=no R=refused .=missing	Have you ever used <b>hallucinogens</b> , such as acid, LSD, mescaline, mushrooms, or peyote?	1=83 2=233 R=1 .=3	1=25.94 2=72.81 R=0.31 .=0.94	1=72 2=236 R=0 .=8	1=22.78 2=74.68 R=0.00 .=2.53
Q256†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	How old were you when you first used a <b>hallucinogen</b> ?	N=83 $\bar{X}$ = 18.59 SD=5.01 Med=18.00 Rng=12.00, 39.00		N=72 $\bar{X}$ = 18.96 SD=5.27 Med=18.00 Rng=11.00, 35.00	
Q257†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what was the longest period of time in months that you used <b>hallucinogens</b> ?	N=75 $\bar{X}$ = 1.06 SD=1.68 Med=1.00 Rng=0.00, 6.00 .=8		N=71 $\bar{X}$ = 0.60 SD=1.50 Med=0.00 Rng=0.00, 9.00 .=1	
Q258†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record years here.	N=76 $\bar{X}$ = 1.67 SD=4.13 Med=0.00 Rng=0.00, 24.00 .=7		N=69 $\bar{X}$ = 1.46 SD=3.51 Med=0.00 Rng=0.00, 25.00 .=3	
Q259†	1=never  2=occasionally 3=every week 4=every day .=missing	Generally, how <b>often</b> did you use <b>hallucinogens</b> during the <b>12 months</b> before this incarceration?	1=60 2=17 3=2 4=1 .=3	1=72.29 2=20.48 3=2.41 4=1.20 .=3.61	1=61 2=11 3=0 4=0 .=0	1=84.72 2=15.28 3=0.00 4=0.00 .=0.00
Q260	1=yes 2=no D=don't know R=refused .=missing	Have you ever used <b>PCP</b> , also known as flakes, lovely, or angel dust?	1=20 2=298 D=0 R=1 .=1	1=6.25 2=93.13 D=0.00 R=0.31 .=0.31	1=15 2=299 D=1 R=0 .=1	1=4.75 2=94.62 D=0.32 R=0.00 .=0.32

Variable	Code Value	Description	freq males		percent males	freq females		percent females
Q261†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old were you when you first used <b>PCP</b> ?	N=19 $\bar{X}$ = 19.42 SD=5.12 Med=18.00 Rng=14.00, 32.00 .=1			N=13 $\bar{X}$ = 19.23 SD=3.81 Med=20.00 Rng=14.00, 26.00 .=2		
Q262†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what was the longest period of time in months that you used <b>PCP</b> ?	N=17 $\bar{X}$ = 0.78 SD=0.96 Med=1.00 Rng=0.00, 3.00 .=3			N=13 $\bar{X}$ = 0.62 SD=0.76 Med=0.03 Rng=0.00, 2.00 .=2		
Q263†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record years here.	N=16 $\bar{X}$ = 0.25 SD=0.68 Med=0.00 Rng=0.00, 2.00 .=4			N=13 $\bar{X}$ = 0.23 SD=0.44 Med=0.00 Rng=0.00, 1.00 .=2		
Q264†	1=never  2=occasionally 3=every week 4=every day .=missing	Generally, how <b>often</b> did you use <b>PCP</b> during the <b>12 months</b> before this incarceration?	1=15 2=1 3=2 4=1 .=1	1=75.00 2=5.00 3=10.00 4=5.00 .=5.00		1=13 2=0 3=0 4=0 .=2	1=86.67 2=0.00 3=0.00 4=0.00 .=13.33	
Q265	1=yes 2=no R=refused .=missing	Have you ever used an <b>inhalant</b> , such as huffing, glue, thinner, aerosols, paint spray, nitrate, rush, climax, locker room, whippets, or poppers?	1=40 2=276 R=1 .=3	1=12.50 2=86.25 R=0.31 .=0.94		1=34 2=279 R=0 .=3	1=10.76 2=88.29 R=0.00 .=0.95	
Q266†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	How old were you when you first used an <b>inhalant</b> ?	N=40 $\bar{X}$ = 16.30 SD=5.01 Med=14.50 Rng=10.00, 32.00			N=34 $\bar{X}$ = 16.74 SD=5.12 Med=15.50 Rng=8.00, 30.00		
Q267†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Altogether, what was the longest period of time in months that you used <b>inhalants</b> ?	N=38 $\bar{X}$ = 1.41 SD=3.09 Med=1.00 Rng=0.00, 18.00 .=2			N=34 $\bar{X}$ = 1.45 SD=2.04 Med=0.62 Rng=0.00, 7.00 .=0		

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q268†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing		N=34 $\bar{X}$ = 0.41 SD=0.78 Med=0.00 Rng=0.00, 3.00 .=6		N=33 $\bar{X}$ = 0.36 SD=0.90 Med=0.00 Rng=0.00, 4.00 .=1	
Q269†	1=never  2=occasionally 3=every week 4=every day	Generally, how <b>often</b> did you use <b>inhalants</b> during the <b>12</b> <b>months</b> before this incarceration?	1=34 2=5 3=1 4=0	1=85.00 2=12.50 3=2.50 4=0.00	1=27 2=6 3=0 4=1	1=79.41 2=17.65 3=0.00 4=2.94
Q270	1=none of them 2=alcohol 3=marijuana or hashish 4=hallucinogens 5=inhalants 6=crack 7=heroin and cocaine, mixed together as a speedball 8=cocaine by itself 9=heroin by itself 10=non-prescription street methadone 11=other opiates 12=methamphetamines 13=amphetamines 14=tranquilizers, barbiturates, or sedatives D=don't know R=refused .=missing	In the <b>last 12</b> <b>months</b> you lived on the <b>outside</b> , which <b>drug</b> caused you the <b>most</b> serious problem?	1=127 2=71 3=23 4=2 5=0 6=43 7=0 8=28 9=5 10=0 11=2 12=9 13=2 14=1 D=1 R=1 .=5	1=39.69 2=22.19 3=7.19 4=0.63 5=0.00 6=13.44 7=0.00 8=8.75 9=1.56 10=0.00 11=0.63 12=2.81 13=0.63 14=0.31 D=0.31 R=0.31 .=1.56	1=109 2=26 3=10 4=0 5=1 6=103 7=7 8=21 9=4 10=0 11=18 12=8 13=4 14=3 D=0 R=0 .=2	1=34.49 2=8.23 3=3.16 4=0.00 5=0.32 6=32.49 7=2.22 8=6.65 9=1.27 10=0.00 11=5.70 12=2.53 13=1.27 14=0.95 D=0.00 R=0.00 .=0.63
Q271	1= never 2=1 time 3=2 times  4=3 times  5=4 or more times .=missing	How many <b>times</b> before this incarceration have you ever been in an <b>alcohol</b> or <b>drug</b> <b>treatment</b> program? Do <b>not</b> include AA, NA, or CA meetings.	1=213 2=63 3=26 4=12 5=6 .=0	1=66.56 2=19.69 3=8.13 4=3.75 5=1.88 .=0.00	1=190 2=50 3=35 4=13 5=27 .=1	1=60.13 2=15.82 3=11.08 4=4.11 5=8.54 .=0.32
Q272	1=yes 2=no .=missing	<b>During</b> this incarceration, have you <b>received</b> help for an <b>alcohol</b> or <b>drug problem</b> ?	1=62 2=257 .=1	1=19.38 2=80.31 .=0.31	1=109 2=205 .=2	1=34.49 2=64.87 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Mental Health (Part 1)</b>						
Q273-Q302, Q520-Q563: Millon Clinical Multiaxial Inventory-III (MCMI-III). Purpose: To screen for a range of personality & clinical disorders.						
Six Scales [Questions overlap scales.]: Personality Disorders—						
1] ANTISOCIAL, 17 items: Q276, Q278, Q279, Q280, Q281, Q285, Q287, Q291, Q292, Q521, Q525, Q533, Q536, Q543, Q545, Q560, Q563.						
[2] SCHIZOTYPAL, 16 items: Q277, Q289, Q297, Q298, Q302, Q524, Q526, Q534, Q541, Q544, Q546, Q550, Q553, Q555, Q556, Q558.						
[3] BORDERLINE, 16 items: Q276, Q282, Q283, Q287, Q299, Q520, Q523, Q535, Q536, Q541, Q542, Q547, Q554, Q557, Q560, Q562.						
Clinical Syndromes—						
[4] ANXIETY, 14 items: Q286, Q295, Q296, Q301, Q302, Q530, Q531, Q537, Q542, Q548, Q549, Q551, Q559, Q561.						
[5] BIPOLAR: MANIC, 13 items: Q274, Q282, Q287, Q290, Q293, Q520, Q522, Q528, Q534, Q538, Q541, Q560, Q561.						
[6] MAJOR DEPRESSION, 17 items: Q273, Q275, Q284, Q288, Q294, Q300, Q527, Q529, Q532, Q539, Q540, Q547, Q550, Q551, Q552, Q554, Q562.						
Citation: Millon T, Millon C, Davis R, Grossman S. The Millon Clinical Multiaxial Inventory-III Manual (3rd ed.) Minneapolis: National Computer Systems, Pearson, Inc., 2006.						
Q273	1=true 2=false .=missing	Lately, my strength seems to be draining out of me, even in the morning.	1=69 2=248 .=3	1=21.56 2=77.50 .=0.94	1=114 2=195 .=7	1=36.08 2=61.71 .=2.22
Q274	1=true 2=false .=missing	I enjoy doing so many different things that I can't make up my mind what to do first.	1=146 2=172 .=2	1=45.63 2=53.75 .=0.63	1=181 2=134 .=1	1=57.28 2=42.41 .=0.32
Q275	1=true 2=false D=don't know .=missing	I feel weak and tired much of the time.	1=71 2=247 D=0 .=2	1=22.19 2=77.19 D=0.00 .=0.63	1=139 2=174 D=2 .=1	1=43.99 2=55.06 D=0.63 .=0.32
Q276	1=true 2=false D=don't know .=missing	If my family puts pressure on me, I'm likely to feel angry and resist doing what they want.	1=71 2=246 D=1 .=2	1=22.19 2=76.88 D=0.31 .=0.63	1=98 2=215 D=2 .=1	1=31.01 2=68.04 D=0.63 .=0.32
Q277	1=true 2=false D=don't know .=missing	People make fun of me behind my back, talking about the way I act or look.	1=104 2=198 D=16 .=2	1=32.50 2=61.88 D=5.00 .=0.63	1=102 2=201 D=12 .=1	1=32.28 2=63.61 D=3.80 .=0.32
Q278	1=true 2=false .=missing	My drug habits have often gotten me into a good deal of trouble in the past.	1=169 2=148 .=3	1=52.81 2=46.25 .=0.94	1=200 2=115 .=1	1=63.29 2=36.39 .=0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q279	1=true 2=false D=don't know .=missing	Sometimes I can be pretty rough and mean in my relations with my family.	1=142 2=176 D=0 .=2	1=44.38 2=55.00 D=0.00 .=0.63	1=136 2=178 D=1 .=1	1=43.04 2=56.33 D=0.32 .=0.32
Q280	1=true 2=false .=missing	As a teenager, I got into lots of trouble because of bad school behavior.	1=165 2=153 .=2	1=51.56 2=47.81 .=0.63	1=100 2=215 .=1	1=31.65 2=68.04 .=0.32
Q281	1=true 2=false D=don't know .=missing	I like to flirt with members of the opposite sex.	1=285 2=33 D=0 .=2	1=89.06 2=10.31 D=0.00 .=0.63	1=183 2=130 D=1 .=2	1=57.91 2=41.14 D=0.32 .=0.63
Q282	1=true 2=false D=don't know .=missing	I'm a very erratic person, changing my mind and feelings all the time.	1=110 2=205 D=2 .=3	1=34.38 2=64.06 D=0.63 .=0.94	1=134 2=178 D=3 .=1	1=42.41 2=56.33 D=0.95 .=0.32
Q283	1=true 2=false D=don't know .=missing	Lately, I have begun to feel like smashing things.	1=28 2=290 D=0 .=2	1=8.75 2=90.63 D=0.00 .=0.63	1=33 2=281 D=1 .=1	1=10.44 2=88.92 D=0.32 .=0.32
Q284	1=true 2=false .=missing	Lately, I have gone all to pieces.	1=28 2=290 .=2	1=8.75 2=90.63 .=0.63	1=67 2=248 .=1	1=21.20 2=78.48 .=0.32
Q285	1=true 2=false D=don't know .=missing	I do what I want without worrying about its effect on others.	1=59 2=258 D=1 .=2	1=18.44 2=80.63 D=0.31 .=0.63	1=60 2=254 D=1 .=1	1=18.99 2=80.38 D=0.32 .=0.32
Q286	1=true 2=false D=don't know .=missing	I guess I'm a fearful and inhibited person.	1=75 2=239 D=4 .=2	1=23.44 2=74.69 D=1.25 .=0.63	1=75 2=237 D=3 .=1	1=23.73 2=75.00 D=0.95 .=0.32
Q287	1=true 2=false .=missing	I've done a number of stupid things on impulse that ended up causing me great trouble.	1=242 2=76 .=2	1=75.63 2=23.75 .=0.63	1=252 2=62 .=2	1=79.75 2=19.62 .=0.63
Q288	1=true 2=false D=don't know .=missing	I feel terribly depressed and sad much of the time now.	1=60 2=257 D=1 .=2	1=18.75 2=80.31 D=0.31 .=0.63	1=91 2=222 D=2 .=1	1=28.80 2=70.25 D=0.63 .=0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q289	1=true 2=false D=don't know .=missing	A long time ago, I decided it's best to have little to do with people.	1=135 2=181 D=2 .=2	1=42.19 2=56.56 D=0.63 .=0.63	1=167 2=148 D=0 .=1	1=52.85 2=46.84 D=0.00 .=0.32
Q290	1=true 2=false D=don't know .=missing	When things get boring, I like to stir up some excitement.	1=120 2=196 D=2 .=2	1=37.50 2=61.25 D=0.63 .=0.63	1=92 2=222 D=1 .=1	1=29.11 2=70.25 D=0.32 .=0.32
Q291	1=true 2=false D=don't know .=missing	I have an alcohol problem that has made difficulties for me and my family.	1=88 2=230 D=0 .=2	1=27.50 2=71.88 D=0.00 .=0.63	1=69 2=245 D=1 .=1	1=21.84 2=77.53 D=0.32 .=0.32
Q292	1=true 2=false D=don't know .=missing	Punishment never stopped me from doing what I wanted.	1=134 2=185 D=1 .=0	1=41.88 2=57.81 D=0.31 .=0.00	1=144 2=166 D=5 .=1	1=45.57 2=52.53 D=1.58 .=0.32
Q293	1=true 2=false D=don't know .=missing	There are many times, when for no reason, I feel very cheerful and full of excitement.	1=242 2=78 D=0 .=0	1=75.63 2=24.38 D=0.00 .=0.00	1=243 2=70 D=2 .=1	1=76.90 2=22.15 D=0.63 .=0.32
Q294	1=true 2=false .=missing	In recent weeks, I feel worn out for no special reason.	1=89 2=231 .=0	1=27.81 2=72.19 .=0.00	1=138 2=177 .=1	1=43.67 2=56.01 .=0.32
Q295	1=true 2=false D=don't know .=missing	I've become very jumpy in the last few weeks.	1=78 2=242 D=0 .=0	1=24.38 2=75.63 D=0.00 .=0.00	1=87 2=227 D=1 .=1	1=27.53 2=71.84 D=0.32 .=0.32
Q296	1=true 2=false D=don't know .=missing	Ideas keep turning over and over in my mind and they won't go away.	1=189 2=131 D=0 .=0	1=59.06 2=40.94 D=0.00 .=0.00	1=189 2=124 D=2 .=1	1=59.81 2=39.24 D=0.63 .=0.32
Q297	1=true 2=false .=missing	I avoid most social situations because I expect people to criticize or reject me.	1=68 2=251 .=1	1=21.25 2=78.44 .=0.31	1=80 2=235 .=1	1=25.32 2=74.37 .=0.32
Q298	1=true 2=false D=don't know .=missing	When I'm alone, I often feel the strong presence of someone nearby who can't be seen.	1=83 2=237 D=0 .=0	1=25.94 2=74.06 D=0.00 .=0.00	1=112 2=199 D=4 .=1	1=35.44 2=62.97 D=1.27 .=0.32

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q299	1=true 2=false D=don't know .=missing	I feel pretty aimless and don't know where I'm going in life.	1=62 2=258 D=0 .=0	1=19.38 2=80.63 D=0.00 .=0.00	1=84 2=228 D=2 .=2	1=26.58 2=72.15 D=0.63 .=0.63
Q300	1=true 2=false D=don't know .=missing	I can't seem to sleep, and I wake up just as tired as when I went to bed.	1=87 2=232 D=1 .=0	1=27.19 2=72.50 D=0.31 .=0.00	1=126 2=187 D=1 .=2	1=39.87 2=59.18 D=0.32 .=0.63
Q301	1=true 2=false .=missing	Lately, I've been sweating a great deal and feel very tense.	1=46 2=274 .=0	1=14.38 2=85.63 .=0.00	1=73 2=241 .=2	1=23.10 2=76.27 .=0.63
Q302	1=true 2=false .=missing	I keep having strange thoughts that I wish I could get rid of.	1=78 2=239 D=1 .=2	1=24.38 2=74.69 D=0.31 .=0.63	1=89 2=225 D=0 .=2	1=28.16 2=71.20 D=0.00 .=0.63
<b>Childhood Experiences</b>						
Q303	1=yes 2=no D=don't know .=missing	Did your birth mother take care of you during the first few months after you were born?	1=290 2=23 D=5 .=2	1=90.63 2=7.19 D=1.56 .=0.63	1=291 2=18 D=4 .=3	1=92.09 2=5.70 D=1.27 .=0.95
Q304†	1=she was too young to take care of you  2=her physical or mental health did not permit her to take care of you 3=you were in the hospital during this time 4=she had died 5=she gave you up for adoption 6=she was not permitted to take care of you 7=she was incarcerated 8=she did not want to take care of you 9=other D=don't know .=missing	What prevented your mother from taking care of you during the first few months after you were born?	1=3 2=3 3=1 4=0 5=3 6=2 7=0 8=5 9=5 D=0 .=1	1=13.04 2=13.04 3=4.35 4=0.00 5=13.04 6=8.70 7=0.00 8=21.74 9=21.74 D=0.00 .=4.35	1=3 2=1 3=0 4=1 5=3 6=0 7=0 8=4 9=4 D=1 .=1	1=16.67 2=5.56 3=0.00 4=5.56 5=16.67 6=0.00 7=0.00 8=22.22 9=22.22 D=5.56 .=5.56
Q305†	text	Specify other reason.	See master dataset for responses.		See master dataset for responses.	



Variable	Code Value	Description	freq males		percent males	freq females		percent females
Q306	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old was your mother when she had her first child?	N=278 $\bar{X}$ = 19.10 SD=3.75 Med=18.00 Rng=13.00, 33.00 .=42			N=279 $\bar{X}$ = 19.27 SD=4.21 Med=18.00 Rng=12.00, 41.00 .=37		
Q307	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old was your mother when you were born?	N=288 $\bar{X}$ = 23.50 SD=6.62 Med=22.00 Rng=11.00, 45.00 .=32			N=285 $\bar{X}$ = 23.11 SD=6.04 Med=22.00 Rng=13.00, 41.00 .=31		
Q308	1=easy 2=somewhat easy 3=somewhat difficult 4=difficult D=don't know .=missing	Did you find your childhood experience with school work to be . . .	1=138 2=88 3=52 4=39 D=2 .=1	1=43.13 2=27.50 3=16.25 4=12.19 D=0.63 .=0.31		1=142 2=72 3=52 4=47 D=1 .=2	1=44.94 2=22.78 3=16.46 4=14.87 D=0.32 .=0.63	
Q309	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	<b>Before age 18</b> , how many times did you change schools without your other classmates changing with you? That is, how many times did you go to a different school where you were the "new kid on the block?"	N=318 $\bar{X}$ = 2.19 SD=3.34 Med=1.00 Rng=0.00,			N=313 $\bar{X}$ = 2.72 SD=3.77 Med=1.00 Rng=0.00, 25.00 .=3		
Q310	1=yes 2=no D=don't know R=refused .=missing	Did you <b>ever</b> have to repeat a grade in school because you were having a hard time with the school work?	1=157 2=163 D=0 .=0	1=49.06 2=50.94 D=0.00 .=0.00		1=102 2=210 D=2 .=2	1=32.28 2=66.46 D=0.63 .=0.63	
Q311	1=yes 2=no D=don't know .=missing	Did a school person <b>ever</b> tell you or tell your parent or caregiver that you needed to be in a special education class?	1=86 2=233 D=1 .=0	1=26.88 2=72.81 D=0.31 .=0.00		1=58 2=254 D=2 .=2	1=18.35 2=80.38 D=0.63 .=0.63	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q312	1=yes 2=no D=don't know .=missing		1=94 2=226 D=0 .=0	1=29.38 2=70.63 D=0.00 .=0.00	1=104 2=209 D=1 .=2	1=32.91 2=66.14 D=0.32 .=0.63
Q313	1=yes 2=no 3=your school did not offer free or reduced lunch D=don't know R=refused .=missing	Did you <b>ever</b> qualify for free or reduced lunch?	1=198 2=109 3=8 D=5 .=0	1=61.88 2=34.06 3=2.50 D=1.56 .=0.00	1=222 2=85 3=1 D=6 .=2	1=70.25 2=26.90 3=0.32 D=1.90 .=0.63
Q314	1=private or commercial, for example, blue cross/ blue shield, PPO, Cigna, HMO 2=military, for example, Champus or Tricare 3=Medicaid 4=Medicare or SSDI 5=children's health insurance program, known as chip 6=uninsured or your family self paid 7=some other kind D=don't know .=missing	What health insurance coverage did you have most often when you were a child?	1=112 2=15 3=119 4=4 5=3 6=32 7=0 D=34 .=1	1=35.00 2=4.69 3=37.19 4=1.25 5=0.94 6=10.00 7=0.00 D=10.63 .=0.31	1=127 2=18 3=111 4=1 5=0 6=31 7=2 D=23 .=3	1=40.19 2=5.70 3=35.13 4=0.32 5=0.00 6=9.81 7=0.63 D=7.28 .=1.95
Q315†	text	Specify other kind of health insurance coverage	See master dataset for responses.		See master dataset for responses.	
Social Support						
Q316-Q343. Family Domain Scales of the Communities That Care Survey. Purpose: To determine childhood family support & family functioning as insulators of stress.  Citation: Arthur M, Hawkins JD, Pollard JA, Catalano RF, Baglioni AJ. Measuring risk and protective factors for substance use, delinquency, and other adolescent problem behaviors. The Communities That Care Youth Survey. Evaluation Review 2002;26:575-601.						
Q316	1=yes 2=no D=don't know .=missing	Did your parent or another primary caregiver ask if you'd gotten your homework done?	1=288 2=32 D=0 .=0	1=90.00 2=10.00 D=0.00 .=0.00	1=275 2=35 D=4 .=2	1=87.03 2=11.08 D=1.27 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q317	1=yes 2=no D=don't know .=missing	Did your parent or primary caregiver know if you did not come home on time?	1=286 2=33 D=1 .=0	1=89.38 2=10.31 D=0.00 .=0.00	1=285 2=28 D=1 .=2	1=90.19 2=8.86 D=0.32 .=0.63
Q318	1=yes 2=no D=don't know .=missing	When you were not at home, did your parent or primary caregiver know where you were and with whom?	1=216 2=103 D=1 .=0	1=67.50 2=32.19 D=0.31 .=0.00	1=239 2=73 D=1 .=3	1=75.63 2=23.10 D=0.32 .=0.95
Q319	1=yes 2=no D=don't know .=missing	Were the rules in your family clear?	1=296 2=24 D=0 .=0	1=92.50 2=7.50 D=0.00 .=0.00	1=280 2=32 D=1 .=3	1=88.61 2=10.13 D=0.32 .=0.95
Q320	1=yes 2=no D=don't know .=missing	Did your family have clear rules about alcohol and drug use?	1=264 2=54 D=1 .=1	1=82.50 2=16.88 D=0.31 .=0.31	1=243 2=70 D=1 .=2	1=76.90 2=22.15 D=0.32 .=0.63
Q321	1=yes 2=no D=don't know .=missing	If you had drunk some beer or wine or liquor (for example, vodka, whiskey, or gin) without your parent's or caregiver's permission, would you have been caught by one of them?	1=201 2=118 D=1 .=0	1=62.81 2=36.88 D=0.31 .=0.00	1=232 2=81 D=1 .=2	1=73.42 2=25.63 D=0.32 .=0.63
Q322	1=yes 2=no D=don't know .=missing	If you had skipped school, would you have been caught by your parent or primary caregiver?	1=215 2=103 D=2 .=0	1=67.19 2=32.19 D=0.63 .=0.00	1=246 2=66 D=2 .=2	1=77.85 2=20.89 D=0.63 .=0.63
Q323	1=yes 2=no D=don't know .=missing	If you had carried a hand gun without your parent's or caregiver's permission, would you have been caught by one of them?	1=193 2=122 D=4 .=1	1=60.31 2=38.13 D=1.25 .=0.31	1=251 2=60 D=3 .=2	1=79.43 2=18.99 D=0.95 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q324	1=yes 2=no D=don't know .=missing	Did people in your family often insult or yell at each other?	1=140 2=179 D=0 .=1	1=43.75 2=55.94 D=0.00 .=0.31	1=156 2=157 D=1 .=2	1=49.37 2=49.68 D=0.32 .=0.63
Q325	1=yes 2=no D=don't know .=missing	Did people in your family have serious arguments?	1=139 2=179 D=1 .=1	1=43.44 2=55.94 D=0.31 .=0.31	1=158 2=155 D=1 .=2	1=50.00 2=49.05 D=0.32 .=0.63
Q326	1=yes 2=no D=don't know .=missing	Did your family argue about the same things over and over?	1=136 2=179 D=4 .=1	1=42.50 2=55.94 D=1.25 .=0.31	1=136 2=170 D=8 .=2	1=43.04 2=53.80 D=2.53 .=0.63
Q327	1=yes 2=no 3=did not have a mother or female caregiver D=don't know R=refused .=missing	Did you feel very close to your <b>mother</b> or a <b>female</b> caregiver?	1=277 2=42 3=0 D=0 R=0 .=1	1=86.56 2=13.13 3=0.00 D=0.00 R=0.00 .=0.31	1=238 2=73 3=0 D=3 R=0 .=2	1=75.32 2=23.10 3=0.00 D=0.95 R=0.00 .=0.63
Q328†	1=yes 2=no .=missing	Did you share your thoughts and feelings with your <b>mother</b> or <b>female</b> caregiver?	1=237 2=82 .=1	1=74.06 2=25.63 .=0.31	1=205 2=109 .=2	1=64.87 2=34.79 .=0.63
Q329†	1=yes 2=no D=don't know .=missing	Did you enjoy spending time with your <b>mother</b> or a <b>female</b> caregiver?	1=292 2=27 D=0 .=1	1=91.25 2=8.44 D=0.00 .=0.31	1=268 2=44 D=2 .=2	1=84.81 2=13.92 D=0.63 .=0.63
Q330	1=yes 2=no 3=did not have a father or male caregiver D=don't know .=missing	Did you feel very close to your <b>father</b> or <b>male</b> caregiver?	1=191 2=106 3=21 D=1 .=1	1=59.69 2=33.13 3=6.56 D=0.31 .=0.31	1=174 2=113 3=26 D=1 .=2	1=55.06 2=35.46 3=8.23 D=0.32 .=0.63
Q331†	1=yes 2=no D=don't know .=missing	Did you share your thoughts and feelings with your <b>father</b> or <b>male</b> caregiver?	1=155 2=142 D=1 .=1	1=51.84 2=47.49 D=0.33 .=0.33	1=133 2=152 D=1 .=4	1=45.86 2=52.41 D=0.34 .=1.38
Q332†	1=yes 2=no .=missing	Did you enjoy spending time with your <b>father</b> or <b>male</b> caregiver?	1=222 2=76 D=0 .=1	1=74.25 2=25.42 D=0.00 .=0.33	1=200 2=84 D=2 .=4	1=68.97 2=28.97 D=0.69 .=1.38

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q333	1=yes 2=no D=don't know .=missing	Did your parent or primary caregiver give you lots of chances to do fun things with him or her?	1=257 2=61 D=1 .=1	1=80.31 2=19.06 D=0.31 .=0.31	1=235 2=79 D=0 .=2	1=74.37 2=25.00 D=0.00 .=0.63
Q334	1=yes 2=no D=don't know .=missing	Did your parent or primary caregiver ask you what you thought before most family decisions affecting you were made?	1=147 2=172 D=0 .=1	1=45.94 2=53.75 D=0.00 .=0.31	1=139 2=174 D=1 .=2	1=43.99 2=55.06 D=0.32 .=0.63
Q335	1=yes 2=no D=don't know .=missing	If you had a personal problem, could you ask your parent or primary caregiver for help?	1=279 2=37 D=3 .=1	1=87.19 2=11.56 D=0.94 .=0.31	1=245 2=67 D=2 .=2	1=77.53 2=21.20 D=0.63 .=0.63
Q336	1=yes 2=no D=don't know .=missing	Did your parent or primary caregiver notice when you were doing a good job and let you know about it?	1=270 2=46 D=2 .=2	1=84.38 2=14.38 D=0.63 .=0.63	1=232 2=82 D=0 .=2	1=73.42 2=25.95 D=0.00 .=0.63
Q337	1=almost daily 2=weekly 3=monthly  4=rarely 5=never D=don't know .=missing	How often did your parent or primary caregiver tell you they were proud of you for something you'd done?	1=107 2=89 3=35 4=57 5=29 D=2 .=1	1=33.44 2=27.81 3=10.94 4=17.81 5=9.06 D=0.63 .=0.31	1=120 2=61 3=18 4=82 5=31 D=2 .=2	1=37.97 2=19.30 3=5.70 4=25.95 5=9.81 D=0.63 .=0.63
Q338	1=not wrong at all 2=wrong 3=very wrong D=don't know .=missing	How wrong did your parent or primary caregiver feel it would be for you to steal anything worth more than \$5?	1=5 2=35 3=278 D=1 .=1	1=1.56 2=10.94 3=86.88 D=0.31 .=0.31	1=6 2=22 3=285 D=1 .=2	1=1.90 2=6.96 3=90.19 D=0.32 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q339	1=not wrong at all 2=wrong 3=very wrong D=don't know .=missing	How wrong did your parent or primary caregiver feel it would be for you to draw graffiti, or write things or draw pictures on buildings or other property without the owner's permission?	1=0 2=58 3=256 D=5 .=1	1=0.00 2=18.13 3=80.00 D=1.56 .=0.31	1=9 2=29 3=275 D=1 .=2	1=2.85 2=9.18 3=86.03 D=0.32 .=0.63
Q340	1=not wrong at all 2=wrong 3=very wrong D=don't know .=missing	How wrong did your parent or primary caregiver feel it would be for you to pick a fight with someone?	1=8 2=94 3=216 D=1 .=1	1=2.50 2=29.38 3=67.50 D=0.31 .=0.31	1=13 2=71 3=228 D=2 .=2	1=4.11 2=22.47 3=72.15 D=0.63 .=0.63
Q341	1=not wrong at all 2=wrong 3=very wrong D=don't know .=missing	How wrong did your parent or primary caregiver feel it would be for you to drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly?	1=12 2=62 3=242 D=3 .=1	1=3.75 2=19.38 3=75.63 D=0.94 .=0.31	1=20 2=42 3=250 D=2 .=2	1=6.33 2=13.29 3=79.11 D=0.63 .=0.63
Q342	1=not wrong at all 2=wrong 3=very wrong .=missing	How wrong did your parent or primary caregiver feel it would be for you to smoke cigarettes?	1=34 2=83 3=202 .=1	1=10.63 2=25.94 3=63.13 .=0.31	1=40 2=61 3=213 .=2	1=12.66 2=19.30 3=67.41 .=0.63
Q343	1=not wrong at all 2=wrong 3=very wrong D=don't know .=missing	How wrong did your parent or primary caregiver feel it would be for you to smoke marijuana?	1=19 2=49 3=249 D=2 .=1	1=5.94 2=15.31 3=77.81 D=0.63 .=0.31	1=15 2=40 3=257 D=2 .=2	1=4.75 2=12.66 3=81.33 D=0.63 .=0.63
Q344	1=yes 2=no D=don't know .=missing	<b>Before age 18,</b> did you live with a problem drinker, alcoholic, or someone who used alcohol or drugs illegally?	1=142 2=175 D=2 .=1	1=44.38 2=54.69 D=0.63 .=0.31	1=165 2=147 D=2 .=2	1=52.22 2=46.52 D=0.63 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Physical Punishment</b>						
Q345-354: Physical Abuse Scale. Q355-360: Sexual Abuse Scale. modified Early Trauma Inventory (ETI). Purpose: To determine physical & sexual abuse experienced before age 18.  Citation: Bremner, J D. Vermetten, E. Mazure, C M. Development and preliminary psychometric properties of an instrument for the measurement of childhood trauma: the Early Trauma Inventory. Depression & Anxiety. 2000; 12(1):1-12.						
Q345	1=yes 2=no D=don't know R=refused .=missing	<b>Before</b> age 18, were you punched, kicked, choked, shoved, slapped in the face with an open hand, or purposely burned? Please include any school or prison fights.	1=188 2=131 D=0 R=0 .=1	1=58.75 2=40.94 D=0.00 R=0.00 .=0.31	1=161 2=151 D=1 R=1 .=2	1=50.95 2=47.78 D=0.32 R=0.32 .=0.63
Q346†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else	Who was the person or persons who did this?	1=82 2=51 3=25 4=113 5=19 6=7	1=43.62 2=27.13 3=13.30 4=60.11 5=10.11 6=3.72	1=92 2=45 3=41 4=45 5=2 6=11	1=57.14 2=27.95 3=25.47 4=27.95 5=1.24 6=6.83
Q347	1=yes 2=no R=refused .=missing	<b>Before</b> age 18, were you hit or spanked with an object like a belt, fly-swatter, a board, cord, or coat hanger or had an object thrown at you?	1=266 2=52 R=0 .=2	1=83.13 2=16.25 R=0.00 .=0.63	1=237 2=75 R=1 .=3	1=75.00 2=23.73 R=0.32 .=0.95

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q348†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else D=don't know R=refused	Who was the person or persons who did this?	1=248 2=44 3=11 4=14 5=34 6=4 D=0 R=0	1=93.23 2=16.54 3=4.14 4=5.26 5=12.78 6=1.50 D=0.00 R=0.00	1=219 2=35 3=17 4=10 5=11 6=5 D=1 R=2	1=92.41 2=14.77 3=7.17 4=4.22 5=4.64 6=2.11 D=0.42 R=0.84
Q349	1=yes 2=no R=refused . =missing	<b>Before</b> age 18, were you tied up or locked in a closet, trunk, or other small space? Include while you were in prison or a juvenile facility.	1=18 2=299 R=0 . =3	1=5.63 2=93.44 R=0.00 . =0.94	1=27 2=285 R=2 . =2	1=8.54 2=90.19 R=0.63 . =0.63
Q350†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else	Who was the person or persons who did this?	1=9 2=6 3=1 4=2 5=1 6=2	1=50.00 2=33.33 3=5.56 4=11.11 5=5.56 6=11.11	1=12 2=9 3=3 4=2 5=1 6=4	1=44.44 2=33.33 3=11.11 4=7.41 5=3.70 6=14.81



Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Emotional Abuse</b>						
Q351	1=yes 2=no D=don't know R=refused .=missing	<b>Before</b> age 18, were you put down or ridiculed, treated in a cold and uncaring way, ignored, or told that you were stupid, ugly, no good, or unwanted?	1=99 2=219 D=0 R=0 .=2	1=30.94 2=68.44 D=0.00 R=0.00 .=0.63	1=138 2=170 D=1 R=2 .=5	1=43.67 2=53.80 D=0.32 R=0.63 .=1.58
Q352†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else R=refused	Who was the person or persons who did this?	1=49 2=20 3=8 4=40 5=10 6=10 R=0	1=49.49 2=20.20 3=8.08 4=40.40 5=10.10 6=10.10 R=0.00	1=98 2=36 3=25 4=28 5=2 6=5 R=1	1=71.01 2=26.09 3=18.12 4=20.29 5=1.45 6=3.62 R=0.72
Q353	1=yes 2=no R=refused .=missing	<b>Before</b> age 18, did a parent or caregiver get out of control and yell, scream, or curse at you?	1=156 2=160 R=0 .=4	1=48.75 2=50.00 R=0.00 .=1.25	1=169 2=142 R=2 .=3	1=53.48 2=44.94 R=0.63 .=0.95
Q354	1=yes 2=no R=refused .=missing	<b>Before</b> age 18, did your parents or caregivers often fail to meet your basic needs, such as making sure you had food, clothing, shelter, etc.?	1=35 2=277 R=0 .=8	1=10.94 2=86.56 R=0.00 .=2.50	1=55 2=246 R=1 .=14	1=17.41 2=77.85 R=0.32 .=4.43

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Sexual Abuse</b>						
Q355	1=yes 2=no (GO TO Q357) R=refused .=missing	<b>Before</b> age 18, were you touched on the private parts of your body, for example your breasts, thighs, crotch, or genitals, in a way that was unwelcome or made you feel uncomfortable?	1=25 2=294 R=0 .=1	1=7.81 2=91.88 R=0.00 .=0.31	1=151 2=159 R=3 .=3	1=47.78 2=50.32 R=0.95 .=0.95
Q356†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else R=refused	Who was the person or persons who did this?	1=2 2=11 3=0 4=8 5=0 6=5 R=0	1=8.00 2=44.00 3=0.00 4=32.00 5=0.00 6=20.00 R=0.00	1=43 2=75 3=7 4=12 5=2 6=37 R=2	1=28.48 2=49.67 3=4.64 4=7.95 5=1.32 6=24.50 R=1.32
Q357	1=yes 2=no (GO TO Q359) R=refused .=missing	<b>Before</b> age 18, were you forced or persuaded to touch another person's private parts or have someone rub their private parts against you?	1=21 2=297 R=0 .=2	1=6.56 2=92.81 R=0.00 .=0.63	1=96 2=213 R=3 .=4	1=30.38 2=67.41 R=0.95 .=1.27

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q358†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else D=don't know R=refused	Who was the person or persons who did this?	1=0 2=8 3=2 4=5 5=0 6=6 D=0 R=0	1=0.00 2=38.10 3=9.52 4=23.81 5=0.00 6=28.57 D=0.00 R=0.00	1=26 2=51 3=3 4=7 5=2 6=26 D=1 R=1	1=27.08 2=53.13 3=3.13 4=7.29 5=2.08 6=27.08 D=1.04 R=1.04
Q359	1=yes 2=no (GO TO Q361) D=don't know R=refused . =missing	<b>Before</b> age 18, did anyone perform, or have you perform, anal, genital, or oral sex on him or her against your will or for drugs or money?	1=13 2=300 D=1 R=0 . =6	1=4.06 2=93.75 D=0.31 R=0.00 . =1.88	1=84 2=226 D=0 R=3 . =3	1=26.58 2=71.52 D=0.00 R=0.95 . =0.95
Q360†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else R=refused	Who was the person or persons who did this?	1=0 2=5 3=0 4=4 5=0 6=4 R=0	1=0.00 2=38.46 3=0.00 4=30.77 5=0.00 6=30.77 R=0.00	1=23 2=37 3=4 4=6 5=1 6=28 R=1	1=27.38 2=44.05 3=4.76 4=7.14 5=1.19 6=33.33 R=1.19

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Adversity/Neighborhood</b>						
Q361	1=true 2=false D=don't know .=missing	Living in my neighborhood made it hard to stay out of trouble.	1=132 2=187 .=1	1=41.25 2=58.44 .=0.31	1=60 2=254 .=2	1=18.99 2=80.38 .=0.63
Q362	1=true 2=false .=missing	Drugs and alcohol were a major problem in my neighborhood.	1=146 2=173 .=1	1=45.63 2=54.06 .=0.31	1=89 2=225 .=2	1=28.16 2=71.20 .=0.63
Q363	1=true 2=false .=missing	I was afraid to play outside in my neighborhood.	1=18 2=301 .=1	1=5.63 2=94.06 .=0.31	1=15 2=299 .=2	1=4.75 2=94.62 .=0.63
Q364	1=true 2=false D=don't know .=missing	The police often came to my neighborhood to find someone whom they thought may have committed a crime.	1=135 2=183 D=1 R=0 .=1	1=42.19 2=57.19 D=0.31 R=0.00 .=0.31	1=72 2=241 D=1 R=0 .=2	1=22.78 2=76.27 D=0.32 R=0.00 .=0.63
Q365	1=true 2=false .=missing	People often yelled at each other and got into fights in my neighborhood.	1=161 2=157 .=2	1=50.31 2=49.06 .=0.63	1=100 2=213 .=3	1=31.65 2=67.41 .=0.95
<b>Physical, Emotional, and Sexual Abuse as an Adult</b>						
Q366-371. Adapted from Early Trauma Inventory (ETI). Purpose: To determine physical, emotional, & sexual abuse experienced after age 17.						
Q366	1=yes 2=no R=refused .=missing	<b>Since you turned 18</b> , have you ever been punched, kicked, choked, shoved, slapped in the face with an open hand, or purposely burned?	1=213 2=104 R=0 .=3	1=66.56 2=32.50 R=0.00 .=0.94	1=236 2=77 R=1 .=2	1=74.68 2=24.37 R=0.32 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q367†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else	Who was the person or persons who did this?	1=7 2=20 3=43 4=161 5=27 6=42	1=3.29 2=9.39 3=20.19 4=75.59 5=12.68 6=19.72	1=13 2=10 3=198 4=37 5=4 6=24	1=5.51 2=4.24 3=83.90 4=15.68 5=1.69 6=10.17
Q368	1=yes 2=no D=don't know R=refused . =missing	<b>Since you turned 18</b> , have you been put down or ridiculed, treated in a cold and uncaring way, ignored, or told that you were stupid, ugly, no good, or unwanted?	1=113 2=203 R=0 . =4	1=35.31 2=63.44 R=0.00 . =1.25	1=200 2=111 R=1 . =4	1=63.29 2=35.13 R=0.32 . =1.27
Q369†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else	Who was the person or persons who did this?	1=18 2=17 3=29 4=56 5=30 6=17	1=15.93 2=15.04 3=25.66 4=49.56 5=26.55 6=15.04	1=27 2=19 3=160 4=27 5=8 6=21	1=13.50 2=9.50 3=80.00 4=13.50 5=4.00 6=10.50
Q370	1=yes 2=no R=refused . =missing	<b>Since you turned 18</b> , did anyone perform, or have you perform anal, genital, or oral sex on him or her against your will or for drugs or money?	1=5 2=312 R=0 . =3	1=1.56 2=97.50 R=0.00 . =0.94	1=100 2=209 R=3 . =4	1=31.65 2=66.14 R=0.95 . =1.27

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q371†	1=parent or primary caregiver 2=another relative, which includes a sibling 3=spouse or boyfriend or girlfriend 4=someone your age, which includes a classmate, bully, friend, or fellow offender 5=an authority figure, like a corrections officer, minister, school official, police officer, or court official 6=someone else R=refused	Who was the person or persons who did this?	1=0 2=0 3=2 4=2 5=0 6=1 R=0	1=0.00 2=0.00 3=40.00 4=40.00 5=0.00 6=20.00 R=0.00	1=1 2=3 3=38 4=14 5=4 6=49 R=2	1=1.00 2=3.00 3=38.00 4=14.00 5=4.00 6=49.00 R=2.00
Q372-379. second Modified Cognitive Functioning Scale.  Citation: Stewart (1992) version modified by—MacKenzie EJ, McCarthy ML, Ditunno JF, et al. Using the SF-36 for characterizing outcome after multiple trauma involving head injury. J Trauma Inj, Inf, & Crit Care. 2002;52(3):527-534.						
Q372	1=yes 2=no D=don't know .=missing	During the <b>past 24 hours</b> you had difficulty <b>reasoning</b> and <b>solving problems</b> , for example, making plans, making decisions, or learning new things?	1=23 2=291 D=0 .=6	1=7.19 2=90.94 D=0.00 .=1.88	1=46 2=262 D=1 .=7	1=14.56 2=82.91 D=0.32 .=2.22
Q373†	1=a little 2=a moderate amount 3=a great deal	Did you have a little, a moderate amount, or a great deal of difficulty?	1=6 2=10 3=7	1=26.09 2=43.48 3=30.43	1=11 2=23 3=12	1=23.91 2=50.00 3=26.09
Q374	1=yes 2=no .=missing	During the <b>past 24 hours</b> did you <b>forget</b> , for example, things that happened recently or where you put things or where you were supposed to be?	1=48 2=267 .=5	1=15.00 2=83.44 .=1.56	1=89 2=225 .=2	1=28.16 2=71.20 .=0.63
Q375†	1=a little 2=a moderate amount 3=a great deal .=missing	Did you have a little, a moderate amount, or a great deal of difficulty?	1=19 2=15 3=13 .=1	1=39.58 2=31.25 3=27.08 .=2.08	1=39 2=24 3=24 .=2	1=43.82 2=26.97 3=26.97 .=2.25

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q376	1=yes 2=no .=missing	During the <b>past 24 hours</b> did you have trouble keeping your <b>attention</b> on any activity for long?	1=43 2=270 .=7	1=13.44 2=84.38 .=2.19	1=102 2=211 .=3	1=32.28 2=66.77 .=0.95
Q377†	1=a little 2=a moderate amount 3=a great deal .=missing	Did you have a little, a moderate amount, or a great deal of difficulty?	1=17 2=14 3=12 D=0 R=0 .=0	1=39.53 2=32.56 3=27.91 D=0.00 R=0.00 .=0.00	1=37 2=38 3=26 D=0 R=0 .=1	1=36.27 2=37.25 3=25.49 D=0.00 R=0.00 .=0.98
Q378	1=yes 2=no D=don't know .=missing	During the <b>past 24 hours</b> did you have difficulty doing activities involving <b>concentration</b> and <b>thinking</b> ?	1=36 2=280 D=1 .=3	1=11.25 2=87.50 D=0.31 .=0.94	1=93 2=219 D=0 .=4	1=29.43 2=69.30 D=0.00 .=1.27
Q379†	1=a little 2=a moderate amount 3=a great deal .=missing	Did you have a little, a moderate amount, or a great deal of difficulty?	1=15 2=10 3=10 .=1	1=41.67 2=27.78 3=27.78 .=2.78	1=38 2=34 3=21 .=0	1=40.86 2=36.56 3=22.58 .=0.00
Q380	1=yes 2=no .=missing	Since your incarceration this time, have you received <b>help</b> improving your <b>memory</b> or <b>problem-solving</b> skills? Do not include any self help activities.	1=44 2=275 .=1	1=13.75 2=85.94 .=0.31	1=69 2=243 .=4	1=21.84 2=76.90 .=1.27

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Cognitive Performance Test: Trail Making A & B						
Q381-Q384. Continuous Performance Test—Trail Making A & B. Purpose: To test problem-solving ability. Citation: Reitan RM, Wolfson D. Category Test and Trail Making Test as measures of frontal lobe functions. <i>Clinical Neuropsychologist</i> , 1995;9:50-56.						
Q381	1=yes 2=no .=missing	Did respondent successfully complete part A?	1=307 2=7 .=6	1=95.94 2=2.19 .=1.88	1=314 2=0 .=2	1=99.37 2=0.00 .=0.63
Q382†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record time.	N=305 $\bar{X}$ = 33.07 SD=12.75 Med=30.00 Rng=(5.00, 98.00) .=2		N=314 $\bar{X}$ = 29.08 SD=11.65 Med=26.00 Rng=(7.00, 120.00) .=0	
Q383	1=yes 2=no (GO TO Q385) R=refused .=missing	Did respondent successfully complete part B?	1=288 2=10 3=0 R=1 .=21	1=90.00 2=3.13 3=0.00 R=0.31 .=6.56	1=294 2=4 3=1 R=0 .=17	1=93.04 2=1.27 3=0.32 R=0.00 .=5.38
Q384†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	Record time.	N=307 $\bar{X}$ = 79.51 seconds SD=40.32 Med=70.00 Rng=(24.00, 301.00) .=13		N=311 $\bar{X}$ = 67.98 seconds SD=25.64 Med=63.00 Rng=(24.00, 178.00) .=5	
Criminal History						
Q385	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range	Even though you may have not been caught, how old were you the <b>first time</b> you committed a crime, such as stealing or taking something that did not belong to you, destroying property, or hurting someone very badly?	N=315 $\bar{X}$ = 14.18 SD=6.43 Med=13.00 Rng=0.00, 49.00		N=307 $\bar{X}$ = 16.95 SD=7.26 Med=16.00 Rng=0.00, 56.00	



Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q386-Q388, Q391-Q394, Q397-Q398. SVORI. Q390. Modified SVORI.						
Q386	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old were you the <b>first time</b> you were arrested?	N=318 $\bar{X}$ = 18.12 SD=6.13 Med=17.00 Rng=6.00, 51.00 .=2		N=311 $\bar{X}$ = 21.95 SD=7.38 Med=20.00 Rng=11.00, 55.00 .=5	
Q387	1=1 2=2 -5 3=6-10 4= more than 10 D=don't know .=missing	How many times in your life have you been <b>arrested</b> ?	1=13 2=150 3=74 4=82 D=0 .=1	1=4.06 2=46.88 3=23.13 4=25.63 D=0.00 .=0.31	1=42 2=118 3=63 4=89 D=1 .=3	1=13.29 2=37.34 3=19.94 4=28.16 D=0.32 .=0.95
Q388	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How many times in your life have you been <b>convicted</b> of a crime?	N=316 $\bar{X}$ = 4.55 SD=5.50 Med=3.00 Rng=1.00, 50.00 .=4		N=306 $\bar{X}$ = 5.77 SD=18.83 Med=2.00 Rng=1.00, 300.00 .=10	
Q389	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	How old were you the <b>first time</b> you were <b>convicted</b> of a crime?	N=315 $\bar{X}$ = 20.54 SD=7.66 Med=18.00 Rng=1.00, 52.00 .=5		N=303 $\bar{X}$ = 23.88 SD=7.93 Med=22.00 Rng=1.00, 56.00 .=13	
Q390†	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	In your entire life, how many times have you ever been locked up in a juvenile detention facility, a juvenile training school, or any other kind of juvenile correctional facility because of committing a crime?	N=117 $\bar{X}$ = 1.30 SD=2.92 Med=1.00 Rng=0.00, 28.00 .=9		N=53 $\bar{X}$ = 1.38 SD=1.86 Med=1.00 Rng=0.00, 7.00 .=11	
Q391	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	<b>Not counting</b> your <b>current term</b> of incarceration, how many times in your life have you been sent to prison?	N=318 $\bar{X}$ = 1.30 SD=1.84 Med=1.00 Rng=0.00, 14.00 .=2		N=312 $\bar{X}$ = 0.86 SD=1.45 Med=0.00 Rng=0.00, 9.00 .=4	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q392	1=yes 2=no D=don't know . =missing	Have you <b>ever</b> committed any <b>violent</b> crimes, regardless of whether or not you were caught?	1=145 2=173 D=1 . =1	1=45.31 2=54.06 D=0.31 . =0.31	1=86 2=227 D=0 . =3	1=27.22 2=71.84 D=0.00 . =0.95
Q393†	1=yes 2=no D=don't know	During any of those violent crimes, did you hurt or kill anyone?	1=77 2=67 D=1	1=53.10 2=46.21 D=0.69	1=61 2=25 D=0	1=70.93 2=29.07 D=0.00
Q394†	1=yes 2=no	Have you committed a violent crime more than once?	1=96 2=49	1=66.21 2=33.79	1=47 2=39	1=54.65 2=45.35
RQ395	1=burglary 2=robbery of a business or person 3=assault 4=murder/manslaughter 5=theft 6=car theft 7=forgery 8=fraud 9=drug dealing or trafficking 10=drug possession 11=sex offense D=don't know R=refused 12=other	What was your conviction offense for your current incarceration?	1=63 2=49 3=58 4=20 5=24 6=11 7=8 8=12 9=63 10=50 11=15 12=44 D=0 R=1	1=19.69 2=15.31 3=18.13 4=6.25 5=7.50 6=3.44 7=2.50 8=3.75 9=19.69 10=15.63 11=4.69 12=13.75 D=0.00 R=0.31	1=37 2=24 3=31 4=44 5=32 6=7 7=37 8=53 9=45 10=50 11=1 12=38 D=1 R=3	1=11.71 2=7.59 3=9.81 4=13.92 5=10.13 6=2.22 7=11.71 8=16.77 9=14.24 10=15.82 11=12.03 12=0.32 D=0.32 R=0.95
RQ396†	A=arson C=child abuse/neglect DV=domestic violence E=escape from custody K=kidnapping PC=property crime P=prostitution PO=public order W=weapons WO=weapons & other WP=weapons & PO O=other	Specify other offense.	A=2 C=3 DV=5 E=1 K=6 PC=3 P=1 PO=17 W=4 WO=1 WP=1 O=0	A=0.63 C=0.94 DV=1.56 E=0.31 K=1.88 PC=0.94 P=0.31 PO=5.31 W=1.25 WO=0.31 WP=0.31 O=0.00	A=2 C=16 DV=1 E=2 K=3 PC=0 P=1 PO=9 W=2 WO=0 WP=0 O=1	A=0.63 C=5.06 DV=0.32 E=0.63 K=0.95 PC=0.00 P=0.32 PO=2.85 W=0.63 WO=0.00 WP=0.00 O=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q397	1=yes 2=no . =missing	Are you <b>currently</b> serving time for a probation or parole violation?	1=131 2=187 . =2	1=40.94 2=58.44 . =0.63	1=165 2=149 . =2	1=52.22 2=47.15 . =0.63
Q398†	1=technical violation 2= new crime D=don't know . =missing	Was the parole violation for a technical violation, like failing to report, or for a new crime?	1=76 2=53 D=0 . =2	1=58.02 2=40.46 D=0.00 . =1.53	1=119 2=44 D=1 . =1	1=72.12 2=26.67 D=0.61 . =0.61
<b>Family &amp; Peer Influence</b>						
Q399. Modified SVORI. Q400-Q401. SVORI. Purpose: To document family and peer influence on criminal history.						
Q399	1=yes 2=no D=don't know R=refused . =missing	Other than yourself, has a close relative, such as your parent, step-parent, grandparent, brother, sister, wife, husband, partner, uncle, aunt, cousin, or child, <b>ever</b> served time in a correctional facility, such as a jail, prison, or juvenile corrections center?	1=201 2=108 D=1 . =10	1=62.81 2=33.75 D=0.31 . =3.13	1=208 2=85 D=0 . =23	1=65.82 2=26.90 D=0.00 . =7.28
Q400†	1=grandparent 2=parent or step-parent 3=brother or sister 4=spouse or partner 5=child 6=uncle, aunt or cousin D=don't know R=refused	How is that person or persons related to you?	1=9 2=60 3=99 4=4 5=1 6=101 D=0 R=0	1=4.48 2=29.85 3=49.25 4=1.99 5=0.50 6=50.25 D=0.00 R=0.00	1=13 2=65 3=97 4=53 5=20 6=100 D=1 R=1	1=6.25 2=31.25 3=46.63 4=25.48 5=9.62 6=48.08 D=0.48 R=0.48
Q401	1=yes 2=no D=don't know . =missing	Have any of your <b>close friends</b> ever been convicted of a crime for which they served time in a correctional facility, such as a jail, prison, or juvenile correctional center?	1=246 2=65 D=1 . =8	1=76.88 2=20.31 D=0.31 . =2.50	1=177 2=127 D=3 . =9	1=56.01 2=40.19 D=0.95 . =2.85

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Post-Traumatic Stress Disorder</b>						
<p>***Denominator will reflect responses to Q402: Skip pattern not always followed</p> <p>Q402: National Institute of Mental Health Diagnostic Interview Schedule (DIS). Purpose: To screen for a qualifying event that could contribute to Post Traumatic Stress Disorder.</p> <p>Citation: Robins LN, Cottler L, Bucholz K, Compton W: Diagnostic Interview Schedule for DSM-IV. St Louis, Washington University, 1995.</p>						
RQ402	1=yes 2=no . =missing R=refused	Some people have terrible things happen to them that most people never go through things like being attacked, even raped; being in a fire, flood, or bad traffic accident; being threatened with a weapon; or seeing someone being badly injured or killed. Did something like this ever happen to you?	1=197 2=104 R=1 . =18	1=61.56 2=32.50 R=0.31 . =5.63	1=239 2=49 R=2 . =26	1=75.63 2=15.51 R=0.63 . =8.23
<p>Q403-Q468: Traumatic Events Checklist</p> <p>Q403-Q416: Additional Childhood Adversity</p> <p>Q418, Q423, Q428, Q433, Q438, Q443, Q448, Q453, Q458. Modeled after Breslau N, Peterson EL, Kessler RC, Schultz LR.</p> <p>Short screening scale for DSM-IV posttraumatic stress disorder. <i>Am J Psychiatry</i>, 1999;156:908–911. Follow-up questions modeled after Kessler RC, et al. National Comorbidity Study.</p>						
RQ403	1=yes 2=no R=refused . =missing	Have any of the following things ever happened to you? Being hit, shaken, shoved hard, slapped, burned, beaten, choked, kicked, tied up, locked in a closet or other small place, punched, or thrown as a child?	1=105 2=112 R=0 . =103	1=32.81 2=35.00 R=0.00 . =32.19	1=114 2=148 R=1 . =53	1=36.08 2=46.84 R=0.32 . =16.77
RQ404a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=24 2=80	1=22.86 2=76.19	1=16 2=97	1=14.04 2=85.09
RQ404b†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=0 2=1 .	1=0.00 2=0.95	1=0 2=0	1=0.00 2=0.00

Variable	Code Value	Description	freq males	percent males	freq females	percent females
RQ405a†		How old were you when this happened?	N=24		N= 17	
RQ406a†		How old were you during this period of time?	N=79		N= 97	
RQ406b†		How old were you during this period of time?	N= 1		N=0	
RQ407a†		Record Ending Age.	N=78		N=96	
RQ407b†		Record Ending Age.	N=1		N=0	
RQ408	1=yes 2=no .=missing	Being seriously neglected as a child (for example, not having someone to take care of your basic needs, like providing food, a safe place to sleep and live, healthy living space, love, supervision, etc.).	1=21 2=196 .=103	1=6.56 2=61.25 .=32.19	1=50 2=211 .=55	1=15.82 2=66.77 .=17.41
RQ409a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=2 2=18	1=9.52 2=85.71	1=3 2=47	1=6.00 2=94.00
RQ409b†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=1 2=0	1=4.76 2=0.00	1=0 2=0	1=0.00 2=0.00
RQ410a†		How old were you when this happened	N=3		N=3	
RQ410b†		How old were you when this happened	N=1		N=0	
RQ411a†		How old were you during this period of time?	N=18		N=47	
RQ412a†		Record Ending Age.	N=17		N=47	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
RQ413	1=yes 2=no R=refused .=missing	Being called names, told you were worthless, put down, ignored for a long period of time, or other types of neglect as a child by one of your parents or caregivers?	1=57 2=160 R=0 .=103	1=17.81 2=50.00 R=0.00 .=32.19	1=108 2=152 R=1 .=55	1=34.18 2=48.10 R=0.32 .=17.41
RQ414a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=3 2=53	1=5.26 2=92.98	1=2 2=106	1=1.85 2=98.15
RQ415a†		How old were you when this happened?	N=3		N=2	
RQ416a†		How old were you during this period of time?	N=53		N=105	
RQ417a†		Record Ending Age.	N=52		N=105	
RQ418	1=yes 2=no D=don't know .=missing	Being sexually molested or raped?	1=13 2=204 D=0 .=103	1=4.06 2=63.75 D=0.00 .=32.19	1=157 2=103 D=1 .=55	1=49.68 2=32.59 D=0.32 .=17.41
RQ419a†	1=once 2=over time D=don't know	Did this happen once, or did it go on over a period of time?	1=6 2=7 D=0	1=46.15 2=53.85 D=0.00	1=42 2=114 D=1	1=26.75 2=72.61 D=0.64
RQ420a†		How old were you when this happened	N=6		N=42	
RQ421a†		How old were you during this period of time?	N=7		N=114	
RQ422a†		Record Ending Age.	N=7		N=115	
RQ423	1=yes 2=no .=missing	Being attacked by someone <b>not</b> close to you or by a stranger?	1=112 2=104 .=104	1=35.00 2=32.50 .=32.50	1=93 2=168 .=55	1=29.43 2=53.16 .=17.41
RQ424a†	1=once 2=over time .=missing	Did this happen once, or did it go on over a period of time?	1=52 2=60	1=46.43 2=53.57	1=61 2=32	1=65.59 2=34.41

Variable	Code Value	Description	freq males	percent males	freq females	percent females
RQ424b†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=0 2=0	1=0.00 2=0.00	1=1 2=0	1=1.08 2=0.00
RQ425a†		How old were you when this happened	N=53		N=59	
RQ425b†		How old were you when this happened	N=0		N=1	
RQ426a†		How old were you during this period of time?	N=58		N=31	
RQ427a†		Record Ending Age.	N=58		N=30	
RQ428	1=yes 2=no .=missing	Being attacked by someone close to you, like a relative or boyfriend or girlfriend?	1=85 2=131 .=104	1=26.56 2=40.94 .=32.50	1=193 2=68 .=55	1=61.08 2=21.52 .=17.41
RQ429a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=32 2=52	1=37.65 2=61.18	1=21 2=170	1=10.88 2=88.08
RQ430a†		How old were you when this happened	N=31		N= 21	
RQ431a†		How old were you during this period of time?	N=51		N=173	
RQ432a†		Record Ending Age.	N=51		N=172	
RQ433	1=yes 2=no .=missing	Seeing someone being badly hurt or killed?	1=161 2=55 R=1 .=103	1=50.31 2=17.19 R=0.31 .=32.19	1=141 2=119 R=0 .=56	1=44.62 2=37.66 R=0.00 .=17.72
RQ434a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=66 2=94	1=40.99 2=58.39	1=72 2=68	1=51.06 2=48.23
RQ434b†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=4 2=0	1=2.48 2=0.00	1=0 2=0	1=0.00 2=0.00

Variable	Code Value	Description	freq males	percent males	freq females	percent females
RQ434c†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=3 2=0	1=1.86 2=0.00	1=0 2=0	1=0.00 2=0.00
RQ435a†	N=	How old were you when this happened	N=66		N=69	
RQ435b†	N=	How old were you when this happened	N=4		N=0	
RQ435c†	N=	How old were you when this happened	N=3		N=0	
RQ436a†	N=	How old were you during this period of time?	N=94		N=69	
RQ437a†	N=	Record Ending Age.	N=94		N=69	
RQ438	1=yes 2=no .=missing	Being in a fire, flood or other disaster?	1=36 2=178 .=106	1=11.25 2=55.63 .=33.13	1=51 2=209 .=56	1=16.14 2=66.14 .=17.72
RQ439a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=27 2=8	1=75.00 2=22.22	1=43 2=8	1=84.31 2=15.69
RQ440a†	N=	How old were you when this happened	N=27		N=43	
RQ441a†	N=	How old were you during this period of time?	N=8		N=9	
RQ442a†	N=	Record Ending Age.	N=9		N=8	
RQ443	1=yes 2=no .=missing	Being threatened with a weapon, held captive, or kidnapped?	1=121 2=94 R=1 .=104	1=37.81 2=29.38 R=0.31 .=32.50	1=127 2=133 R=0 .=56	1=40.19 2=42.09 R=0.00 .=17.72
RQ444a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=59 2=62	1=48.76 2=51.24	1=71 2=55	1=55.91 2=43.31
RQ444b†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=4 2=0	1=3.31 2=0.00	1=0 2=0	1=0.00 2=0.00



Variable	Code Value	Description	freq males	percent males	freq females	percent females
RQ444c†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=1 2=0	1=0.83 2=0.00	1=0 2=0	1=0.00 2=0.00
RQ444d†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=1 2=0	1=0.83 2=0.00	1=0 2=0	1=0.00 2=0.00
RQ445a†	N=	How old were you when this happened	N=61		N=70	
RQ445b†	N=	How old were you when this happened	N=4		N=0	
RQ445c†	N=	How old were you when this happened	N=1		N=0	
RQ445d†	N=	How old were you when this happened	N=1		N=0	
RQ446a†	N=	How old were you during this period of time?	N=62		N=55	
RQ447a†	N=	Record Ending Age.	N=61		N=56	
RQ448	1=yes 2=no . =missing	Being almost killed or badly hurt, such as in an accident?	1=107 2=109 . =104	1=33.44 2=34.06 . =32.50	1=139 2=122 . =55	1=43.99 2=38.61 . =17.41
RQ449a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=67 2=40	1=62.04 2=37.38	1=91 2=48	1=65.47 2=34.53
RQ449b†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=2 2=0	1=1.87 2=0.00	1=0 2=0	1=0.00 2=0.00
RQ449c†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=1 2=0	1=0.93 2=0.00	1=0 2=0	1=0.00 2=0.00
RQ450a†		How old were you when this happened	N=68		N=90	
RQ450b†		How old were you when this happened	N=2		N=0	
RQ450c†		How old were you when this happened	N=1		N=0	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
RQ451a†		How old were you during this period of time?	N=40		N= 50	
RQ452a†		Record Ending Age.	N=40		N=50	
RQ453	1=yes 2=no .=missing	Being in direct military combat in a war?	1=7 2=209 .=104	1=2.19 2=65.31 .=32.50	1=0 2=258 .=58	1=0.00 2=81.65 .=18.35
RQ454a†	1=once 2=over time .=missing	Did this happen once, or did it go on over a period of time?	1=2 2=3	1=28.57 2=42.86	Not Applicable	
RQ455a†		How old were you when this happened	N=2		N=0	
RQ456a†		How old were you during this period of time?	N=3		N= 0	
RQ457a†		Record Ending Age.	N=3		N=0	
RQ458	1=yes 2=no .=missing	Finding out that someone close to you such as a family member or close friend had died or was in a bad accident?	1=181 2=33 .=106	1=56.56 2=10.31 .=33.13	1=220 2=41 .=55	1=69.62 2=12.97 .=17.41
RQ459a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=75 2=106	1=41.44 2=58.56	1=84 2=135	1=38.18 2=61.36
RQ459b†	1=once 2=over time .	Did this happen once, or did it go on over a period of time?	1=8 2=0	1=4.42 2=0.00	1=1 2=0	1=0.45 2=0.00
RQ459c†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=4 2=0	1=2.21 2=0.00	1=1 2=0	1=0.45 2=0.00
RQ460a†		How old were you when this happened	N=73		N=85	
RQ460b†		How old were you when this happened	N=7		N=1	
RQ460c†		How old were you when this happened	N=4		N=2	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
RQ461a†		How old were you during this period of time?	N=106		N=135	
RQ462a†		Record Ending Age.	N=105		N=134	
RQ463	1=yes 2=no .=missing	Have you had any other very bad experience that was not on this list?	1=17 2=195 .=108	1=5.31 2=60.94 .=33.75	1=32 2=226 .=58	1=10.13 2=71.52 .=18.35
RQ464†	A=Abandonment V=Child Victimized T=Child Taken Away I=Incarceration O=Other R=refused .=missing	What was that?	A=0 V=2 T=0 I=2 O=2 R=0 .=11	A=0.00 V=11.76 T=0.00 I=11.76 O=11.76 R=0.00 .=64.71	A=2 V=2 T=4 I=1 O=9 R=1 .=13	A=6.25 V=6.25 T=12.50 I=3.13 O=28.13 R=3.13 .=40.63
RQ465a†	1=once 2=over time	Did this happen once, or did it go on over a period of time?	1=11 2=5	1=64.71 2=29.41	1=26 2=6	1=81.25 2=18.75
RQ466a†		How old were you when this happened	N=11		N=26	
RQ467a†		How old were you during this period of time?	N=5		N=6	
RQ468a†		Record Ending Age.	N=5		N= 6	
Q469, Q472, Q475, Q478, Q481, Q484, Q488, Q490, Q493, Q496, Q499, Q502, Q505, Q508, Q511, Q514, Q517. PTSD Symptom Scale-Self Report (PSS-SR) Part 3						
Citation: Foa EB, Riggs DS, Dancu CV. Reliability and Validity of a Brief Instrument for Assessing Post-Traumatic Stress Disorder. J Traumatic Stress 1993; 6(4):459-473.						
Q469	1=yes 2=no .=missing	Because of something that happened to you, did you <b>ever</b> have upsetting thoughts or images about the traumatic event that came into your head when you did not want them to?	1=111 2=104 .=105	1=34.69 2=32.50 .=32.81	1=209 2=52 .=55	1=66.14 2=16.46 .=17.41

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q470†		How old were you when you first started feeling like this?	N=109		N=205	
Q471†		How old were you when you stopped feeling like this?	N=110		N=207	
Q472	1=yes 2=no D=don't know .=missing	Because of something that happened to you, did you <b>ever</b> have bad dreams or nightmares about the traumatic event?	1=94 2=120 D=1 .=105	1=29.38 2=37.50 D=0.31 .=32.81	1=180 2=81 D=0 .=55	1=56.96 2=25.63 D=0.00 .=17.41
Q473†		How old were you when you first started having these?	N=94		N=180	
Q474†		How old were you when you stopped having these?	N=93		N=179	
Q475	1=yes 2=no .=missing	Because of something that happened to you, did you <b>ever</b> relive the traumatic event, acting or feeling as if it were happening again?	1=54 2=160 .=106	1=16.88 2=50.00 .=33.13	1=110 2=151 .=55	1=34.81 2=47.78 .=17.41
Q476†		How old were you when you first started feeling like this?	N=53		N=111	
Q477†		How old were you when you stopped feeling like this?	N=52		N=110	
Q478	1=yes 2=no .=missing	Because of something that happened to you, did you <b>ever</b> feel emotionally upset when you were reminded of the traumatic event?	1=142 2=74 .=104	1=44.38 2=23.13 .=32.50	1=231 2=30 .=55	1=73.10 2=9.49 .=17.41
Q479†	.	How old were you when you first started feeling like this?	N=143		N=226	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q480†		How old were you when you stopped feeling like this?	N=142		N= 229	
Q481	1=yes 2=no . =missing	Because of something that happened to you, did you <b>ever</b> experience physical reactions when you were reminded of the traumatic event?	1=70 2=145 . =105	1=21.88 2=45.31 . =32.81	1=139 2=118 . =59	1=43.99 2=37.34 . =18.67
Q482†		How old were you when you first started feeling like this?	N=70		N=139	
Q483†		How old were you when you stopped feeling like this?	N=71		N=139	
Q484	1=yes 2=no D=don't know . =missing	Because of something that happened to you, did you <b>ever</b> try not to think about, talk about, or have feelings about the traumatic event?	1=126 2=89 D=1 . =104	1=39.38 2=27.81 D=0.31 . =32.50	1=228 2=33 D=0 . =55	1=72.15 2=10.44 D=0.00 . =17.41
Q485†		How old were you when you first started doing this?	N=125		N=224	
Q486†		How old were you when you stopped doing this?	N=126		N=226	
Q487	1=yes 2=no D=don't know . =missing	Because of something that happened to you, did you <b>ever</b> try to avoid activities, people, or places that reminded you of the traumatic event?	1=86 2=130 D=0 . =104	1=26.88 2=40.63 D=0.00 . =32.50	1=169 2=90 D=1 . =56	1=53.48 2=28.48 D=0.32 . =17.72
Q488†		How old were you when you first started doing this?	N=84		N=167	
Q489†		How old were you when you stopped doing this?	N=84		N=167	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q490	1=yes 2=no . =missing	Because of something that happened to you, were you <b>ever</b> not able to remember an important part of the traumatic event?	1=35 2=181 . =104	1=10.94 2=56.56 . =32.50	1=120 2=140 . =56	1=37.97 2=44.30 . =17.72
Q491†		How old were you when you first started having this problem?	N=34		N=117	
Q492†		How old were you when you stopped having this problem?	N=34		N=119	
Q493	1=yes 2=no D=don't know . =missing	Because of something that happened to you, did you <b>ever</b> have much less interest or participate much less often in important activities?	1=52 2=164 D=0 . =104	1=16.25 2=51.25 D=0.00 . =32.50	1=120 2=139 D=1 . =56	1=37.97 2=43.99 D=0.32 . =17.72
Q494†		How old were you when you first started doing this?	N=52		N=118	
Q495†		How old were you when you stopped doing this?	N=52		N=119	
Q496	1=yes 2=no . =missing	Because of something that happened to you, did you <b>ever</b> feel distant or cut off from people around you?	1=74 2=141 . =105	1=23.13 2=44.06 . =32.81	1=166 2=93 . =57	1=52.53 2=29.43 . =18.04
Q497†		How old were you when you first started feeling like this?	N=73		N=164	
Q498†		How old were you when you stopped feeling like this?	N=72		N=164	
Q499	1=yes 2=no . =missing	Because of something that happened to you, did you <b>ever</b> feel emotionally numb?	1=88 2=128 . =104	1=27.50 2=40.00 . =32.50	1=163 2=96 . =57	1=51.58 2=30.38 . =18.04
Q500†		How old were you when you first started feeling like this?	N=87		N=161	

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q501†		How old were you when you stopped feeling like this?	N=88		N=163	
Q502	1=yes 2=no . =missing	Because of something that happened to you, did you <b>ever</b> feel as if your future plans or hopes would not come true?	1=85 2=132 . =103	1=26.56 2=41.25 . =32.19	1=143 2=117 . =56	1=45.25 2=37.03 . =17.72
Q503†		How old were you when you first started feeling like this?	N=86		N=138	
Q504†		How old were you when you stopped feeling like this?	N=6		N=45	
Q505	1=yes 2=no D=don't know . =missing	Because of something that happened to you, did you <b>ever</b> have trouble falling or staying asleep?	1=61 2=155 D=0 . =104	1=19.06 2=48.44 D=0.00 . =32.50	1=148 2=111 D=1 . =56	1=46.84 2=35.13 D=0.32 . =17.72
Q506†		How old were you when you first started having this problem?	N=61		N=145	
Q507†		How old were you when you stopped having this problem?	N=60		N=146	
Q508	1=yes 2=no . =missing	Because of something that happened to you, did you <b>ever</b> feel irritable or have fits of anger?	1=83 2=133 . =104	1=25.94 2=41.56 . =32.50	1=162 2=96 . =58	1=51.27 2=30.38 . =18.35
Q509†		How old were you when you first started feeling like this?	N=83		N=160	
Q510†		How old were you when you stopped feeling like this?	N=83		N=159	
Q511	1=yes 2=no D=don't know . =missing	Because of something that happened to you, did you <b>ever</b> have trouble concentrating?	1=66 2=150 D=0 . =104	1=20.63 2=46.88 D=0.00 . =32.50	1=143 2=115 D=2 . =56	1=45.25 2=36.39 D=0.63 . =17.72

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q512†		How old were you when you first started having this problem?	N=65		N=139	
Q513†		How old were you when you stopped having this problem?	N= 66		N= 141	
Q514	1=yes 2=no D=don't know .=missing	Because of something that happened to you, were you <b>ever</b> overly alert?	1=113 2=103 D=0 .=104	1=35.31 2=32.19 D=0.00 .=32.50	1=174 2=85 D=1 .=56	1=55.06 2=26.90 D=0.32 .=17.72
Q515†		How old were you when you first started having this problem?	N= 112		N=169	
Q516†		How old were you when you stopped having this problem?	N=112		N=172	
Q517	1=yes 2=no D=don't know R=refused .=missing	Because of something that happened to you, were you <b>ever</b> jumpy or easily startled?	1=98 2=118 .=104	1=30.63 2=36.88 .=32.50	1=168 2=92 .=56	1=53.16 2=29.11 .=17.72
Q518†		How old were you when you first started having this problem?	N=98		N=162	
Q519†		How old were you when you stopped having this problem?	N=98		N=165	
Mental Health (Part 2)						
Q520-Q563. Millon Clinical Multiaxial Inventory-III (continued.)						
Q520	1=true 2=false D=don't know .=missing	My mood seems to change a great deal from one day to the next.	1=125 2=192 D=0 .= 3	1=39.06 2=60.00 D=0.00 .= 0.94	1=163 2=151 D=0 .=2	1=51.58 2=47.78 D=0.00 .= 0.63



Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q521	1=true 2=false D=don't know .=missing	There are members of my family who say I'm selfish and think only of myself.	1=89 2=225 D=3 .= 3	1=27.81 2=70.31 D=0.94 .= 0.94	1=132 2=182 D=0 .=2	1=41.77 2=57.59 D=0.00 .=0.63
Q522	1=true 2=false D=don't know .=missing	People have said in the past that I became too interested and too excited about too many things.	1=118 2=199 D=0 .=3	1=36.88 2=62.19 D=0.00 .=0.94	1=132 2=179 D=3 .=2	1=41.77 2=56.65 D=0.95 .=0.63
Q523	1=true 2=false D=don't know R=refused .=missing	My feelings toward important people in my life often swing from loving them to hating them.	1=83 2=233 D=0 R=1 .=3	1=25.94 2=72.81 D=0.00 R=0.31 .=0.94	1=110 2=203 D=1 R=0 .=2	1=34.81 2=64.24 D=0.32 R=0.00 .=0.63
Q524	1=true 2=false D=don't know .=missing	In social groups I am almost always very self-conscious and tense.	1=108 2=206 D=3 .=3	1=33.75 2=64.38 D=0.94 .=0.94	1=139 2=173 D=2 .=2	1=43.99 2=54.75 D=0.63 .=0.63
Q525	1=true 2=false D=don't know R=refused .=missing	I guess I don't take many of my family responsibilities as seriously as I should.	1=130 2=185 D=2 .=3	1=40.63 2=57.81 D=0.63 .=0.94	1=145 2=165 D=4 .=2	1=45.89 2=52.22 D=1.27 .=0.63
Q526	1=true 2=false D=don't know .=missing	Ever since I was a child, I have been losing touch with the real world.	1=68 2=248 D=1 .=3	1=21.25 2=77.50 D=0.31 .=0.94	1=109 2=204 D=1 .=2	1=34.49 2=64.56 D=0.32 .=0.63
Q527	1=true 2=false D=don't know .=missing	I can't experience much pleasure because I don't feel I deserve it.	1=51 2=265 D=1 .=3	1=15.94 2=82.81 D=0.31 .=0.94	1=87 2=225 D=2 .=2	1=27.53 2=71.20 D=0.63 .=0.63
Q528	1=true 2=false D=don't know .=missing	I've had many periods in my life when I was so cheerful and used up so much energy that I fell into a low mood.	1=62 2=225 D=0 .=3	1=19.38 2=79.69 D=0.00 .=0.94	1=127 2=186 D=1 .=2	1=40.19 2=58.86 D=0.32 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q529	1=true 2=false .=missing	I have completely lost my appetite and have trouble sleeping most nights.	1=46 2=271 .=3	1=14.38 2=84.69 .=0.94	1=80 2=234 .=2	1=25.32 2=74.05 .=0.63
Q530	1=true 2=false .=missing	I worry a great deal about being left alone and having to take care of myself.	1=51 2=265 .=4	1=15.94 2=82.81 .=1.25	1=113 2=201 .=2	1=35.76 2=63.61 .=0.63
Q531	1=true 2=false D=don't know .=missing	The memory of a very upsetting experience in my past keeps coming back to haunt my thoughts.	1=111 2=206 D=0 .=3	1=34.69 2=64.38 D=0.00 .=0.94	1=182 2=129 D=3 .=2	1=57.59 2=40.82 D=0.95 .=0.63
Q532	1=true 2=false .=missing	I seem to have lost interest in most things that I used to find pleasurable, such as sex.	1=63 2=254 .=3	1=19.69 2=79.38 .=0.94	1=120 2=194 .=2	1=37.97 2=61.39 .=0.63
Q533	1=true 2=false D=don't know .=missing	I've gotten into trouble with the law a couple of times.	1=295 2=22 D=0 .=3	1=92.19 2=6.88 D=0.00 .=0.94	1=267 2=46 D=1 .=2	1=84.49 2=14.56 D=0.32 .=0.63
Q534	1=true 2=false .=missing	People think I sometimes talk about strange or different things than they do.	1=128 2=189 .=3	1=40.00 2=59.06 .=0.94	1=129 2=185 .=2	1=40.82 2=58.54 .=0.63
Q535	1=true 2=false D=don't know .=missing	I'll do something desperate to prevent a person I love from abandoning me.	1=81 2=233 D=3 .=3	1=25.31 2=72.81 D=0.94 .=0.94	1=114 2=199 D=1 .=2	1=36.08 2=62.97 D=0.32 .=0.63
Q536	1=true 2=false D=don't know .=missing	I seem to make a mess of good opportunities that come my way.	1=172 2=143 D=2 .=3	1=53.75 2=44.69 D=0.63 .=0.94	1=197 2=117 D=0 .=2	1=62.34 2=37.03 D=0.00 .=0.63
Q537	1=true 2=false D=don't know R=refused .=missing	When I'm alone and away from home, I often begin to feel tense and panicky.	1=76 2=241 .=3	1=23.75 2=75.31 .=0.94	1=123 2=191 .=2	1=38.92 2=60.44 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q538	1=true 2=false D=don't know .=missing	People sometimes get annoyed with me because they say I talk too much or too fast for them.	1=81 2=236 D=0 .=3	1=25.31 2=73.75 D=0.00 .=0.94	1=115 2=198 D=1 .=2	1=36.39 2=62.66 D=0.32 .=0.63
Q539	1=true 2=false .=missing	I feel deeply depressed for no reason I can figure out.	1=57 2=260 .=3	1=17.81 2=81.25 .=0.94	1=112 2=202 .=2	1=35.44 2=63.92 .=0.63
Q540	1=true 2=false .=missing	I don't have the energy to concentrate on my everyday responsibilities anymore.	1=36 2=281 .=3	1=11.25 2=87.81 .=0.94	1=64 2=250 .=2	1=20.25 2=79.11 .=0.63
Q541	1=true 2=false D=don't know .=missing	I sometimes feel crazy-like or unreal when things start to go badly in my life.	1=84 2=232 D=1 .=3	1=26.25 2=72.50 D=0.31 .=0.94	1=124 2=187 D=3 .=2	1=39.24 2=59.18 D=0.95 .=0.63
Q542	1=true 2=false D=don't know .=missing	Being alone, without the help of someone close to depend on really frightens me.	1=63 2=254 D=0 .=3	1=19.69 2=79.38 D=0.00 .=0.94	1=142 2=171 D=1 .=2	1=44.94 2=54.11 D=0.32 .=0.63
Q543	1=true 2=false R=refused .=missing	I know I've spent more money than I should buying illegal drugs.	1=213 2=103 R=1 .=3	1=66.56 2=32.19 R=0.31 .=0.94	1=215 2=99 R=0 .=2	1=68.04 2=31.33 R=0.00 .=0.63
Q544	1=true 2=false D=don't know .=missing	I can tell that people are talking about me when I pass them.	1=118 2=196 D=2 .=4	1=36.88 2=61.25 D=0.63 .=1.25	1=128 2=182 D=4 .=2	1=40.51 2=57.59 D=1.27 .=0.63
Q545	1=true 2=false D=don't know .=missing	I'm very good at making up excuses when I get into trouble.	1=152 2=165 D=0 .=3	1=47.50 2=51.56 D=0.00 .=0.94	1=160 2=153 D=1 .=2	1=50.63 2=48.42 D=0.32 .=0.63
Q546	1=true 2=false D=don't know .=missing	I feel that most people think poorly of me.	1=66 2=246 D=5 .=3	1=20.63 2=76.88 D=1.56 .=0.94	1=77 2=233 D=4 .=2	1=24.37 2=73.73 D=1.27 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q547	1=true 2=false D=don't know .=missing	I frequently feel there's nothing inside me, like I'm empty and hollow.	1=57 2=260 D=0 .=3	1=17.81 2=81.25 D=0.00 .=0.94	1=101 2=211 D=2 .=2	1=31.96 2=66.77 D=0.63 .=0.63
Q548	1=true 2=false D=don't know .=missing	I spend my life worrying over one thing or another.	1=121 2=196 D=0 .=3	1=37.81 2=61.25 D=0.00 .=0.94	1=170 2=142 D=2 .=2	1=53.80 2=44.94 D=0.63 .=0.63
Q549	1=true 2=false .=missing	There are certain thoughts that keep coming back again and again in my mind.	1=173 2=144 .=3	1=54.06 2=45.00 .=0.94	1=216 2=98 .=2	1=68.35 2=31.01 .=0.63
Q550	1=true 2=false D=don't know .=missing	Few things in life give me pleasure.	1=128 2=188 D=1 .=3	1=40.00 2=58.75 D=0.31 .=0.94	1=134 2=180 D=0 .=2	1=42.41 2=56.96 D=0.00 .=0.63
Q551	1=true 2=false D=don't know .=missing	I feel shaky and have difficulty falling asleep because painful memories of a past event keep running through my mind.	1=63 2=253 D=1 .=3	1=19.69 2=79.06 D=0.31 .=0.94	1=107 2=204 D=2 .=3	1=33.86 2=64.56 D=0.63 .=0.95
Q552	1=true 2=false .=missing	Looking ahead as each day begins makes me feel terribly depressed.	1=48 2=269 .=3	1=15.00 2=84.06 .=0.94	1=68 2=245 .=3	1=21.52 2=77.53 .=0.95
Q553	1=true 2=false D=don't know .=missing	I've never been able to shake the feeling that I'm worthless to others.	1=35 2=280 D=1 .=4	1=10.94 2=87.50 D=0.31 .=1.25	1=76 2=236 D=2 .=2	1=24.05 2=74.68 D=0.63 .=0.63
Q554	1=true 2=false .=missing	I have tried to commit suicide.	1=32 2=284 .=4	1=10.00 2=88.75 .=1.24	1=120 2=194 .=2	1=37.97 2=61.39 .=0.63
Q555	1=true 2=false D=don't know .=missing	I don't understand why some people smile at me.	1=80 2=235 D=1 .=4	1=25.00 2=73.44 D=0.31 .=1.25	1=98 2=214 D=2 .=3	1=31.01 2=67.72 D=0.63 .=0.63
Q556	1=true 2=false D=don't know .=missing	I get very tense with people I don't know well because they want to harm me.	1=54 2=261 D=1 .=4	1=16.88 2=81.56 D=0.31 .=1.25	1=55 2=259 D=0 .=2	1=17.41 2=81.96 D=0.00 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q557	1=true 2=false R=refused .=missing	I seem to create situations with others in which I get hurt or feel rejected.	1=52 2=264 R=0 .=4	1=16.25 2=82.50 R=0.00 .=1.25	1=100 2=212 R=1 .=3	1=31.65 2=67.09 R=0.32 .=0.95
Q558	1=true 2=false D=don't know .=missing	I often get lost in my thoughts and forget what's going on around me.	1=117 2=199 D=0 .=4	1=36.56 2=62.19 D=0.00 .=1.25	1=171 2=142 D=1 .=2	1=54.11 2=44.94 D=0.32 .=0.63
Q559	1=true 2=false D=don't know .=missing	There are terrible events from my past that come back repeatedly to haunt my thoughts and dreams.	1=104 2=211 D=1 .=4	1=32.50 2=65.94 D=0.31 .=1.25	1=155 2=159 D=0 .=2	1=49.05 2=50.32 D=0.00 .=0.63
Q560	1=true 2=false D=don't know R=refused .=missing	I act quickly much of the time and don't think things through as I should.	1=156 2=160 D=0 .=4	1=48.75 2=50.00 D=0.00 .=1.25	1=193 2=120 D=1 .=2	1=61.08 2=37.97 D=0.32 .=0.63
Q561	1=true 2=false D=don't know .=missing	I repeat certain behaviors again and again, sometimes to reduce my anxiety and sometimes to stop something bad from happening.	1=122 2=194 D=0 .=4	1=38.13 2=60.63 D=0.00 .=1.25	1=150 2=161 D=3 .=2	1=47.47 2=50.95 D=0.95 .=0.63
Q562	1=true 2=false .=missing	I have given serious thought recently to doing away with myself.	1=18 2=298 .=4	1=5.63 2=93.13 .=1.25	1=22 2=292 .=2	1=6.96 2=92.41 .=0.63
Q563	1=true 2=false D=don't know .=missing	People tell me that I'm a very proper and moral person.	1=201 2=110 D=3 .=6	1=62.81 2=34.38 D=0.94 .=1.88	1=199 2=109 D=5 .=3	1=62.97 2=34.49 D=1.58 .=0.95

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Resiliency Scale</b>						
Q564-Q573. Connor-Davidson Resilience Scale 10 (CD-RISC 10). Purpose: To measure resiliency as a moderator of mental health disorders.						
Citation: Campbell-Sills L, Stein Murray B. Psychometric Analysis and Refinement of the Connor-Davidson Resilience Scale (CD-RISC): Validation of a 10-Item Measure of Resilience. J Traumatic Stress, 2007;20(6):1019-1028.						
Q564	1=not true at all 2=rarely true 3=sometimes true 4=often true 5= true nearly all the time D=don't know .=missing	I am able to adapt when changes occur.	1=14 2=10 3=38 4=98 5=154 D=0 .=6	1=4.38 2=3.13 3=11.88 4=30.63 5=48.13 D=0.00 .=1.88	1=16 2=24 3=58 4=94 5=121 D=1 .=2	1=5.06 2=7.59 3=18.35 4=29.75 5=38.29 D=0.32 .=0.63
Q565	1=not true at all 2=rarely true 3=sometimes true 4=often true 5=true nearly all the time .=missing	I can deal with whatever comes my way.	1=6 2=6 3=49 4=106 5=147 .=6	1=1.88 2=1.88 3=15.31 4=33.13 5=45.94 .=1.88	1=8 2=22 3=75 4=103 5=106 .=2	1=2.53 2=6.96 3=23.73 4=32.59 5=33.54 .=0.63
Q566	1=not true at all 2=rarely true 3=sometimes true 4=often true 5=true nearly all the time D=don't know .=missing	I try to see the humorous side of things when I am faced with problems.	1=14 2=22 3=66 4=102 5=109 D=0 .=7	1=4.38 2=6.88 3=20.63 4=31.88 5=34.06 D=0.00 .=2.19	1=7 2=17 3=96 4=94 5=99 D=1 .=2	1=2.22 2=5.38 3=30.38 4=29.75 5=31.33 D=0.32 .=0.63
Q567	1=not true at all 2=rarely true 3=sometimes true 4=often true 5=true nearly all the time D=don't know .=missing	Having to cope with stress can make me stronger.	1=29 2=20 3=83 4=93 5=30 D=1 .=4	1=9.06 2=6.25 3=25.94 4=29.06 5=28.13 D=0.31 .=1.25	1=19 2=23 3=99 4=88 5=83 D=2 .=2	1=6.01 2=7.28 3=31.33 4=27.85 5=26.27 D=0.63 .=0.63
Q568	1=not true at all 2=rarely true 3=sometimes true 4=often true 5=true nearly all the time .=missing	I tend to bounce back after illness, injury, or other hardships.	1=7 2=8 3=27 4=104 5=170 .=4	1=2.19 2=2.50 3=8.44 4=32.50 5=53.13 .=1.25	1=8 2=16 3=57 4=108 5=125 .=2	1=2.53 2=5.06 3=18.04 4=34.18 5=39.56 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q569	1=not true at all 2=rarely true 3=sometimes true 4=often true 5=true nearly all the time .=missing	I believe I can achieve my goals, even if there are obstacles.	1=2 2=12 3=45 4=86 5=171 .=4	1=0.63 2=3.75 3=14.06 4=26.88 5=53.44 .=1.25	1=5 2=13 3=55 4=85 5=156 .=2	1=1.58 2=4.11 3=17.41 4=26.90 5=49.37 .=0.63
Q570	1=not true at all 2=rarely true 3=sometimes true 4=often true 5=true nearly all the time .=missing	Under pressure, I stay focused and think clearly.	1=11 2=23 3=79 4=83 5=119 .=5	1=3.44 2=7.19 3=24.69 4=25.94 5=37.19 .=1.56	1=23 2=40 3=110 4=77 5=64 .=2	1=7.28 2=12.66 3=34.81 4=24.37 5=20.25 .=0.63
Q571	1=not true at all 2=rarely true 3=sometimes true 4=often true 5=true nearly all the time D=don't know .=missing	I am not easily discouraged by failure.	1=18 2=28 3=71 4=78 5=121 D=0 .=4	1=5.63 2=8.75 3=22.19 4=24.38 5=37.81 D=0.00 .=1.25	1=24 2=44 3=83 4=91 5=70 D=1 .=3	1=7.59 2=13.92 3=26.27 4=28.80 5=22.15 D=0.32 .=0.95
Q572	1=not true at all 2=rarely true 3=sometimes true 4=often true 5=true nearly all the time .=missing	I think of myself as a strong person when dealing with life's challenges and difficulties.	1=4 2=11 3=37 4=80 5=182 .=6	1=1.25 2=3.44 3=11.56 4=25.00 5=56.88 .=1.88	1=7 2=13 3=67 4=90 5=137 .=2	1=2.22 2=4.11 3=21.20 4=28.48 5=43.35 .=0.63
Q573	1=not true at all 2=rarely true 3=sometimes true 4=often true 5=true nearly all the time D=don't know .=missing	I am unable to handle unpleasant or painful feelings like sadness, fear, and anger.	1=140 2=63 3=57 4=33 5=21 D=1 .=5	1=43.75 2=19.69 3=17.81 4=10.31 5=6.56 D=0.31 .=1.56	1=78 2=77 3=85 4=47 5=26 D=0 .=3	1=24.68 2=24.37 3=26.90 4=14.87 5=8.23 D=0.00 .=0.95

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Impulsivity Scale</b>						
Q574-Q592. Sensation Seeking Scale of the Zuckerman-Kuhlman Personality Questionnaire.						
Citation: Zuckerman M, Kuhlman, Joireman J, Teta P, Kraft M. A comparison of three structural models for personality: The big three, the big five and the alternative five. J Personality & Social Psychology, 1993;65:757-768.						
Q574	1=like me  2=not like me D=don't know R=refused .=missing	I like to have new and exciting experiences and sensations even if they are a little frightening.	1=235 2=79 D=1 R=1 .=4	1=73.44 2=24.69 D=0.31 R=0.31 .=1.25	1=219 2=95 D=0 R=0 .=2	1=69.30 2=30.16 D=0.00 R=0.00 .=0.63
Q575	1= like me  2=not like me .=missing	I like doing things just for the thrill of it.	1=190 2=126 .=4	1=59.38 2=39.38 .=1.25	1=180 2=134 .=2	1=56.96 2=42.41 .=0.63
Q576	1= like me  2=not like me D=don't know .=missing	I sometimes do 'crazy' things just for fun. An example of a 'crazy' thing is driving up the down ramp of the interstate or taking a handful of 'uppers.'	1=103 2=212 D=1 .=4	1=32.19 2=66.25 D=0.31 .=1.25	1=46 2=268 D=0 .=2	1=14.56 2=84.81 D=0.00 .=0.63
Q577	1=like me  2=not like me .=missing	I sometimes like to do things that are a little frightening.	1=165 2=151 .=4	1=51.56 2=47.19 .=1.25	1=149 2=165 .=2	1=47.15 2=52.22 .=0.63
Q578	1=like me  2=not like me .=missing	I enjoy getting into new situations where you can't predict how things will turn out.	1=111 2=204 .=5	1=34.69 2=63.75 .=1.56	1=109 2=205 .=2	1=34.49 2=64.87 .=0.63
Q579	1=like me  2=not like me D=don't know .=missing	I'll try anything once.	1=99 2=215 D=2 .=4	1=30.94 2=67.19 D=0.63 .=1.25	1=154 2=160 D=0 .=2	1=48.73 2=50.63 D=0.00 .=0.63
Q580	1=like me  2=not like me D=don't know .=missing	I prefer friends who are excitingly unpredictable.	1=106 2=207 D=2 .=5	1=33.13 2=64.69 D=0.63 .=1.26	1=115 2=194 D=5 .=2	1=36.39 2=61.39 D=1.58 .=0.63



Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q581	1=like me 2=not like me . =missing	I like "wild" uninhibited parties. For example, doing anything you feel like doing without worrying about what could happen afterwards.	1=100 2=215 . =5	1=32.25 2=67.19 . =1.56	1=61 2=253 . =2	1=19.30 2=80.06 . =0.63
Q582	1=like me 2=not like me D=don't know . =missing	I would like the kind of life where one is on the move and traveling a lot, with lots of change and excitement.	1=215 2=99 D=1 . =5	1=67.19 2=30.94 D=0.31 . =1.56	1=193 2=119 D=1 . =3	1=61.08 2=37.66 D=0.32 . =0.95
Q583	1=like me 2=not like me . =missing	I am an impulsive person. "Impulsive" means you are prone to do something without thinking it through.	1=136 2=179 . =5	1=42.50 2=55.94 . =1.56	1=165 2=149 . =2	1=52.22 2=47.15 . =0.63
Q584	1=like me 2=not like me . =missing	I like to explore a strange city or section of town by myself, even if it means getting lost.	1=189 2=126 . =5	1=59.06 2=39.38 . =1.56	1=124 2=190 . =2	1=39.24 2=60.13 . =0.63
Q585	1=like me 2=not like me . =missing	I would like to take off on a trip with no pre-planned or definite routes or timetables.	1=181 2=134 . =5	1=56.56 2=41.88 . =1.56	1=171 2=143 . =2	1=54.11 2=45.25 . =0.63
Q586	1=like me 2=not like me D=don't know . =missing	Before I begin a complicated job, I make careful plans.	1=241 2=73 D=1 . =5	1=75.31 2=22.81 D=0.31 . =1.56	1=208 2=106 D=0 . =2	1=65.82 2=33.54 D=0.00 . =0.63
Q587	1=like me 2=not like me . =missing	I don't spend much time on the details of planning ahead.	1=85 2=230 . =5	1=26.56 2=71.88 . =1.56	1=131 2=183 . =2	1=41.46 2=57.91 . =0.63
Q588	1=like me 2=not like me D=don't know . =missing	I tend to begin a new job without much advanced planning on how I will do it.	1=99 2=215 D=1 . =5	1=30.94 2=67.19 D=0.31 . =1.56	1=116 2=195 D=3 . =2	1=36.71 2=61.71 D=0.95 . =0.63
Q589	1=like me 2=not like me D=don't know . =missing	I usually think about what I am going to do before doing it.	1=257 2=57 D=1 . =5	1=80.31 2=17.81 D=0.31 . =1.56	1=222 2=90 D=2 . =2	1=70.25 2=28.48 D=0.63 . =0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q590	1=like me 2=not like me .=missing	I often do things on impulse.	1=150 2=164 .=6	1=46.88 2=51.25 .=1.88	1=170 2=144 .=2	1=53.80 2=45.57 .=0.63
Q591	1=like me 2=not like me .=missing	I often get so carried away by new and exciting things and ideas that I never think of possible complications.	1=130 2=185 .=5	1=40.63 2=57.81 .=1.56	1=156 2=158 .=2	1=49.37 2=50.00 .=0.63
Q592	1=like me 2=not like me D=don't know .=missing	I tend to change interests frequently.	1=132 2=182 D=0 .=6	1=41.25 2=56.88 D=0.00 .=1.88	1=163 2=150 D=1 .= 2	1=51.58 2=47.47 D=0.32 .=0.63
<b>Psychopathy Scale</b>						
Q593	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know .=missing	I am often bored.	1=71 2=53 3=102 4=89 D=0 .=5	1=22.19 2=16.56 3=31.88 4=27.81 D=0.00 .=1.56	1=48 2=43 3=132 4=90 D=1 .=2	1=15.19 2=13.61 3=41.77 4=28.48 D=0.32 .=0.63
Q594	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know R=refused .=missing	In today's world, I feel justified in doing anything I can get away with to succeed.	1=152 2=70 3=60 4=29 D=2 R=1 .=6	1=47.50 2=21.88 3=18.75 4=9.06 D=0.63 R=0.31 .=1.88	1=168 2=83 3=46 4=16 D=0 R=0 .=3	1=53.16 2=26.27 3=14.56 4=5.06 D=0.00 R=0.00 .=0.95
Q595	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly .=missing	Before I do anything, I carefully consider the possible consequences.	1=29 2=28 3=101 4=155 .=7	1=9.06 2=8.75 3=31.56 4=48.44 .=2.19	1=26 2=42 3=115 4=131 .=2	1=8.23 2=13.29 3=36.39 4=41.46 .=0.63
Q596	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know .=missing	My main purpose in life is getting as many goodies as I can.	1=104 2=66 3=81 4=60 D=3 .=6	1=32.50 2=20.63 3=25.31 4=18.75 D=0.94 .=1.88	1=116 2=83 3=75 4=39 D=1 .=2	1=36.71 2=26.27 3=23.73 4=12.34 D=0.32 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q597	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly . =missing	I quickly lose interest in tasks I start.	1=142 2=80 3=56 4=36 . =6	1=44.38 2=25.00 3=17.50 4=11.25 . =1.88	1=82 2=83 3=103 4=46 . =2	1=25.95 2=26.27 3=32.59 4=14.56 . =0.63
Q598	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly . =missing	I have been in a lot of shouting matches with other people.	1=122 2=54 3=78 4=60 . =6	1=38.13 2=16.88 3=24.38 4=18.75 . =1.88	1=93 2=66 3=85 4=70 . =2	1=29.43 2=20.89 3=26.90 4=22.15 . =0.63
Q599	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know . =missing	Even if I were trying very hard to sell something, I wouldn't lie about it.	1=36 2=53 3=89 4=134 D=2 . =6	1=11.25 2=16.56 3=27.81 4=41.88 D=0.63 . =1.88	1=28 2=56 3=79 4=150 D=1 . =2	1=8.86 2=17.72 3=25.00 4=47.47 D=0.32 . =0.63
Q600	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know . =missing	I find myself in the same kinds of trouble, time after time.	1=91 2=43 3=92 4=87 D=1 . =6	1=28.44 2=13.44 3=28.75 4=27.19 D=0.31 . =1.88	1=86 2=48 3=93 4=87 D=0 . =2	1=27.22 2=15.19 3=29.43 4=27.53 D=0.00 . =0.63
Q601	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly . =missing	I enjoy manipulating other people's feelings.	1=227 2=51 3=23 4=13 . =6	1=70.94 2=15.94 3=7.19 4=4.06 . =1.88	1=240 2=45 3=22 4=7 . =2	1=75.95 2=14.24 3=6.96 4=2.22 . =0.63
Q602	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly . =missing	I find that I am able to pursue one goal for a long time.	1=35 2=53 3=115 4=111 . =6	1=10.94 2=16.56 3=35.94 4=34.69 . =1.88	1=54 2=59 3=117 4=84 . =2	1=17.09 2=18.67 3=37.03 4=26.58 . =0.63
Q603	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know . =missing	Looking out for myself is my top priority.	1=72 2=54 3=66 4=121 D=1 . =6	1=22.50 2=16.88 3=20.63 4=37.81 D=0.31 . =1.88	1=73 2=57 3=82 4=102 D=0 . =2	1=23.10 2=18.04 3=25.95 4=32.28 D=0.00 . =0.63
Q604	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly . =missing	I tell other people what they want to hear so that they will do what I want them to do.	1=148 2=69 3=63 4=34 . =6	1=46.25 2=21.56 3=19.69 4=10.63 . =1.88	1=161 2=80 3=56 4=17 . =2	1=50.95 2=25.32 3=17.72 4=5.38 . =0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q605	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know .=missing	Cheating is not justifiable because it is unfair to others.	1=36 2=28 3=61 4=187 D=2 .=6	1=11.25 2=8.75 3=19.06 4=58.44 D=0.63 .=1.88	1=36 2=21 3=50 4=207 D=0 .=2	1=11.39 2=6.65 3=15.82 4=65.51 D=0.00 .=0.63
Q606	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know R=refused .=missing	Love is overrated.	1=107 2=36 3=76 4=91 D=4 R=0 .=6	1=33.44 2=11.25 3=23.75 4=28.44 D=1.25 R=0.00 .=1.88	1=85 2=37 3=77 4=112 D=2 R=1 .=2	1=26.90 2=11.71 3=24.37 4=35.44 D=0.63 R=0.32 .=0.63
Q607	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know R=refused .=missing	I would be upset if my success came at someone else's expense.	1=59 2=69 3=83 4=102 D=2 R=0 .=5	1=18.44 2=21.56 3=25.94 4=31.88 D=0.63 R=0.00 .=1.56	1=40 2=57 3=93 4=121 D=1 R=1 .=3	1=12.66 2=18.04 3=29.43 4=38.29 D=0.32 R=0.32 .=0.95
Q608	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly R=refused .=missing	When I get frustrated, I often "let off steam" by blowing my top.	1=136 2=80 3=59 4=40 R=0 .=5	1=42.50 2=25.00 3=18.44 4=12.50 R=0.00 .=1.56	1=115 2=86 3=70 4=42 R=1 .=2	1=36.39 2=27.22 3=22.15 4=13.29 R=0.32 .=0.63
Q609	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly R=refused .=missing	For me, what's right is whatever I can get away with.	1=188 2=76 3=29 4=22 R=0 .=5	1=58.75 2=23.75 3=9.06 4=6.88 R=0.00 .=1.56	1=206 2=66 3=12 4=1 R=1 .=2	1=65.19 2=20.89 3=9.18 4=3.80 R=0.32 .=0.63
Q610	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know R=refused .=missing	Most of my problems are due to the fact that other people just don't understand me.	1=114 2=72 3=71 4=57 D=1 R=0 .=5	1=35.63 2=22.50 3=22.19 4=17.81 D=0.31 R=0.00 .=1.56	1=111 2=65 3=84 4=53 D=0 R=1 .=2	1=35.13 2=20.57 3=26.58 4=16.77 D=0.00 R=0.32 .=0.63
Q611	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know R=refused .=missing	Success is based on survival of the fittest: I am not concerned about the losers.	1=118 2=82 3=69 4=45 D=1 R=0 .=5	1=36.88 2=25.63 3=21.56 4=14.06 D=0.31 R=0.00 .=1.56	1=142 2=86 3=52 4=31 D=2 R=1 .=2	1=44.94 2=27.22 3=16.46 4=9.81 D=0.63 R=0.32 .=0.63

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q612	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know .=missing	I don't plan anything very far in advance.	1=96 2=73 3=96 4=49 D=1 .=5	1=30.00 2=22.81 3=30.00 4=15.31 D=0.31 .=1.56	1=70 2=61 3=106 4=77 D=0 .=2	1=22.15 2=19.30 3=33.54 4=24.37 D=0.00 .=0.63
Q613	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly R=refused .=missing	I feel bad if my words or actions cause someone else to feel emotional pain.	1=41 2=37 3=94 4=143 R=0 .=5	1=12.81 2=11.56 3=29.38 4=44.69 R=0.00 .=1.56	1=18 2=20 3=81 4=193 R=1 .=3	1=5.70 2=6.33 3=25.63 4=61.08 R=0.32 .=0.95
Q614	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know R=refused .=missing	Making a lot of money is my most important goal.	1=72 2=42 3=78 4=122 D=1 R=0 .=5	1=22.50 2=13.13 3=24.38 4=38.13 D=0.31 R=0.00 .=1.56	1=81 2=74 3=80 4=78 D=0 R=1 .=2	1=25.63 2=23.42 3=25.32 4=24.68 D=0.00 R=0.32 .=0.63
Q615	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know .=missing	I let others worry about higher values; my main concern is with the bottom line.	1=82 2=65 3=93 4=74 D=1 .=5	1=25.63 2=20.31 3=29.06 4=23.13 D=0.31 .=1.56	1=102 2=90 3=68 4=50 D=3 .=3	1=32.28 2=28.48 3=21.52 4=15.82 D=0.95 .=0.95
Q616	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly R=refused .=missing	I often admire a really clever scam.	1=129 2=71 3=76 4=37 R=0 .=7	1=40.31 2=22.19 3=23.75 4=11.56 R=0.00 .=2.19	1=194 2=68 3=38 4=12 R=1 .=3	1=61.39 2=21.52 3=12.03 4=3.80 R=0.32 .=0.95
Q617	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly D=don't know R=refused .=missing	People who are stupid enough to get ripped off usually deserve it.	1=176 2=64 3=40 4=34 D=1 R=0 .=5	1=55.00 2=20.00 3=12.50 4=10.63 D=0.31 R=0.00 .=1.56	1=205 2=53 3=33 4=20 D=0 R=1 .=4	1=64.87 2=16.77 3=10.44 4=6.33 D=0.00 R=0.32 .=1.27
Q618	1=disagree strongly 2=disagree somewhat 3=agree somewhat 4=agree strongly R=refused .=missing	I make a point of trying not to hurt others in pursuit of my goals.	1=20 2=24 3=81 4=188 R=0 .=7	1=6.25 2=7.50 3=25.31 4=58.75 R=0.00 .=2.19	1=26 2=19 3=70 4=197 R=1 .=3	1=8.23 2=6.01 3=22.15 4=62.34 R=0.32 .=0.95

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Abbreviated Dysregulation Inventory</b>						
Purpose: To measure dysregulated behaviors—1) emotional affective disorder, 2) behavioral disorder, 3) cognitive flexibility. 1) Emotional/Affective Scale: arousability (Q637), emotional control (Q619, Q622, Q625, Q640, Q646), irritability (Q628, Q631, Q634, Q643). 2) Behavioral Scale: impulsivity (Q647), inattention (Q626, Q632, Q638, Q641, Q644), hyperactivity (Q620, Q623, Q635), aggression (Q629). 3) Cognitive Flexibility Scale: devising a plan (Q621, Q627, Q630, Q636, Q642), implementing and maintaining a plan (Q624, Q645, Q648), benefiting from experience (Q633, Q639). Citation: Pardini DA, Lochman JE, Frick PJ. Callous/Unemotional Traits and Social-Cognitive Processes in Adjudicated Youths J Am Acad Child Adolesc Psychiatry, 2003;42(3):364–371.						
Q619	1=never true 2=occasionally true 3=mostly true 4=always true R=refused .=missing	I have trouble controlling my temper.  (Q identical to Q69 on Buss-Perry Aggression Scale.)	1=120 2=121 3=47 4=21 R=0 .=11	1=37.50 2=37.81 3=14.69 4=6.56 R=0.00 .=3.44	1=110 2=110 3=57 4=24 R=1 .=14	1=34.81 2=34.81 3=18.04 4=7.59 R=0.32 .=4.43
Q620	1=never true 2=occasionally true 3=mostly true 4=always true D=don't know .=missing	I have difficulty remaining seated during meals. (seated ...“at school or home” deleted to accommodate prison setting.)	1=254 2=34 3=15 4=12 D=0 .=5	1=79.38 2=10.63 3=4.69 4=3.75 D=0.00 .=1.56	1=227 2=50 3=21 4=14 D=1 .=3	1=71.84 2=15.82 3=6.65 4=4.43 D=0.32 .=0.95
Q621	1=never true 2=occasionally true 3=mostly true 4=always true .=missing	I develop a plan for all my important goals.	1=24 2=54 3=132 4=105 .=5	1=7.50 2=16.88 3=41.25 4=32.81 .=1.56	1=46 2=90 3=107 4=70 .=3	1=14.56 2=28.48 3=33.86 4=22.15 .=0.95
Q622	1=never true 2=occasionally true 3=mostly true 4=always true .=missing	I lose sleep because I worry.	1=159 2=75 3=41 4=40 .=5	1=49.69 2=23.44 3=12.81 4=12.50 .=1.56	1=96 2=92 3=56 4=69 .=3	1=30.38 2=29.11 3=17.72 4=21.84 .=0.95
Q623	1=never true 2=occasionally true 3=mostly true 4=always true .=missing	I get very fidgety after a few minutes if I am supposed to sit still.	1=160 2=80 3=50 4=25 .=5	1=50.00 2=25.00 3=15.63 4=7.81 .=1.56	1=118 2=89 3=54 4=52 .=3	1=37.34 2=28.16 3=17.09 4=16.46 .=0.95
Q624	1=never true 2=occasionally true 3=mostly true 4=always true .=missing	I put my plans into action.	1=11 2=58 3=138 4=108 .=5	1=3.44 2=18.13 3=43.13 4=33.75 .=1.56	1=25 2=82 3=141 4=64 .=4	1=7.91 2=25.95 3=44.62 4=20.25 .=1.27

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q625	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	When I am angry I lose control over my actions.	1=150 2=99 3=32 4=34 . =5	1=46.88 2=30.94 3=10.00 4=10.63 . =1.56	1=134 2=95 3=45 4=39 . =3	1=42.41 2=30.06 3=14.24 4=12.34 . =0.95
Q626	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	I have difficulty keeping my attention on tasks.	1=133 2=105 3=61 4=16 . =5	1=41.56 2=32.81 3=19.06 4=5.00 . =1.56	1=101 2=110 3=63 4=39 . =3	1=31.96 2=34.81 3=19.94 4=12.34 . =0.95
Q627	1=never true 2=occasionally true 3=mostly true 4=always true D=don't know . =missing	I think about the future consequences of my actions.	1=18 2=57 3=116 4=124 D=0 . =5	1=5.63 2=17.81 3=36.25 4=38.75 D=0.00 . =1.56	1=22 2=86 3=93 4=110 D=2 . =3	1=6.96 2=27.22 3=29.43 4=34.81 D=0.63 . =0.95
Q628	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	I often feel like a bomb ready to explode.  ("Power keg" instead of bomb on Q52.)	1=182 2=66 3=33 4=34 . =5	1=56.88 2=20.63 3=10.31 4=10.63 . =1.56	1=161 2=85 3=40 4=27 . =3	1=50.95 2=26.90 3=12.66 4=8.54 . =0.95
Q629	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	I get into arguments when people disagree with me.  (Q similar to Q60 on Buss-Perry Aggression Scale. Response options not identical. )	1=134 2=100 3=54 4=27 . =5	1=41.88 2=31.25 3=16.88 4=8.44 . =1.56	1=149 2=122 3=25 4=17 . =3	1=47.15 2=38.61 3=7.91 4=5.38 . =0.95
Q630	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	Once I have a goal, I make a plan on how to reach it.	1=12 2=50 3=120 4=133 . =5	1=3.75 2=15.63 3=37.50 4=41.56 . =1.56	1=18 2=84 3=116 4=95 . =3	1=5.70 2=26.58 3=36.71 4=30.06 . =0.95
Q631	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	I fly off the handle for no good reason.	1=228 2=44 3=28 4=15 . =5	1=71.25 2=13.75 3=8.75 4=4.69 . =1.56	1=200 2=71 3=24 4=17 . =4	1=63.29 2=22.47 3=7.59 4=5.38 . =1.27
Q632	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	Little things or distractions throw me off.	1=109 2=130 3=49 4=27 . =5	1=34.06 2=40.63 3=15.31 4=8.44 . =1.56	1=73 2=136 3=70 4=34 . =3	1=23.10 2=43.04 3=22.15 4=10.76 . =0.95

Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q633	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	As soon as I see things are not working, I do something about it.	1=11 2=75 3=142 4=87 . =5	1=3.44 2=23.44 3=44.38 4=27.19 . =1.56	1=12 2=89 3=145 4=67 . =3	1=3.80 2=28.16 3=45.89 4=21.20 . =0.95
Q634	1=never true 2=occasionally true 3=mostly true 4=always true D=don't know . =missing	There are days when I'm "on edge" all the time.	1=121 2=117 3=46 4=30 D=1 . =5	1=37.81 2=36.56 3=14.38 4=9.38 D=0.31 . =1.56	1=91 2=130 3=62 4=30 D=0 . =3	1=28.80 2=41.14 3=19.62 4=9.49 D=0.00 . =0.95
Q635	1=never true 2=occasionally true 3=mostly true 4=always true D=don't know . =missing	I can't seem to stop moving.	1=170 2=77 3=44 4=23 D=1 . =5	1=53.13 2=24.06 3=13.75 4=7.19 D=0.31 . =1.56	1=129 2=99 3=49 4=36 D=0 . =3	1=40.82 2=31.33 3=15.51 4=11.39 D=0.00 . =37.50
Q636	1=never true 2=occasionally true 3=mostly true 4=always true D=don't know . =missing	I consider what will happen before I make a plan.	1=23 2=84 3=124 4=84 D=0 . =5	1=7.19 2=26.25 3=38.75 4=26.25 D=0.00 . =1.56	1=39 2=111 3=106 4=56 D=1 . =3	1=12.34 2=35.13 3=33.54 4=17.72 D=0.32 . =0.95
Q637	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	I easily become emotionally upset when I am tired	1=147 2=88 3=52 4=28 . =5	1=45.94 2=27.50 3=16.25 4=8.75 . =1.56	1=73 2=102 3=83 4=55 . =3	1=23.10 2=32.28 3=26.27 4=17.41 . =0.95
Q638	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	Most of the time I don't pay attention to what I am doing.	1=179 2=83 3=41 4=12 . =5	1=55.94 2=25.94 3=12.81 4=3.75 . =1.56	1=128 2=117 3=47 4=21 . =3	1=40.51 2=37.03 3=14.87 4=6.65 . =0.95
Q639	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	I think about my mistakes to make sure they don't happen again.	1=9 2=49 3=106 4=151 . =5	1=2.81 2=15.31 3=33.13 4=47.19 . =1.56	1=10 2=76 3=104 4=123 . =3	1=3.16 2=24.05 3=32.91 4=38.92 . =0.95
Q640	1=never true 2=occasionally true 3=mostly true 4=always true . =missing	Often I am afraid I will lose control of my feelings.	1=152 2=80 3=48 4=35 . =5	1=47.50 2=25.00 3=15.00 4=10.94 . =1.56	1=97 2=106 3=68 4=42 . =3	1=30.70 2=33.54 3=21.52 4=13.29 . =0.95



Variable	Code Value	Description	freq males	percent males	freq females	percent females
Q641	1=never true 2=occasionally true 3=mostly true 4=always true D=don't know .=missing	I get bored easily.	1=82 2=97 3=68 4=68 D=0 .=5	1=25.63 2=30.31 3=21.25 4=21.25 D=0.00 .=1.56	1=46 2=101 3=88 4=76 D=1 .=4	1=14.56 2=31.96 3=27.85 4=24.05 D=0.32 .=1.27
Q642	1=never true 2=occasionally true 3=mostly true 4=always true .=missing	I spend time thinking about how to reach my goals.	1=8 2=49 3=117 4=141 .=5	1=2.50 2=15.31 3=36.56 4=44.06 .=1.56	1=7 2=82 3=115 4=109 .=3	1=2.22 2=25.95 3=36.39 4=34.49 .=0.95
Q643	1=never true 2=occasionally true 3=mostly true 4=always true .=missing	I slam doors when I am mad.	1=187 2=71 3=27 4=30 .=5	1=58.44 2=22.19 3=8.44 4=9.38 .=1.56	1=139 2=93 3=50 4=31 .=3	1=43.99 2=29.43 3=15.82 4=9.81 .=0.95
Q644	1=never true 2=occasionally true 3=mostly true 4=always true .=missing	I am easily distracted.	1=122 2=111 3=56 4=25 .=6	1=38.13 2=34.69 3=17.50 4=7.81 .=1.88	1=72 2=120 3=63 4=58 .=3	1=22.78 2=37.97 3=19.94 4=18.35 .=0.95
Q645	1=never true 2=occasionally true 3=mostly true 4=always true D=don't know .=missing	Failure at a task or in school makes me work harder.	1=17 2=46 3=133 4=119 D=0 .=5	1=5.31 2=14.38 3=41.56 4=37.19 D=0.00 .=1.56	1=19 2=65 3=110 4=118 D=1 .=3	1=6.01 2=20.57 3=34.81 4=37.34 D=0.32 .=0.95
Q646	1=never true 2=occasionally true 3=mostly true 4=always true .=missing	My mood goes up and down without a reason.	1=161 2=85 3=40 4=29 .=5	1=50.31 2=26.56 3=12.50 4=9.06 .=1.56	1=89 2=87 3=63 4=74 .=3	1=28.16 2=27.53 3=19.94 4=23.42 .=0.95
Q647	1=never true 2=occasionally true 3=mostly true 4=always true .=missing	I spend money without thinking about it first.	1=82 2=97 3=72 4=64 .=5	1=25.63 2=30.31 3=22.50 4=20.00 .=1.56	1=49 2=84 3=90 4=90 .=3	1=15.51 2=26.58 3=28.48 4=28.48 .=0.95
Q648	1=never true 2=occasionally true 3=mostly true 4=always true D=don't know .=missing	I stick to a task until it is finished.	1=8 2=43 3=128 4=136 D=0 .=5	1=2.50 2=13.44 3=40.00 4=42.50 D=0.00 .=1.56	1=14 2=85 3=111 4=101 D=1 .=4	1=4.43 2=26.90 3=35.13 4=31.96 D=0.32 .=1.27

Variable	Code Value	Description	freq males	percent males	freq females	percent females
<b>Closing Questions</b>						
Q649	text	survey end time am/pm				
Q650	text	anything not asked we should know				

TBI Tool: TBI 01-TBI 04										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
			TBI-01		TBI-02		TBI-03		TBI-04	
TBI01_ (TBI_01_ in original data) narrative description of injury	TR=Transportation SV=Self-inflicted violence OV=Other-inflicted violence, not blast BL=Blast injury FA=Falls SP=Sports OT=Other .=missing	etiology of injury	narrative	narrative	narrative	narrative	narrative	narrative	narrative	narrative
			TR=60	TR=75	TR=45	TR=38	TR=32	TR=34	TR=17	TR=17
			SV=1	SV=0	SV=0	SV=1	SV=0	SV=0	SV=0	SV=0
			OV=50	OV=80	OV=42	OV=72	OV=26	OV=43	OV=13	OV=31
			BL=0	BL=0	BL=1	BL=1	BL=1	BL=0	BL=1	BL=0
			FA=19	FA=19	FA=7	FA=8	FA=6	FA=4	FA=8	FA=10
			SP=12	SP=1	SP=13	SP=3	SP=8	SP=2	SP=6	SP=1
			OT=6 .=57	OT=6 .=45	OT=6 .=91	OT=5 .=98	OT=3 .=129	OT=2 .=141	OT=3 .=157	OT=2 .=165
			Yes=5 No=141 .=59	Yes=31 No= 147 .=48	Yes=8 No=104 .=93	Yes=30 No=96 .=100	Yes=6 No=68 .=131	Yes=18 No=66 .=142	Yes=4 No=40 .=161	Yes=22 No=40 .=164
			TBI_01b	Yes=Yes No=No .=missing	multiple mild					

TBI Tool: TBI-01-TBI-04									
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males
TBI_c1	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	age at beginning of injury	TBI-01	TBI-02	TBI-03	TBI-04			
			N=80 $\bar{X}$ = 24.05 SD= 11.91 Med= 23.00 Rng= (1.00, 57.00) .=125	N=122 $\bar{X}$ = 28.63 SD= 10.72 Med= 27.00 Rng= (5.00, 57.00) .=104	N=60 $\bar{X}$ = 22.52 SD= 9.64 Med= 20.50 Rng= (3.00, 43.00) .=145	N=95 $\bar{X}$ = 23.93 SD= 9.44 Med= 23.00 Rng= (6.00, 56.00) .=131	N=36 $\bar{X}$ = 17.72 SD= 7.33 Med= 17.00 Rng= 7.00, 38.00 .=169	N=61 $\bar{X}$ = 20.38 SD= 9.04 Med= 19.00 Rng= (0.00, 50.00) .=165	N=26 $\bar{X}$ = 16.00 SD= 9.06 Med= 13.50 Rng= (4.00, 36.00) .=179
TBI_c2	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	age at end of injury	N=71 $\bar{X}$ = 20.28 SD= 10.97 Med= 18.00 Rng= (2.00, 47.00) .=134	N=89 $\bar{X}$ = 28.66 SD= 10.46 Med= 28.00 Rng= (1.00, 48.00) .=137	N=61 $\bar{X}$ = 20.84 SD= 9.34 Med= 19.00 Rng= (5.00, 50.00) .=144	N=62 $\bar{X}$ = 26.48 SD= 9.94 Med= 26.00 Rng= (5.00, 50.00) .=164	N=45 $\bar{X}$ = 21.16 SD= 8.72 Med= 18.00 Rng= (7.00, 41.00) .=160	N=43 $\bar{X}$ = 23.49 SD= 8.97 Med= 24.00 Rng= (3.00, 42.00) .=183	N=26 $\bar{X}$ = 18.38 SD= 10.07 Med= 16.50 Rng= (3.00, 43.00) .=179
TBI_d	Yes=Yes No=No .=missing	in military at time of injury	Yes=0 No=147 .=58 NA=0	Yes=0 No=181 .=45 NA=0	Yes=5 No=109 .=91 NA=0	Yes=0 No=127 .=97 NA=2	Yes=1 No=75 .=129 NA=0	Yes=0 No=86 .=140 NA=0	Yes=1 No=47 .=157 NA=0
TBI_d1+	Yes=Yes No=No .=missing	injured in combat	Yes=0 No=0 .=0	Yes=0 No=0 .=0	Yes=0 No=4 .=1	Yes=0 No=0 .=0	Yes=1 No=0 .=0	Yes=0 No=0 .=0	Yes=0 No=0 .=1

TBI Tool: TBI-01-TBI-04										
Variable Name	Variable Code	Descriptor	TBI-01		TBI-02		TBI-03		TBI-04	
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_e	JD=Juvenile detention JL=Jail PR=Prison MP=Military prison .=missing	in juvenile detention, jail, prison, or military prison	JD=1 JL=3 PR=19 MP=0 .=182	JD=0 JL=2 PR=22 MP=0 .=202	JD=0 JL=3 PR=8 MP=0 .=194	JD=0 JL=0 PR=5 MP=0 .=221	JD=0 JL=2 PR=8 MP=0 .=195	JD=0 JL=0 PR=0 MP=0 .=226	JD=0 JL=0 PR=4 MP=0 .=201	JD=0 JL=1 PR=2 MP=0 .=223
TBI_f	Yes=Yes No=No .=missing	drinking or using other drugs at time of injury	Yes=41 No=67 .=75 NA=22	Yes=83 No=76 .=45 NA=22	Yes=29 No=64 .=110 NA=2	Yes=57 No=67 .=100 NA=2	Yes=31 No=31 .=139 NA=4	Yes=25 No=61 .=140 NA=0	Yes=13 No=30 .=162 NA=0	Yes=16 No=44 .=166 NA=0
TBI_g	Yes=Yes No=No .=missing	knocked out or lose consciousness	Yes=76 No=69 .=60	Yes=98 No=79 .=49	Yes=56 No=56 .=93	Yes=56 No=71 .=99	Yes=40 No=35 .=130	Yes=34 No=49 .=143	Yes=21 No=26 .=158	Yes=27 No=32 .=167
TBI_h†	1=< than 5 minutes 2=5-30 minutes 3=>30 minutes-24 hours 4=>24 hours D=Don't know .=missing	how long	1=32 2=17 3=10 4=11 D=3 .=3	1=34 2=30 3=8 4=9 D=13 .=4	1=26 2=13 3=7 4=5 D=4 .=1	1=20 2=9 3=8 4=4 D=8 .=7	1=18 2=11 3=6 4=0 D=1 .=4	1=10 2=7 3=4 4=1 D=4 .=8	1=11 2=4 3=3 4=0 D=2 .=1	1=11 2=8 3=2 4=0 D=4 .=2
TBI_it	Yes=Yes No=No .=missing	dazed or confused	Yes=66 No=3 .=0	Yes=74 No=4 .=1	Yes=56 No=0 .=0	Yes=71 No=0 .=0	Yes=35 No=0 .=0	Yes=48 No=1 .=0	Yes=26 No=0 .=0	Yes=32 No=0 .=0
TBI_j†	Yes=Yes No=No .=missing	forget what happened before or after	Yes=13 No=52 .=4	Yes=23 No=55 .=1	Yes=8 No=41 .=7	Yes=16 No=54 .=1	Yes=9 No=20 .=6	Yes=15 No=33 .=1	Yes=4 No=17 .=5	Yes=5 No=27 .=0

TBI Tool: TBI_01-TBI_04										
Variable Name	Variable Code	Descriptor	TBI-01		TBI-02		TBI-03		TBI-04	
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_k	Yes=Yes No=No .=missing	treated in ED	Yes=90 No=57 .=59	Yes=113 No=68 .=45	Yes=62 No=52 .=91	Yes=77 No=52 .=97	Yes=33 No=43 .=129	Yes=54 No=31 .=141	Yes=21 No=26 .=158	Yes=38 No=24 .=164
TBI_k1+	Yes=Yes No=No .=missing	treated in ED in SC	Yes=74 No=16 .=0	Yes=98 No=14 .=1	Yes=55 No=7 .=0	Yes=70 No=7 .=0	Yes=30 No=3 .=0	Yes=42 No=9 .=3	Yes=14 No=6 .=1	Yes=33 No=5 .=0
TBI_l	Yes=Yes No=No .=missing	hospitalized	Yes=33 No=107 .=65	Yes=42 No=130 .=54	Yes=25 No=82 .=98	Yes=24 No=99 .=103	Yes=13 No=56 .=136	Yes=23 No=56 .=147	Yes=11 No=35 .=159	Yes=9 No=46 .=171
TBI_l1+	Yes=Yes No=No .=missing	hospitalized in SC	Yes=25 No=8 .=0	Yes=36 No=5 .=1	Yes=20 No=5 .=0	Yes=20 No=3 .=1	Yes=11 No=1 .=1	Yes=16 No=6 .=1	Yes=5 No=4 .=2	Yes=8 No=1 .=0
TBI_l2+	HM=Home RF=Rehabilitation Facility NH=Nursing Home JL=Jail, Prison, or Juvenile Detention OT=Other D=Don't know .=missing	discharged to	HM=26 RF=3 NH=0 JL=1 OT=1 D=0 .=2	HM=32 RF=1 NH=0 JL=2 OT=2 D=0 .=5	HM=18 RF=1 NH=2 JL=1 OT=0 D=1 .=3	HM=21 RF=0 NH=0 JL=0 OT=2 D=0 .=1	HM=8 RF=0 NH=0 JL=0 OT=0 D=0 .=5	HM=17 RF=0 NH=0 JL=0 OT=1 D=1 .=4	HM=7 RF=0 NH=0 JL=2 OT=0 D=0 .=2	HM=4 RF=1 NH=0 JL=0 OT=2 D=0 .=2
TBI_mt	Yes=Yes No=No .=missing	other medical attention	Yes=18 No=42 .=47	Yes=11 No=47 .=72	Yes=16 No=33 .=33	Yes=6 No=41 .=52	Yes=9 No=27 .=20	Yes=5 No=24 .=27	Yes=5 No=20 .=10	Yes=2 No=16 .=28

TBI Tool: TBI-01-TBI-04										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_m1+	MD=Doctor's office or clinic NU=Nurse or other health care provider IN=Infirmary D=Don't know .=missing	doctor's office or clinic, school/college nurse or other health care provider, or infirmary (incarcerated or military)	TBI-01	TBI-02	TBI-03	TBI-04	TBI-01	TBI-02	TBI-03	TBI-04
			MD=6 NU=2 IN=10 D=0 .=0	MD=1 NU=1 IN=9 D=0 .=0	MD=6 NU=3 IN=5 D=1 .=1	MD=5 NU=0 IN=1 D=0 .=0	MD=4 NU=0 IN=5 D=0 .=0	MD=3 NU=1 IN=1 D=0 .=0	MD=3 NU=0 IN=2 D=0 .=0	MD=0 NU=1 IN=1 D=0 .=0
TBI_nt	Yes=Yes No=No .=missing	should you have received help, but did not	Yes=22 No=15 .=5	Yes=36 No=10 .=1	Yes=19 No=10 .=4	Yes=32 No=9 .=0	Yes=12 No=14 .=1	Yes=18 No=4 .=2	Yes=17 No=2 .=1	Yes=13 No=2 .=1
TBI_ot	No=No YesBut=Yes, but went away Yes=Yes, and remained D=Don't know .=missing	headaches	No=72 YesBut=36 Yes=37 D=1 .=59	No=39 YesBut=57 Yes=79 D=0 .=51	No=46 YesBut=34 Yes=30 D=1 .=94	No=33 YesBut=50 Yes=43 D=1 .=99	No=25 YesBut=25 Yes=24 D=0 .=131	No=23 YesBut=31 Yes=28 D=0 .=144	No=20 YesBut=18 Yes=10 D=0 .=157	No=24 YesBut=16 Yes=21 D=0 .=165
TBI_pt	No=No YesBut=Yes, but went away Yes=Yes, and remained D=Don't know .=missing	dizziness or balance problems	No=94 YesBut=29 Yes=22 D=1 .=59	No=72 YesBut=49 Yes=56 D=0 .=49	No=65 YesBut=23 Yes=23 D=0 .=94	No=57 YesBut=35 Yes=35 D=1 .=98	No=41 YesBut=21 Yes=11 D=0 .=132	No=40 YesBut=24 Yes=19 D=0 .=143	No=27 YesBut=14 Yes=7 D=0 .=157	No=35 YesBut=13 Yes=13 D=0 .=165

TBI Tool: TBI 01-TBI 04										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
			TBI-01		TBI-02		TBI-03		TBI-04	
TBI_q†	No=No YesBut=Yes but went away Yes=Yes and remained D=Don't know .=missing	blurred vision or another vision problem	No=91 YesBut=26 Yes=26 D=1 .=61	No=97 YesBut=37 Yes=42 D=1 .=49	No=74 YesBut=15 Yes=21 D=0 .=95	No=67 YesBut=32 Yes=28 D=1 .=98	No=46 YesBut=9 Yes=19 D=0 .=131	No=45 YesBut=21 Yes=17 D=0 .=143	No=28 YesBut=10 Yes=9 D=0 .=158	No=32 YesBut=15 Yes=14 D=0 .=165
TBI_rt	No=No YesBut=Yes, but went away Yes=Yes, and remained D=Don't know .=missing	tiredness or fatigue	No=105 YesBut=16 Yes=24 D=1 .=59	No=97 YesBut=37 Yes=41 D=1 .=51	No=81 YesBut=18 Yes=12 D=0 .=94	No=67 YesBut=29 Yes=30 D=1 .=99	No=60 YesBut=7 Yes=6 D=0 .=132	No=47 YesBut=18 Yes=17 D=0 .=144	No=34 YesBut=9 Yes=5 D=0 .=157	No=41 YesBut=8 Yes=12 D=0 .=165
TBI_st	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	seizures	No=142 YesBut=0 Yes=2 D=1 .=60	No=164 YesBut=5 Yes=7 D=0 .=50	No=109 YesBut=0 Yes=1 D=0 .=95	No=118 YesBut=3 Yes=5 D=1 .=199	No=72 YesBut=1 Yes=1 D=0 .=132	No=74 YesBut=2 Yes=7 D=0 .=143	No=47 YesBut=1 Yes=1 D=0 .=157	No=57 YesBut=5 Yes=5 D=0 .=164
TBI_tt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	trouble remembering things or solving problems	No=101 YesBut=7 Yes=37 D=1 .=59	No=98 YesBut=8 Yes=70 D=1 .=49	No=77 YesBut=5 Yes=29 D=0 .=94	No=69 YesBut=14 Yes=43 D=1 .=99	No=52 YesBut=4 Yes=17 D=0 .=132	No=52 YesBut=9 Yes=22 D=0 .=143	No=32 YesBut=7 Yes=8 D=0 .=158	No=41 YesBut=3 Yes=18 D=0 .=164



TBI Tool: TBI 01-TBI 04										
Variable Name	Variable Code	Descriptor	TBI-01				TBI-02			
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_vt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	trouble concentrating or paying attention	No=102 YesBut=8 Yes=34 D=1 .=60	No=96 YesBut=13 Yes=67 D=1 .=49	No=74 YesBut=7 Yes=30 D=0 .=94	No=74 YesBut=13 Yes=40 D=1 .=98	No=56 YesBut=2 Yes=15 D=0 .=132	No=44 YesBut=13 Yes=27 D=0 .=142	No=33 YesBut=7 Yes=8 D=0 .=157	No=37 YesBut=6 Yes=20 D=0 R=0 .=163
TBI_vt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	losing train of thought	No=106 YesBut=10 Yes=29 D=0 .=60	No=96 YesBut=12 Yes=68 D=1 .=49	No=75 YesBut=10 Yes=26 D=0 .=94	No=70 YesBut=14 Yes=42 D=0 .=99	No=57 YesBut=3 Yes=13 D=0 .=132	No=48 YesBut=10 Yes=26 D=0 .=142	No=36 YesBut=4 Yes=8 D=0 .=157	No=37 YesBut=5 Yes=21 D=0 .=163
TBI_wt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	difficulty learning new information	No=114 YesBut=4 Yes=27 D=0 .=60	No=122 YesBut=8 Yes=48 D=0 .=48	No=88 YesBut=3 Yes=20 D=0 .=94	No=90 YesBut=4 Yes=32 D=1 .=99	No=60 YesBut=2 Yes=10 D=0 .=133	No=63 YesBut=3 Yes=18 D=0 .=142	No=40 YesBut=2 Yes=5 D=0 .=158	No=46 YesBut= Yes=17 D=0 .=163
TBI_xt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	difficulty reading, writing, or doing math	No=122 YesBut=2 Yes=21 D=0 .=60	No=135 YesBut=2 Yes=39 D=1 .=49	No=91 YesBut=3 Yes=17 D=0 .=94	No=97 YesBut=1 Yes=28 D=1 .=99	No=60 YesBut=3 Yes=9 D=0 .=133	No=66 YesBut=5 Yes=13 D=0 .=142	No=41 YesBut=1 Yes=4 D=0 .=159	No=49 YesBut= Yes=14 D=0 .=163

TBI Tool: TBI 01-TBI 04										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
			TBI-01		TBI-02		TBI-03		TBI-04	
TBI_yt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	reacting slowly or feeling foggy	No=105 YesBut=12 Yes=28 D=0 .=59	No=105 YesBut=30 Yes=40 D=0 .=50	No=70 YesBut=18 Yes=23 D=0 .=94	No=75 YesBut=17 Yes=35 D=1 .=98	No=55 YesBut=4 Yes=12 D=0 .=134	No=55 YesBut=12 Yes=17 D=0 .=142	No=32 YesBut=8 Yes=6 D=0 .=159	No=44 YesBut=5 Yes=14 D=0 .=163
TBI_zt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	managing stress or emotional upsets	No=113 YesBut=6 Yes=26 D=0 .=60	No=105 YesBut=18 Yes=52 D=1 .=50	No=81 YesBut=10 Yes=20 D=0 .=94	No=76 YesBut=12 Yes=39 D=0 .=98	No=58 YesBut=4 Yes=10 D=0 .=133	No=47 YesBut=13 Yes=24 D=0 .=142	No=37 YesBut=2 Yes=8 D=0 .=158	No=41 YesBut=6 Yes=15 D=0 .=164
TBI_aat	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	controlling your temper	No=110 YesBut=48 Yes=25 D=0 .=60	No=121 YesBut=9 Yes=48 D=0 .=48	No=87 YesBut=4 Yes=20 D=0 .=94	No=81 YesBut=9 Yes=37 D=1 .=98	No=56 YesBut=4 Yes=12 D=0 .=133	No=50 YesBut=9 Yes=25 D=0 .=142	No=36 YesBut=3 Yes=8 D=0 .=158	No=43 YesBut=5 Yes=15 D=0 .=163
TBI_abt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	trouble going to sleep or staying asleep	No=104 YesBut=10 Yes=31 D=0 .=60	No=84 YesBut=19 Yes=74 D=1 .=48	No=84 YesBut=8 Yes=18 D=0 .=95	No=70 YesBut=12 Yes=45 D=1 .=98	No=57 YesBut=2 Yes=13 D=0 .=133	No=46 YesBut=7 Yes=30 D=0 .=143	No=39 YesBut=4 Yes=4 D=0 .=158	No=43 YesBut=2 Yes=18 D=0 .=163

TBI Tool: TBI-01-TBI-04										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
			TBI-01		TBI-02		TBI-03		TBI-04	
TBI_act	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	feeling irritable, easily annoyed, or grouchy	No=104 YesBut=10 Yes=31 D=0 .=60	No=100 YesBut=21 Yes=57 D=0 .=48	No=80 YesBut=10 Yes=21 D=0 .=94	No=75 YesBut=10 Yes=42 D=1 .=98	No=57 YesBut=2 Yes=13 D=0 .=133	No=48 YesBut=12 Yes=24 D=0 .=142	No=35 YesBut=5 Yes=7 D=0 .=158	No=39 YesBut=4 Yes=20 D=0 .=163
TBI_adt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	mood changes, such as feeling depressed or anxious	No=103 YesBut=11 Yes=30 D=1 .=60	No=90 YesBut=18 Yes=69 D=0 .=49	No=78 YesBut=8 Yes=25 D=0 .=94	No=59 YesBut=14 Yes=55 D=1 .=97	No=56 YesBut=5 Yes=11 D=0 .=133	No=41 YesBut=12 Yes=31 D=0 .=142	No=35 YesBut=4 Yes=9 D=0 .=157	No=34 YesBut=6 Yes=23 D=0 .=163
TBI_aet	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	making sexual comments, sexual advances, or sexual acts should not have made	No=136 YesBut=2 Yes=6 D=1 .=60	No=172 YesBut=2 Yes=4 D=0 .=48	No=106 YesBut=1 Yes=4 D=0 .=94	No=122 YesBut=3 Yes=3 D=1 .=97	No=70 YesBut= Yes=2 D=0 .=133	No=81 YesBut= Yes=3 D=0 .=142	No=47 YesBut= Yes=1 D=0 .=157	No=62 YesBut= Yes=1 D=0 .=163
TBI_aft	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	bothered by lights or noise	No=102 YesBut=11 Yes=31 D=1 .=60	No=88 YesBut=24 Yes=66 D=0 .=48	No=79 YesBut=10 Yes=21 D=0 .=95	No=66 YesBut=24 Yes=38 D=1 .=97	No=56 YesBut=4 Yes=12 D=0 .=133	No=45 YesBut=13 Yes=25 D=1 .=142	No=32 YesBut=5 Yes=11 D=0 .=157	No=38 YesBut=6 Yes=19 D=0 .=163

TBI Tool: TBI-01-TBI-04										
Variable Name	Variable Code	Descriptor	TBI-01		TBI-02		TBI-03		TBI-04	
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_agt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing NA=Non Applicable	controlling alcohol or drug use	No=119 YesBut=6 Yes=15 D=1 .=60 NA=4	No=117 YesBut=14 Yes=39 D=0 .=48 NA=7	No=82 Yes=18 D=0 .=95 NA=2	No=91 YesBut=13 Yes=22 D=1 .=97 NA=2	No=60 YesBut=3 Yes=7 D=0 .=134 NA=1	No=61 YesBut=5 Yes=16 D=0 .=143 NA=0	No=43 YesBut=2 Yes=2 D=0 .=157 NA=1	No=48 YesBut=5 Yes=9 D=0 .=164 NA=0
TBI_ahf	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	other problem	No=134 YesBut=2 Yes=4 D=1 .=64	No=159 YesBut=1 Yes=17 D=0 .=49	No=109 YesBut=0 Yes=1 D=0 .=95	No=116 YesBut=0 Yes=12 D=1 .=98	No=68 YesBut=1 Yes=3 D=0 .=133	No=76 YesBut=0 Yes=8 D=0 .=142	No=45 YesBut=1 Yes=2 D=0 .=157	No=55 YesBut=0 Yes=7 D=0 .=164

TBI Tool: TBI 01-TBI 04										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females		
TBI_ah1+	text a/v: aggression/ violent b/r: buzz/ring hr: hear bc: behavior change ns (not specified) nbc: negative behavior change pbc: positive behavior change fb: flashbacks ff: fearful imp: impulsive loa: lack of awareness loi: loss of interest mh: mental health nm: nightmares ns: neurosomatic pa: pain sm: somatic wd: withdrawn	[if yes] specify	TBI-01	TBI-02	TBI-03	TBI-04	TBI-04	TBI-04		
			narrative a/v:0 b/r, hr:2 bc, nbc, pbc:2 fb:0 ff:0 imp:0 loa:0 loi:1 mh:0 nm:0 ns, pa, sm:2 wd:0	narrative a/v:0 b/r, hr:5 bc, nbc, pbc:2 fb:0 ff:3 imp:0 loa:0 loi:0 mh:0 nm:4 ns, pa, sm: 2 wd:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:0 fb:0 ff: 1 imp:0 loa:0 loi:0 mh:0 nm:0 ns, pa, sm:0 wd:0	narrative a/v:0 b/r, hr:2 bc, nbc, pbc:0 fb:1 ff:3 imp: 1 loa:1 loi:0 mh:0 nm:1 ns, pa, sm: 0 wd:1	narrative a/v:0 b/r, hr:1 bc, nbc, pbc:0 fb:0 ff:1 imp:0 loa:0 loi:0 mh:0 nm:0 ns, pa, sm:1 wd:0	narrative a/v:0 b/r, hr:2 bc, nbc, pbc:1 fb:0 ff:1 imp:0 loa:0 loi:0 mh:0 nm:0 ns, pa, sm:2 wd:0	narrative a/v:0 b/r, hr:0 bc, nbc, pbc:0 fb:0 ff:1 imp:0 loa:0 loi:0 mh:0 nm:0 ns, pa, sm:0 wd:0	narrative a/v:0 b/r, hr:0 bc, nbc, pbc:2 fb:0 ff:1 imp:0 loa:0 loi:0 mh:1 nm:1 ns, pa, sm:0 wd:0
TBI_ait	Yes=Yes No=No .=missing	after injury, did friends or family members say you acted differently or did you have more trouble in school	No=109 Yes=31 .=65	No=114 Yes=59 .=53	No=86 Yes=23 .=96	No=94 Yes=33 .=99	No=57 Yes=12 .=136	No=54 Yes=29 .=143	No=40 Yes=7 .=158	No=45 Yes=17 .=164

TBI Tool: TBI 01-TBI 04									
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males
TBI_ait†	a/v: aggression/violent b/r: buzz/ring hr: hear bc: behavior change ns (not specified) nbc: negative behavior change pbc: positive behavior change ff: fearful imp: impulsivity loa: lack of awareness loi: loss of interest mh: mental health ns: neurosomatic pa: pain sm: somatic wd: withdrawn aa: controlling temper ab: trouble sleeping ac: irritable/annoyed ad: mood changes ag: alcohol/drug use o: headaches p: dizziness/balance problems q: vision problems r: tiredness/fatigue s: seizures t: memory problems u: concentration problems v: lose train of thought w: difficulty learning x: difficulty reading, writing, or doing math y: reading slowly z: managing stress	[if yes] describe	TBI-01	TBI-02	TBI-03	TBI-04	TBI-04	TBI-04	TBI-04
			narrative a/v:2 b/r, hr:0 bc, nbc, pbc:13 ff:0 imp:0 loa:0 loi:2 mh:0 ns, pa, sm:0 wd:4 aa:3 ab:0 ac:2 ad:1 ag:1 o:0 p: 1 q:0 r:0 s:0 t:1 u:2 v:0 w:2 x:0 y:3 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:12 ff:6 imp:0 loa:2 loi:3 mh:5 ns, pa, sm:0 wd:16 aa:2 ab:1 ac:2 ad:13 ag:2 o:0 p:0 q:0 r:3 s:0 t:4 u:2 v:0 w:3 x:1 y:2 z:0	narrative a/v:0 b/r, hr:0 bc, nbc, pbc:6 ff:0 imp:0 loa:0 loi:1 mh:2 ns, pa, sm:2 wd:5 aa:3 ab:0 ac:3 ad:2 ag:3 o:0 p:0 q:0 r:1 s:0 t:1 u:1 v:0 w:1 x:0 y:2 z:0	narrative a/v:2 b/r, hr:2 bc, nbc, pbc:10 ff:4 imp:2 loa:1 loi:0 mh:6 ns, pa, sm:0 wd:6 aa:0 ab:0 ac:2 ad:6 ag:2 o:1 p:0 q:1 r:0 s:1 t:0 u:2 v:1 w:0 x:0 y:2 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:3 ff:2 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:1 wd:1 aa:2 ab:0 ac:1 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:1 v:0 w:0 x:0 y:1 z:1	narrative a/v:3 b/r, hr:0 bc, nbc, pbc:3 ff:5 imp:1 loa:0 loi:1 mh:2 ns, pa, sm:1 wd:8 aa:1 ab:0 ac:1 ad:3 ag:0 o:0 p:0 q:0 r:1 s:0 t:2 u:3 v:1 w:0 x:0 y:0 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:4 ff:0 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:0 wd:0 aa:0 ab:0 ac:2 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:0 v:0 w:0 x:0 y:0 z:0
			narrative a/v:2 b/r, hr:0 bc, nbc, pbc:13 ff:0 imp:0 loa:0 loi:2 mh:0 ns, pa, sm:0 wd:4 aa:3 ab:0 ac:2 ad:1 ag:1 o:0 p: 1 q:0 r:0 s:0 t:1 u:2 v:0 w:2 x:0 y:3 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:12 ff:6 imp:0 loa:2 loi:3 mh:5 ns, pa, sm:0 wd:16 aa:2 ab:1 ac:2 ad:13 ag:2 o:0 p:0 q:0 r:3 s:0 t:4 u:2 v:0 w:3 x:1 y:2 z:0	narrative a/v:0 b/r, hr:0 bc, nbc, pbc:6 ff:0 imp:0 loa:0 loi:1 mh:2 ns, pa, sm:2 wd:5 aa:3 ab:0 ac:3 ad:2 ag:3 o:0 p:0 q:0 r:1 s:0 t:1 u:1 v:0 w:1 x:0 y:2 z:0	narrative a/v:2 b/r, hr:2 bc, nbc, pbc:10 ff:4 imp:2 loa:1 loi:0 mh:6 ns, pa, sm:0 wd:6 aa:0 ab:0 ac:2 ad:6 ag:2 o:1 p:0 q:1 r:0 s:1 t:0 u:2 v:1 w:0 x:0 y:2 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:3 ff:2 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:1 wd:1 aa:2 ab:0 ac:1 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:1 v:0 w:0 x:0 y:1 z:1	narrative a/v:3 b/r, hr:0 bc, nbc, pbc:3 ff:5 imp:1 loa:0 loi:1 mh:2 ns, pa, sm:1 wd:8 aa:1 ab:0 ac:1 ad:3 ag:0 o:0 p:0 q:0 r:1 s:0 t:2 u:3 v:1 w:0 x:0 y:0 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:4 ff:0 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:0 wd:0 aa:0 ab:0 ac:2 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:0 v:0 w:0 x:0 y:0 z:0
			narrative a/v:2 b/r, hr:0 bc, nbc, pbc:13 ff:0 imp:0 loa:0 loi:2 mh:0 ns, pa, sm:0 wd:4 aa:3 ab:0 ac:2 ad:1 ag:1 o:0 p: 1 q:0 r:0 s:0 t:1 u:2 v:0 w:2 x:0 y:3 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:12 ff:6 imp:0 loa:2 loi:3 mh:5 ns, pa, sm:0 wd:16 aa:2 ab:1 ac:2 ad:13 ag:2 o:0 p:0 q:0 r:3 s:0 t:4 u:2 v:0 w:3 x:1 y:2 z:0	narrative a/v:0 b/r, hr:0 bc, nbc, pbc:6 ff:0 imp:0 loa:0 loi:1 mh:2 ns, pa, sm:2 wd:5 aa:3 ab:0 ac:3 ad:2 ag:3 o:0 p:0 q:0 r:1 s:0 t:1 u:1 v:0 w:1 x:0 y:2 z:0	narrative a/v:2 b/r, hr:2 bc, nbc, pbc:10 ff:4 imp:2 loa:1 loi:0 mh:6 ns, pa, sm:0 wd:6 aa:0 ab:0 ac:2 ad:6 ag:2 o:1 p:0 q:1 r:0 s:1 t:0 u:2 v:1 w:0 x:0 y:2 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:3 ff:2 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:1 wd:1 aa:2 ab:0 ac:1 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:1 v:0 w:0 x:0 y:1 z:1	narrative a/v:3 b/r, hr:0 bc, nbc, pbc:3 ff:5 imp:1 loa:0 loi:1 mh:2 ns, pa, sm:1 wd:8 aa:1 ab:0 ac:1 ad:3 ag:0 o:0 p:0 q:0 r:1 s:0 t:2 u:3 v:1 w:0 x:0 y:0 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:4 ff:0 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:0 wd:0 aa:0 ab:0 ac:2 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:0 v:0 w:0 x:0 y:0 z:0
			narrative a/v:2 b/r, hr:0 bc, nbc, pbc:13 ff:0 imp:0 loa:0 loi:2 mh:0 ns, pa, sm:0 wd:4 aa:3 ab:0 ac:2 ad:1 ag:1 o:0 p: 1 q:0 r:0 s:0 t:1 u:2 v:0 w:2 x:0 y:3 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:12 ff:6 imp:0 loa:2 loi:3 mh:5 ns, pa, sm:0 wd:16 aa:2 ab:1 ac:2 ad:13 ag:2 o:0 p:0 q:0 r:3 s:0 t:4 u:2 v:0 w:3 x:1 y:2 z:0	narrative a/v:0 b/r, hr:0 bc, nbc, pbc:6 ff:0 imp:0 loa:0 loi:1 mh:2 ns, pa, sm:2 wd:5 aa:3 ab:0 ac:3 ad:2 ag:3 o:0 p:0 q:0 r:1 s:0 t:1 u:1 v:0 w:1 x:0 y:2 z:0	narrative a/v:2 b/r, hr:2 bc, nbc, pbc:10 ff:4 imp:2 loa:1 loi:0 mh:6 ns, pa, sm:0 wd:6 aa:0 ab:0 ac:2 ad:6 ag:2 o:1 p:0 q:1 r:0 s:1 t:0 u:2 v:1 w:0 x:0 y:2 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:3 ff:2 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:1 wd:1 aa:2 ab:0 ac:1 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:1 v:0 w:0 x:0 y:1 z:1	narrative a/v:3 b/r, hr:0 bc, nbc, pbc:3 ff:5 imp:1 loa:0 loi:1 mh:2 ns, pa, sm:1 wd:8 aa:1 ab:0 ac:1 ad:3 ag:0 o:0 p:0 q:0 r:1 s:0 t:2 u:3 v:1 w:0 x:0 y:0 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:4 ff:0 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:0 wd:0 aa:0 ab:0 ac:2 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:0 v:0 w:0 x:0 y:0 z:0
			narrative a/v:2 b/r, hr:0 bc, nbc, pbc:13 ff:0 imp:0 loa:0 loi:2 mh:0 ns, pa, sm:0 wd:4 aa:3 ab:0 ac:2 ad:1 ag:1 o:0 p: 1 q:0 r:0 s:0 t:1 u:2 v:0 w:2 x:0 y:3 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:12 ff:6 imp:0 loa:2 loi:3 mh:5 ns, pa, sm:0 wd:16 aa:2 ab:1 ac:2 ad:13 ag:2 o:0 p:0 q:0 r:3 s:0 t:4 u:2 v:0 w:3 x:1 y:2 z:0	narrative a/v:0 b/r, hr:0 bc, nbc, pbc:6 ff:0 imp:0 loa:0 loi:1 mh:2 ns, pa, sm:2 wd:5 aa:3 ab:0 ac:3 ad:2 ag:3 o:0 p:0 q:0 r:1 s:0 t:1 u:1 v:0 w:1 x:0 y:2 z:0	narrative a/v:2 b/r, hr:2 bc, nbc, pbc:10 ff:4 imp:2 loa:1 loi:0 mh:6 ns, pa, sm:0 wd:6 aa:0 ab:0 ac:2 ad:6 ag:2 o:1 p:0 q:1 r:0 s:1 t:0 u:2 v:1 w:0 x:0 y:2 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:3 ff:2 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:1 wd:1 aa:2 ab:0 ac:1 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:1 v:0 w:0 x:0 y:1 z:1	narrative a/v:3 b/r, hr:0 bc, nbc, pbc:3 ff:5 imp:1 loa:0 loi:1 mh:2 ns, pa, sm:1 wd:8 aa:1 ab:0 ac:1 ad:3 ag:0 o:0 p:0 q:0 r:1 s:0 t:2 u:3 v:1 w:0 x:0 y:0 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:4 ff:0 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:0 wd:0 aa:0 ab:0 ac:2 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:0 v:0 w:0 x:0 y:0 z:0
			narrative a/v:2 b/r, hr:0 bc, nbc, pbc:13 ff:0 imp:0 loa:0 loi:2 mh:0 ns, pa, sm:0 wd:4 aa:3 ab:0 ac:2 ad:1 ag:1 o:0 p: 1 q:0 r:0 s:0 t:1 u:2 v:0 w:2 x:0 y:3 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:12 ff:6 imp:0 loa:2 loi:3 mh:5 ns, pa, sm:0 wd:16 aa:2 ab:1 ac:2 ad:13 ag:2 o:0 p:0 q:0 r:3 s:0 t:4 u:2 v:0 w:3 x:1 y:2 z:0	narrative a/v:0 b/r, hr:0 bc, nbc, pbc:6 ff:0 imp:0 loa:0 loi:1 mh:2 ns, pa, sm:2 wd:5 aa:3 ab:0 ac:3 ad:2 ag:3 o:0 p:0 q:0 r:1 s:0 t:1 u:1 v:0 w:1 x:0 y:2 z:0	narrative a/v:2 b/r, hr:2 bc, nbc, pbc:10 ff:4 imp:2 loa:1 loi:0 mh:6 ns, pa, sm:0 wd:6 aa:0 ab:0 ac:2 ad:6 ag:2 o:1 p:0 q:1 r:0 s:1 t:0 u:2 v:1 w:0 x:0 y:2 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:3 ff:2 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:1 wd:1 aa:2 ab:0 ac:1 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:1 v:0 w:0 x:0 y:1 z:1	narrative a/v:3 b/r, hr:0 bc, nbc, pbc:3 ff:5 imp:1 loa:0 loi:1 mh:2 ns, pa, sm:1 wd:8 aa:1 ab:0 ac:1 ad:3 ag:0 o:0 p:0 q:0 r:1 s:0 t:2 u:3 v:1 w:0 x:0 y:0 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:4 ff:0 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:0 wd:0 aa:0 ab:0 ac:2 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:0 v:0 w:0 x:0 y:0 z:0
			narrative a/v:2 b/r, hr:0 bc, nbc, pbc:13 ff:0 imp:0 loa:0 loi:2 mh:0 ns, pa, sm:0 wd:4 aa:3 ab:0 ac:2 ad:1 ag:1 o:0 p: 1 q:0 r:0 s:0 t:1 u:2 v:0 w:2 x:0 y:3 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:12 ff:6 imp:0 loa:2 loi:3 mh:5 ns, pa, sm:0 wd:16 aa:2 ab:1 ac:2 ad:13 ag:2 o:0 p:0 q:0 r:3 s:0 t:4 u:2 v:0 w:3 x:1 y:2 z:0	narrative a/v:0 b/r, hr:0 bc, nbc, pbc:6 ff:0 imp:0 loa:0 loi:1 mh:2 ns, pa, sm:2 wd:5 aa:3 ab:0 ac:3 ad:2 ag:3 o:0 p:0 q:0 r:1 s:0 t:1 u:1 v:0 w:1 x:0 y:2 z:0	narrative a/v:2 b/r, hr:2 bc, nbc, pbc:10 ff:4 imp:2 loa:1 loi:0 mh:6 ns, pa, sm:0 wd:6 aa:0 ab:0 ac:2 ad:6 ag:2 o:1 p:0 q:1 r:0 s:1 t:0 u:2 v:1 w:0 x:0 y:2 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:3 ff:2 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:1 wd:1 aa:2 ab:0 ac:1 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:1 v:0 w:0 x:0 y:1 z:1	narrative a/v:3 b/r, hr:0 bc, nbc, pbc:3 ff:5 imp:1 loa:0 loi:1 mh:2 ns, pa, sm:1 wd:8 aa:1 ab:0 ac:1 ad:3 ag:0 o:0 p:0 q:0 r:1 s:0 t:2 u:3 v:1 w:0 x:0 y:0 z:0	narrative a/v:1 b/r, hr:0 bc, nbc, pbc:4 ff:0 imp:0 loa:0 loi:0 mh:0 ns, pa, sm:0 wd:0 aa:0 ab:0 ac:2 ad:0 ag:0 o:0 p:0 q:0 r:0 s:0 t:0 u:0 v:0 w:0 x:0 y:0 z:0

TBI Tool: TBI 05-TBI 08										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI01_ (TBI_01_ in original data)		narrative description of injury	TBI-05		TBI-06		TBI-07		TBI-08	
TBI_01a	TR=Transportation SV=Self-inflicted violence OV=Other-inflicted violence, not blast BL=Blast injury FA=Falls SP=Sports OT=Other .=missing	etiology of injury	narrative	narrative	narrative	narrative	narrative	narrative	narrative	narrative
			TR=6	TR=6	TR=4	TR=2	TR=2	TR=1	TR=0	TR=0
			SV=0	SV=0	SV=0	SV=0	SV=0	SV=0	SV=0	SV=0
			OV=5	OV=6	OV=1	OV=6	OV=3	OV=8	OV=3	OV=4
			BL=0	BL=0	BL=0	BL=0	BL=0	BL=0	BL=0	BL=0
			FA=2	FA=4	FA=3	FA=2	FA=1	FA=1	FA=0	FA=1
			SP=1	SP=0	SP=0	SP=3	SP=0	SP=0	SP=0	SP=0
			OT=3 .=188	OT=4 .=206	OT=5 .=192	OT=2 .= 211	OT=1 .=198	OT=1 .=215	OT=0 .=202	OT=1 .=220
TBI_01b	Yes=Yes No=No D= .=missing	multiple mild	Yes=0 No=16 D=0 .=189	Yes=2 No=17 D=8 .=207	Yes=2 No=10 D=0 .=193	Yes=4 No=10 D=0 .=212	Yes=0 No=7 D=0 .=198	Yes=2 No=9 D=0 .=215	Yes=0 No=3 D=0 .=202	Yes=0 No=5 D=0 .=221

TBI Tool: TBI 05-TBI 08										
Variable Name	Variable Code	Descriptor	TBI-05				TBI-06			
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_c1	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	age at beginning of injury	TBI-05				TBI-06			
			N=11 $\bar{X}$ = 16.00 SD= 9.94 Med= 13.00 Rng= (6.00, 36.00) .=194	N=14 $\bar{X}$ = 15.21 SD= 12.63 Med= 9.00 Rng= (1.00, 44.00) .=212	N=8 $\bar{X}$ = 15.25 SD= 10.69 Med= 14.00 Rng= (1.00, 36.00) .=197	N=10 $\bar{X}$ = 13.20 SD= 7.86 Med= 12.50 Rng= (0.00, 26.00) .=216	N=5 $\bar{X}$ = 17.60 SD= 7.20 Med= 20.00 Rng= (5.00, 23.00) .=200	N=6 $\bar{X}$ = 10.67 SD= 6.15 Med= 8.50 Rng= (5.00, 21.00) .=220	N=3 $\bar{X}$ = 16.67 SD= 2.52 Med= 17.00 Rng= (14.00, 19.00) .=202	N=3 $\bar{X}$ = 10.00 SD= 5.20 Med= 7.00 Rng= (7.00, 16.00) .=223
TBI_c2	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range .=missing	age at end of injury	TBI-05				TBI-06			
			N=6 $\bar{X}$ = 15.67 SD= 2.94 Med= 16.00 Rng= (11.00, 19.00) .=199	N=8 $\bar{X}$ = 15.88 SD= 8.79 Med= 15.00 Rng= (2.00, 31.00) .=218	N=8 $\bar{X}$ = 14.50 SD= 6.50 Med= 13.50 Rng= (7.00, 25.00) .=197	N=9 $\bar{X}$ = 17.33 SD= 7.73 Med= 17.00 Rng= (7.00, 35.00) .=217	N=2 $\bar{X}$ = 9.00 SD= 4.24 Med= 9.00 Rng= (6.00, 12.00) .=203	N=7 $\bar{X}$ = 22.00 SD= 10.05 Med= 22.00 Rng= (6.00, 36.00) .=219	N=0 $\bar{X}$ = N/A SD= N/A Med= N/A Rng= N/A .= 205	N=4 $\bar{X}$ = 22.25 SD= 11.53 Med= 23.00 Rng= (8.00, 35.00) .=222
TBI_d	Yes=Yes No=No .=missing NA=Non Applicable	in military at time of injury	TBI-05				TBI-06			
			Yes=0 No=17 .=188 NA=0	Yes=0 No=20 .=206 NA=0	Yes=0 No=13 .=192 NA=0	Yes=0 No=14 .=211 NA=1	Yes=0 No=7 .=198 NA=0	Yes=0 No=11 .=215 NA=0	Yes=0 No=3 .=202 NA=0	Yes=0 No=6 .=220 NA=0
TBI_d1+	Yes=Yes No=No .=missing	injured in combat	TBI-05				TBI-06			
			Yes=0 No=0 .=320	Yes=0 No=2 .=316	Yes=0 No=1 .=319	Yes=0 No=0 .=318	Yes=0 No=0 .=320	Yes=0 No=0 .=318	Yes=0 No=0 .=320	Yes=0 No=0 .=318



TBI Tool: TBI 05-TBI 08										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
			TBI-05		TBI-06		TBI-07		TBI-08	
TBI_e	JD=Juvenile detention JL=Jail PR=Prison MP=Military prison .=missing	in juvenile detention, jail, prison, or military prison	JD=0 JL=0 PR=0 MP=0 .=205	JD=0 JL=0 PR=2 MP=0 .=224	JD=0 JL=0 PR=0 MP=0 .=205	JD=0 JL=0 PR=1 MP=0 .=225	JD=0 JL=0 PR=0 MP=0 .=205	JD=0 JL=0 PR=2 MP=0 .=224	JD=0 JL=0 PR=1 MP=0 .=204	JD=0 JL=0 PR=0 MP=0 .=226
TBI_f	Yes=Yes No=No .=missing NA=Non Applicable	drinking or using other drugs at time of injury	Yes=6 No=9 .=190 NA=0	Yes=2 No=17 .=207 NA=0	Yes=3 No=8 .=194 NA=0	Yes=2 No=11 .=211 NA=2	Yes=2 No=5 .=198 NA=0	Yes=1 No=9 .=216 NA=0	Yes=1 No=1 .=203 NA=0	Yes=2 No=4 .=220 NA=0
TBI_g	Yes=Yes No=No D=Don't know .=missing	knocked out or lose consciousness	Yes=9 No=8 D=0 .=188	Yes=6 No=13 D=0 .=207	Yes=5 No=8 D=0 .=192	Yes=7 No=6 D=1 .=212	Yes=1 No=5 D=0 .=199	Yes=4 No=7 D=0 .=215	Yes=1 No=2 D=0 .=202	Yes=1 No=4 D=1 .=220
TBI_h†	1=< than 5 minutes 2=5-30 minutes 3=>30 minutes-24 hours 4=>24 hours D=Don't know .=missing	how long	1=3 2=3 3=1 4=0 D=2 .=0	1=2 2=0 3=2 4=0 D=1 .=1	1=2 2=2 3=0 4=0 D=1 .=0	1=1 2=1 3=1 4=1 D=3 .=0	1=0 2=0 3=0 4=0 D=1 .=0	1=2 2=2 3=0 4=0 D=0 .=0	1=1 2=0 3=0 4=0 D=0 .=0	1=0 2=1 3=0 4=0 D=0 .=0
TBI_it	Yes=Yes No=No	dazed or confused	Yes=7 No=1	Yes=12 No=1	Yes=8 No=0	Yes=6 No=0	Yes=5 No=0	Yes=7 No=0	Yes=2 No=0	Yes=4 No=0
TBI_j†	Yes=Yes No=No .=missing	forget what happened before or after	Yes=1 No=5 .=2	Yes=4 No=9 .=0	Yes=2 No=6 .=0	Yes=0 No=6 .=0	Yes=1 No=3 .=1	Yes=2 No=5 .=0	Yes=1 No=1 .=0	Yes=3 No=0 .=1

TBI Tool: TBI 05-TBI 08												
Variable Name	Variable Code	Descriptor	TBI-05		TBI-06		TBI-07		TBI-08		Freq Females	Freq Males
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females		
TBI_k	Yes=Yes No=No .=missing	treated in ED	Yes=8 No=9 .=188	Yes=12 No=8 .=206	Yes=6 No=7 .=192	Yes=7 No=7 .=212	Yes=3 No=3 .=199	Yes=4 No=7 .=215	Yes=0 No=3 .=202	Yes=3 No=2 .=221		
TBI_k1†	Yes=Yes No=No .=missing	treated in ED in SC	Yes=5 No=3 .=0	Yes=9 No=3 .=0	Yes=5 No=1 .=0	Yes=5 No=1 .=1	Yes=2 No=1 .=0	Yes=3 No=1 .=0	Yes=0 No=0 .=0	Yes=2 No=0 .=1		
TBI_l	Yes=Yes No=No D=Don't know .=missing	hospitalized	Yes=3 No=11 D=0 .=191	Yes=3 No=16 D=1 .=206	Yes=3 No=8 D=1 .=193	Yes=2 No=10 D=0 .=214	Yes=0 No=6 D=0 .=199	Yes=1 No=6 D=0 .=219	Yes=0 No=3 D=0 .=202	Yes=1 No=4 D=0 .=221		
TBI_l1†	Yes=Yes No=No .=missing	hospitalized in SC	Yes=2 No=1 .=0	Yes=1 No=1 .=1	Yes=2 No=1 .=0	Yes=2 No=0 .=0	Yes=0 No=0 .=0	Yes=1 No=0 .=0	Yes=0 No=0 .=0	Yes=1 No=0 .=0		
TBI_l2†	HM=Home RF=Rehabilitation Facility NH=Nursing Home JL=Jail, Prison, or Juvenile Detention OT=Other .=missing	discharged to	HM=2 RF=0 NH=0 JL=0 OT=0 .=1	HM=3 RF=0 NH=0 JL=0 OT=0 .=0	HM=3 RF=0 NH=0 JL=0 OT=0 .=0	HM=2 RF=0 NH=0 JL=0 OT=0 .=0	HM=0 RF=0 NH=0 JL=0 OT=0 .=0	HM=1 RF=0 NH=0 JL=0 OT=0 .=0	HM=0 RF=0 NH=0 JL=0 OT=0 .=0	HM=1 RF=0 NH=0 JL=0 OT=0 .=0		
TBI_mt†	Yes=Yes No=No .=missing	other medical attention	Yes=0 No=6 .=5	Yes=1 No=6 .=9	Yes=0 No=6 .=2	Yes=0 No=5 .=5	Yes=0 No=3 .=3	Yes=0 No=3 .=3	Yes=1 No=2 .=0	Yes=0 No=1 .=3		

TBI Tool: TBI 05-TBI 08										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
			TBI-05		TBI-06		TBI-07		TBI-08	
TBI_m1+	MD=Doctor's office or clinic NU=Nurse or other health care provider IN=Infirmary	doctor's office or clinic, school/college nurse or other health care provider, or infirmary (incarcerated or military)	MD=0 NU=0 IN=0	MD=1 NU=0 IN=0	MD=0 NU=0 IN=0	MD=0 NU=0 IN=0	MD=0 NU=0 IN=0	MD=0 NU=0 IN=0	MD=0 NU=0 IN=1	MD=0 NU=0 IN=0
TBI_nt	Yes=Yes No=No	should you have received help, but did not	Yes=5 No=1	Yes=6 No=0	Yes=3 No=3	Yes=5 No=0	Yes=3 No=0	Yes=2 No=1	Yes=2 No=0	Yes=1 No=0
TBI_ot	No=No YesBut=Yes, but went away Yes=Yes, and remained D=Don't know .=missing	headaches	No=4 YesBut=7 Yes=5 D=1 .=188	No=4 YesBut=6 Yes=7 D=1 .=208	No=3 YesBut=4 Yes=4 D=1 .=193	No=4 YesBut=7 Yes=3 D=1 .=211	No=2 YesBut=3 Yes=1 D=0 .=199	No=2 YesBut=4 Yes=4 D=1 .=215	No=0 YesBut=2 Yes=1 D=0 .=202	No=0 YesBut=3 Yes=3 D=0 .=220
TBI_pt	No=No YesBut=Yes, but went away Yes=Yes, and remained D=Don't know .=missing	dizziness or balance problems	No=7 YesBut=5 Yes=3 D=1 .=189	No=6 YesBut=9 Yes=2 D=1 .=208	No=4 YesBut=4 Yes=3 D=1 .=193	No=6 YesBut=4 Yes=4 D=1 .=211	No=2 YesBut=3 Yes=1 D=0 .=199	No=4 YesBut=4 Yes=2 D=1 .=215	No=0 YesBut=2 Yes=1 D=0 .=202	No=1 YesBut=3 Yes=2 D=0 .=220

TBI Tool: TBI 05-TBI 08										
Variable Name	Variable Code	Descriptor	TBI-05				TBI-06			
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_q†	No=No YesBut=Yes but went away Yes=Yes and remained D=Don't know .=missing	blurred vision or another vision problem	No=9 YesBut=3 Yes=3 D=1 .=189	No=6 YesBut=8 Yes=2 D=2 .=208	No=6 YesBut=0 Yes=5 D=1 .=193	No=7 YesBut=4 Yes=3 D=1 .=211	No=4 YesBut=0 Yes=2 D=0 .=199	No=5 YesBut=3 Yes=3 D=0 .=215	No=1 YesBut=0 Yes=2 D=0 .=202	No=3 YesBut=1 Yes=0 D=2 .=220
TBI_rt	No=No YesBut=Yes, but went away Yes=Yes, and remained D=Don't know .=missing	tiredness or fatigue	No=10 YesBut=3 Yes=1 D=1 .=190	No=9 YesBut=5 Yes=2 D=2 .=208	No=8 YesBut=1 Yes=2 D=1 .=193	No=9 YesBut=4 Yes=1 D=1 .=211	No=4 YesBut=1 Yes=1 D=0 .=199	No=4 YesBut=6 Yes=1 D=0 .=215	No=1 YesBut=1 Yes=1 D=0 .=202	No=2 YesBut=2 Yes=0 D=2 .=220
TBI_st	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	seizures	No=14 YesBut=0 Yes=1 D=1 .=189	No=17 YesBut=0 Yes=0 D=0 .=208	No=11 YesBut=0 Yes=0 D=1 .=192	No=14 YesBut=0 Yes=1 D=0 .=211	No=6 YesBut=0 Yes=0 D=0 .=199	No=11 YesBut=0 Yes=0 D=0 .=215	No=3 YesBut=0 Yes=0 D=0 .=202	No=6 YesBut=0 Yes=0 D=0 .=220
TBI_tt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	trouble remembering things or solving problems	No=8 YesBut=1 Yes=6 D=1 .=189	No=11 YesBut=3 Yes=2 D=1 .=208	No=6 YesBut=1 Yes=4 D=1 .=192	No=10 YesBut=2 Yes=1 D=1 .=211	No=3 YesBut=1 Yes=2 D=0 .=199	No=9 YesBut=0 Yes=2 D=0 .=215	No=0 YesBut=1 Yes=2 D=0 .=202	No=5 YesBut=0 Yes=0 D=1 .=220

TBI Tool: TBI 05-TBI 08										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
			TBI-05		TBI-06		TBI-07		TBI-08	
TBI_vt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	trouble concentrating or paying attention	No=7 YesBut=2 Yes=6 D=1 .=188	No=10 YesBut=2 Yes=4 D=1 .=208	No=5 YesBut=2 Yes=4 D=1 .=192	No=10 YesBut=3 Yes=1 D=1 .=211	No=3 YesBut=1 Yes=2 D=0 .=199	No=7 YesBut=2 Yes=2 D=0 .=215	No=0 YesBut=1 Yes=2 D=0 .=202	No=4 YesBut=1 Yes=0 D=1 .=220
TBI_vt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	losing train of thought	No=8 YesBut=2 Yes=6 D=1 .=188	No=9 YesBut=5 Yes=2 D=0 .=208	No=6 YesBut=1 Yes=4 D=1 .=193	No=11 YesBut=0 Yes=3 D=1 .=211	No=3 YesBut=1 Yes=2 D=0 .=199	No=7 YesBut=1 Yes=3 D=0 .=215	No=0 YesBut=1 Yes=2 D=0 .=202	No=4 YesBut=1 Yes=0 D=1 .=220
TBI_wt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	difficulty learning new information	No=8 YesBut=2 Yes=6 D=1 .=188	No=12 YesBut=1 Yes=3 D=1 .=208	No=7 YesBut=1 Yes=3 D=1 .=192	No=12 YesBut=0 Yes=2 D=1 .=211	No=4 YesBut=1 Yes=1 D=0 .=199	No=9 YesBut=0 Yes=2 D=0 .=215	No=1 YesBut=1 Yes=1 D=0 .=202	No=5 YesBut=0 Yes=0 D=1 .=220
TBI_xt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	difficulty reading, writing, or doing math	No=9 YesBut=1 Yes=6 D=1 .=188	No=12 YesBut=2 Yes=2 D=1 .=208	No=7 YesBut=1 Yes=3 D=1 .=192	No=11 YesBut=0 Yes=3 D=1 .=211	No=4 YesBut=1 Yes=1 D=0 .=199	No=9 YesBut=0 Yes=2 D=0 .=215	No=1 YesBut=1 Yes=1 D=0 .=202	No=5 YesBut=0 Yes=0 D=1 .=220

TBI Tool: TBI 05-TBI 08										
Variable Name	Variable Code	Descriptor	TBI-05				TBI-06			
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_yt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	reacting slowly or feeling foggy	No=10 YesBut=1 Yes=5 D=1 .=188	No=10 YesBut=3 Yes=3 D=1 .=208	No=5 YesBut=2 Yes=4 D=1 .=192	No=11 YesBut=1 Yes=2 D=1 .=211	No=3 YesBut=1 Yes=2 D=0 .=199	No=8 YesBut=1 Yes=2 D=0 .=215	No=0 YesBut=1 Yes=2 D=0 .=202	No=5 YesBut=0 Yes=0 D=1 .=220
TBI_zt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	managing stress or emotional upsets	No=9 YesBut=1 Yes=6 D=1 .=188	No=8 YesBut=3 Yes=5 D=1 .=208	No=6 YesBut=1 Yes=4 D=1 .=192	No=10 YesBut=1 Yes=3 D=1 .=211	No=3 YesBut=1 Yes=2 D=0 .=199	No=5 YesBut=1 Yes=5 D=0 .=215	No=0 YesBut=1 Yes=2 D=0 .=202	No=4 YesBut=0 Yes=1 D=1 .=220
TBI_aat	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	controlling your temper	No=10 YesBut=1 Yes=5 D=1 .=188	No=12 YesBut=0 Yes=3 D=1 .=208	No=7 YesBut=1 Yes=3 D=1 .=192	No=7 YesBut=2 Yes=5 D=1 .=211	No=4 YesBut=1 Yes=1 D=0 .=199	No=7 YesBut=0 Yes=4 D=0 .=215	No=1 YesBut=1 Yes=1 D=0 .=202	No=5 YesBut=0 Yes=0 D=1 .=220
TBI_abt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	trouble going to sleep or staying asleep	No=11 YesBut=1 Yes=4 D=1 .=188	No=10 YesBut=2 Yes=4 D=1 .=208	No=7 YesBut=1 Yes=3 D=1 .=192	No=8 YesBut=1 Yes=5 D=1 .=211	No=3 YesBut=1 Yes=2 D=0 .=199	No=7 YesBut=1 Yes=3 D=0 .=215	No=0 YesBut=1 Yes=2 D=0 .=202	No=4 YesBut=0 Yes=1 D=1 .=220

TBI Tool: TBI-05-TBI-08										
Variable Name	Variable Code	Descriptor	TBI-05		TBI-06		TBI-07		TBI-08	
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females		
TBI_act	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	feeling irritable, easily annoyed, or grouchy	No=9 YesBut=1 Yes=6 D=1 .=188	No=11 YesBut=2 Yes=3 D=1 .=208	No=5 YesBut=2 Yes=4 D=1 .=192	No=8 YesBut=2 Yes=4 D=1 .=211	No=3 YesBut=1 Yes=2 D=0 .=199	No=7 YesBut=0 Yes=4 D=0 .=215	No=0 YesBut=1 Yes=2 D=0 .=202	No=4 YesBut=0 Yes=1 D=1 .=220
TBI_ad†	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	mood changes, such as feeling depressed or anxious	No=8 YesBut=2 Yes=6 D=1 .=188	No=10 YesBut=0 Yes=6 D=1 .=209	No=5 YesBut=2 Yes=4 D=1 .=193	No=6 YesBut=1 Yes=6 D=1 .=212	No=4 YesBut=1 Yes=1 D=0 .=199	No=7 YesBut=0 Yes=4 D=0 .=215	No=1 YesBut=1 Yes=1 D=0 .=202	No=5 YesBut=0 Yes=1 D=0 .=220
TBI_aet	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	making sexual comments, sexual advances, or sexual acts should not have made	No=16 YesBut=0 Yes=0 D=1 .=188	No=16 YesBut=0 Yes=1 D=0 .=208	No=11 YesBut=0 Yes=0 D=1 .=192	No=14 YesBut=0 Yes=0 D=0 .=211	No=6 YesBut=0 Yes=0 D=0 .=199	No=11 YesBut=0 Yes=0 D=0 .=215	No=3 YesBut=0 Yes=0 D=0 .=202	No=6 YesBut=0 Yes=0 D=0 .=220
TBI_aft	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing	bothered by lights or noise	No=9 YesBut=1 Yes=6 D=1 .=188	No=5 YesBut=4 Yes=7 D=1 .=209	No=5 YesBut=2 Yes=4 D=1 .=193	No=5 YesBut=3 Yes=5 D=1 .=212	No=4 YesBut=1 Yes=1 D=0 .=199	No=5 YesBut=2 Yes=4 D=0 .=215	No=1 YesBut=1 Yes=1 D=0 .=202	No=4 YesBut=0 Yes=2 D=0 .=220

TBI Tool: TBI 05-TBI 08										
Variable Name	Variable Code	Descriptor	TBI-05				TBI-06			
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_agt	No=No YesBut=Yes, but went away Yes=Yes, and remain D=Don't know .=missing NA=Non Applicable	controlling alcohol or drug use	No=14 YesBut=0 Yes=2 D=1 .=188 NA=0	No=15 YesBut=1 Yes=0 D=0 .=209 NA=1	No=9 YesBut=1 Yes=1 D=0 .=193 NA=1	No=10 YesBut=1 Yes=3 D=0 .=212 NA=0	No=3 YesBut=1 Yes=2 D=0 .=199 NA=0	No=9 YesBut=0 Yes=2 D=0 .=215 NA=0	No=1 YesBut=1 Yes=0 D=0 .=202 NA=1	No=5 YesBut=0 Yes=1 D=0 .=220 NA=0
TBI_ah†	No=No Yes=Yes, and remain D=Don't know .=missing	other problem	No=15 Yes=1 D=1 .=188	No=16 Yes=0 D=1 .=209	No=10 Yes=1 D=0 .=194	No=13 Yes=0 D=0 .=213	No=6 Yes=0 D=0 .=199	No=11 Yes=0 D=0 .=215	No=3 Yes=0 D=0 .=202	No=5 Yes=1 D=0 .=220
TBI_ah1†	text ff: fearful	[if yes] specify	narrative ff: 0	narrative ff: 0	narrative ff: 1	narrative ff: 0	narrative ff: 0	narrative ff: 0	narrative ff: 0	narrative ff: 1
TBI_ai†	Yes=Yes No=No D=Don't know .=missing	after injury, did friends or family members say you acted differently or did you have more trouble in school	Yes=7 No=9 D=1 .=188	Yes=3 No=13 D=1 .=209	Yes=3 No=7 D=0 .=195	Yes=4 No=9 D=0 .=213	Yes=1 No=5 D=0 .=199	Yes=3 No=7 D=0 .=216	Yes=0 No=3 D=0 .=202	Yes=1 No=4 D=0 .=221



TBI Tool: TBI 05-TBI 08										
Variable Name	Variable Code	Descriptor	TBI-05		TBI-06		TBI-07		TBI-08	
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_ai1†	text a/v: aggression/ violent bc: behavior change ns (not specified) nbc: negative behavior change pbc: positive behavior change ff: fearful ns: neurosomatic pa: pain sm: somatic wd: withdrawn ac: irritable/ annoyed ad: mood changes, p: dizziness/ balance problems q:vision problems x: difficulty reading, writing, or doing math y:reading slowly	[if yes] describe	narrative a/v:1 bc, nbc, pbc:3 ff:0 ns, pa, sm:0 wd:0 ac:2 ad:0 p:0 q:0 x:0 y:1	narrative a/v:0 bc, nbc, pbc:1 ff:2 ns, pa, sm:0 wd:0 ac:0 ad:1 p: 0 q:0 x:0 y:0	narrative a/v:0 bc, nbc, pbc:2 ff:0 ns, pa, sm:0 wd:0 ac:1 ad:0 p:1 q:0 x:0 y:0	narrative a/v:0 bc, nbc, pbc:1 ff:1 ns, pa, sm:1 wd:1 ac:1 ad:0 p: 0 q:1 x:1 y:0	narrative a/v:1 bc, nbc, pbc:0 ff:0 ns, pa, sm:0 wd:0 ac:0 ad:0 p:0 q:0 x:0 y:0	narrative a/v:0 bc, nbc, pbc:2 ff:0 ns, pa, sm:0 wd:0 ac:1 ad:0 p:0 q:0 x:0 y:0	narrative a/v:0 bc, nbc, pbc:0 ff:0 ns, pa, sm:0 wd:0 ac:0 ad:0 p:0 q:0 x:0 y:0	narrative a/v:0 bc, nbc, pbc:0 ff:0 ns, pa, sm:0 wd:0 ac:0 ad:0 p:0 q:0 x:0 y:0

TBI Tool: TBI 09-TBI 12											
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	
TBI01_ (TBI_01_ in original data)		narrative description of injury	TBI-09		TBI-10		TBI-11		TBI-12		
TBI_01a	TR=Transportation SV=Self-inflicted violence OV=Other-inflicted violence, not blast BL=Blast injury FA=Falls SP=Sports OT=Other .=missing	etiology of injury	narrative	narrative	narrative	narrative	narrative	narrative	narrative	narrative	
			TR=0	TR=0	TR=1	TR=0	TR=1	TR=0	TR=1	TR=0	TR=0
			SV=0	SV=0	SV=0	SV=0	SV=0	SV=0	SV=0	SV=0	SV=0
			OV=2	OV=0	OV=1	OV=0	OV=1	OV=0	OV=1	OV=0	OV=0
			BL=0	BL=0	BL=0	BL=0	BL=0	BL=0	BL=0	BL=0	BL=0
			FA=1	FA=0	FA=0	FA=0	FA=0	FA=0	FA=1	FA=0	FA=0
TBI_01b	Yes=Yes No=No .=missing	multiple mild	SP=0	SP=0	SP=1	SP=0	SP=1	SP=0	SP=0	SP=0	SP=0
			OT=0 .=202	OT=0 .=226	OT=0 .=3202	OT=0 .=226	OT=0 .=202	OT=0 .=226	OT=0 .=202	OT=0 .=226	OT=0 .=226
			Yes=0 No=4 .=201	Yes=0 No=0 .=226	Yes=0 No=3 .=202	Yes=0 No=0 .=226	Yes=1 No=2 .=202	Yes=0 No=0 .=226	Yes=1 No=2 .=202	Yes=0 No=0 .=226	Yes=0 No=0 .=226

TBI Tool: TBI 09-TBI 12									
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males
			TBI-09	TBI-10	TBI-11	TBI-12			
TBI_c1	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range . =missing	age at beginning of injury	N=3 $\bar{X}$ = 16.33 SD= 3.79 Med= 18.00 Rng= (12.00, 19.00) . =202	N=0 $\bar{X}$ = N/A SD= N/A Med= N/A Rng= N/A . =226	N=3 $\bar{X}$ = 13.00 SD= 5.29 Med= 15.00 Rng= (7.00, 17.00) . =202	N=0 $\bar{X}$ = N/A SD= N/A Med= N/A Rng= N/A . =226	N=3 $\bar{X}$ = 9.33 SD= 3.79 Med= 11.00 Rng= (5.00, 12.00) . =202	N=0 $\bar{X}$ = N/A SD= N/A Med= N/A Rng= N/A . =226	N=3 $\bar{X}$ = 8.67 SD= 4.16 Med= 10.00 Rng= (4.00, 12.00) . =226
TBI_c2	N=Frequency $\bar{X}$ = Mean SD=Std Dev Med=Median Rng=Range . =missing	age at end of injury	N=1 $\bar{X}$ = 19.00 SD= N/A Med= 19.00 Rng= (19.00, 19.00) . =204	N=0 $\bar{X}$ = N/A SD= N/A Med= N/A Rng= N/A . =226	N=0 $\bar{X}$ = N/A SD= N/A Med= N/A Rng= N/A . =205	N=0 $\bar{X}$ = N/A SD= N/A Med= N/A Rng= N/A . =226	N=1 $\bar{X}$ = 17.00 SD= N/A Med= 17.00 Rng= (17.00, 17.00) . =204	N=0 $\bar{X}$ = N/A SD= N/A Med= N/A Rng= N/A . =226	N=1 $\bar{X}$ = 18.00 SD= N/A Med= 18.00 Rng= (18.00, 18.00) . =204
TBI_d	Yes=Yes No=No . =missing	in military at time of injury	Yes=0 No=4 . =201	Yes=0 No=0 . =226	Yes=0 No=3 . =202	Yes=0 No=0 . =226	Yes=0 No=3 . =202	Yes=0 No=0 . =226	Yes=0 No=3 . =202
TBI_d1+	Yes=Yes No=No . =missing	injured in combat	Yes=0 No=0 . =205	Yes=0 No=0 . =226	Yes=0 No=0 . =205	Yes=0 No=0 . =226	Yes=0 No=0 . =205	Yes=0 No=0 . =226	Yes=0 No=0 . =205

TBI Tool: TBI 09-TBI 12											
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	
			TBI-09		TBI-10		TBI-11		TBI-12		
TBI_e	JD=Juvenile detention JL=Jail PR=Prison MP=Military prison .=missing	in juvenile detention, jail, prison, or military prison	JD=0 JL=0 PR=0 MP=0 .=205	JD=0 JL=0 PR=0 MP=0 .=226	JD=0 JL=0 PR=0 MP=0 .=205	JD=0 JL=0 PR=0 MP=0 .=226	JD=0 JL=0 PR=0 MP=0 .=205	JD=0 JL=0 PR=0 MP=0 .=226	JD=0 JL=0 PR=0 MP=0 .=205	JD=0 JL=0 PR=0 MP=0 .=226	JD=0 JL=0 PR=0 MP=0 .=226
TBI_f	Yes=Yes No=No .=missing	drinking or using other drugs at time of injury	Yes=2 No=2 .=201	Yes=0 No=0 .=226	Yes=1 No=2 .=202	Yes=0 No=0 .=226	Yes=1 No=2 .=202	Yes=0 No=0 .=226	Yes=1 No=2 .=202	Yes=0 No=0 .=226	Yes=0 No=0 .=226
TBI_g	Yes=Yes No=No .=missing	knocked out or lose consciousness	Yes=2 No=2 .=201	Yes=0 No=0 .=226	Yes=0 No=3 .=202	Yes=0 No=0 .=226	Yes=0 No=2 .=203	Yes=0 No=0 .=226	Yes=0 No=2 .=203	Yes=0 No=0 .=226	Yes=0 No=0 .=226
TBI_h+	1=< than 5 minutes 2=5-30 minutes 3=>30 minutes-24 hours 4=>24 hours .=missing	how long	1=1 2=0 3=0 4=0 .=1	1=0 2=0 3=0 4=0 .=0	1=0 2=0 3=0 4=0 .=0	1=0 2=0 3=0 4=0 .=0	1=0 2=0 3=0 4=0 .=0	1=0 2=0 3=0 4=0 .=0	1=0 2=0 3=0 4=0 .=0	1=0 2=0 3=0 4=0 .=0	1=0 2=0 3=0 4=0 .=0
TBI_it	Yes=Yes No=No	dazed or confused	Yes=2 No=0	Yes=0 No=0	Yes=3 No=0	Yes=0 No=0	Yes=2 No=0	Yes=0 No=0	Yes=2 No=0	Yes=0 No=0	Yes=0 No=0
TBI_j+	Yes=Yes No=No	forget what happened before or after	Yes=0 No=2	Yes=0 No=0	Yes=1 No=2	Yes=0 No=0	Yes=0 No=2	Yes=0 No=0	Yes=0 No=2	Yes=0 No=0	Yes=0 No=0
TBI_k	Yes=Yes No=No .=missing	treated in ED	Yes=1 No=3 .=201	Yes=0 No=0 .=226	Yes=0 No=3 .=202	Yes=0 No=0 .=226	Yes=1 No=2 .=202	Yes=0 No=0 .=226	Yes=0 No=3 .=202	Yes=0 No=0 .=226	Yes=0 No=0 .=226

TBI Tool: TBI 09-TBI 12										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
			TBI-09		TBI-10		TBI-11		TBI-12	
TBI_k1†	Yes=Yes No=No	treated in ED in SC	Yes=1 No=0	Yes=0 No=0	Yes=0 No=0	Yes=0 No=0	Yes=1 No=0	Yes=0 No=0	Yes=0 No=0	Yes=0 No=0
TBI_l	Yes=Yes No=No .=missing	hospitalized	Yes=0 No=3 .=202	Yes=0 No=0 .=226	Yes=0 No=0 .=202	Yes=0 No=0 .=226	Yes=0 No=3 .=202	Yes=0 No=0 .=202	Yes=0 No=3 .=202	Yes=0 No=0 .=226
TBI_l1†	Yes=Yes No=No	hospitalized in SC	Yes=0 No=0	Yes=0 No=0	Yes=0 No=0	Yes=0 No=0	Yes=0 No=0	Yes=0 No=0	Yes=0 No=0	Yes=0 No=0
TBI_l2†	HM=Home RF=Rehabilitation Facility NH=Nursing Home JL=Jail, Prison, or Juvenile Detention OT=Other	discharged to	HM=0 RF=0 NH=0 JL=0 OT=0	HM=0 RF=0 NH=0 JL=0 OT=0	HM=0 RF=0 NH=0 JL=0 OT=0	HM=0 RF=0 NH=0 JL=0 OT=0	HM=0 RF=0 NH=0 JL=0 OT=0	HM=0 RF=0 NH=0 JL=0 OT=0	HM=0 RF=0 NH=0 JL=0 OT=0	HM=0 RF=0 NH=0 JL=0 OT=0
TBI_m†	Yes=Yes No=No .=missing	other medical attention	Yes=1 No=1 .=1	Yes=0 No=0 .=0	Yes=0 No=3 .=0	Yes=0 No=0 .=0	Yes=1 No=1 .=1	Yes=0 No=0 .=0	Yes=0 No=2 .=1	Yes=0 No=0 .=0
TBI_m1†	MD=Doctor's office or clinic NU=Nurse or other health care provider IN=Infirmary D=Don't know	doctor's office or clinic, school/college nurse or other health care provider, or infirmary (incarcerated or military)	MD=0 NU=1 IN=0 D=0	MD=0 NU=0 IN=0 D=0	MD=0 NU=0 IN=0 D=0	MD=0 NU=0 IN=0 D=0	MD=0 NU=0 IN=0 D=1	MD=0 NU=0 IN=0 D=0	MD=0 NU=0 IN=0 D=0	MD=0 NU=0 IN=0 D=0

TBI Tool: TBI 09-TBI 12														
Variable Name	Variable Code	Descriptor	TBI-09		TBI-10		TBI-11		TBI-12		Freq Males	Freq Females	Freq Males	Freq Females
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females				
TBI_nt	Yes=Yes No=No	should you have received help, but did not	Yes=1 No=0	Yes=0 No=0	Yes=3 No=0	Yes=0 No=0	Yes=1 No=0	Yes=0 No=0	Yes=2 No=0	Yes=0 No=0	Yes=2 No=0	Yes=0 No=0	Yes=2 No=0	Yes=0 No=0
TBI_ot	No=No YesBut=Yes, but went away Yes=Yes, and remained .=missing	headaches	No=1 YesBut=1 Yes=2 .=201	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=1 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=1 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=1 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=1 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=1 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_pt	No=No YesBut=Yes, but went away Yes=Yes, and remained .=missing	dizziness or balance problems	No=2 YesBut=0 Yes=2 .=201	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=2 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=2 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=2 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=2 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=2 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_qt	No=No YesBut=Yes but went away Yes=Yes and remained .=missing	blurred vision or another vision problem	No=2 YesBut=0 Yes=2 .=201	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_rt	No=No YesBut=Yes, but went away Yes=Yes, and remained .=missing	tiredness or fatigue	No=2 YesBut=1 Yes=1 .=201	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226

TBI Tool: TBI 09-TBI 12												
Variable Name	Variable Code	Descriptor	TBI-09		TBI-10		TBI-11		TBI-12		Freq Females	Freq Males
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females				
TBI_st	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	seizures	No=4 YesBut=0 Yes=0 .=201	No=0 YesBut=0 Yes=0 .=226	No=3 YesBut=0 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226	No=3 YesBut=0 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226	No=3 YesBut=0 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226
TBI_tt	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	trouble remembering things or solving problems	No=1 YesBut=0 Yes=3 .=201	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226
TBI_ut	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	trouble concentrating or paying attention	No=1 YesBut=0 Yes=3 .=201	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226
TBI_vt	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	losing train of thought	No=1 YesBut=0 Yes=3 .=201	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226
TBI_wt	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	difficulty learning new information	No=2 YesBut=0 Yes=2 .=201	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226

TBI Tool: TBI 09-TBI 12										
Variable Name	Variable Code	Descriptor	TBI-09		TBI-10		TBI-11		TBI-12	
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
TBI_xt	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	difficulty reading, writing, or doing math	No=3 YesBut=0 Yes=1 .=201	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_yt	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	reacting slowly or feeling foggy	No=1 YesBut=1 Yes=2 .=201	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=3 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=1 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=1 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_zt	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	managing stress or emotional upsets	No=1 YesBut=0 Yes=3 .=201	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=3 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=1 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_aat	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	controlling your temper	No=2 YesBut= Yes=2 .=201	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 D=0 R=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_abt	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	trouble going to sleep or staying asleep	No=3 YesBut=0 Yes=1 .=201	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226



TBI Tool: TBI 09-TBI 12													
Variable Name	Variable Code	Descriptor	TBI-09		TBI-10		TBI-11		TBI-12		Freq Females	Freq Males	Freq Females
			Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females			
TBI_act	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	feeling irritable, easily annoyed, or grouchy	No=2 YesBut=0 Yes=2 .=201	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_ad†	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	mood changes, such as feeling depressed or anxious	No=0 YesBut=0 Yes=4 .=201	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_ae†	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	making sexual comments, sexual advances, or sexual acts should not have made	No=4 YesBut=0 Yes=0 .=201	No=0 YesBut=0 Yes=0 .=226	No=3 YesBut=0 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226	No=3 YesBut=0 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226	No=3 YesBut=0 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=3 YesBut=0 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_af†	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	bothered by lights or noise	No=1 YesBut=1 Yes=2 .=201	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=1 YesBut=0 Yes=2 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_ag†	No=No YesBut=Yes, but went away Yes=Yes, and remain .=missing	controlling alcohol or drug use	No=3 YesBut=0 Yes=1 .=201	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=0 Yes=1 .=202	No=0 YesBut=0 Yes=0 .=226

TBI Tool: TBI 09-TBI 12										
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females
			TBI-09		TBI-10		TBI-11		TBI-12	
TBI_ah†	No=No YesBut= Yes, but went away Yes= Yes, and remain .=missing	other problem	No=3 YesBut=0 Yes=1 .=201	No=0 YesBut=0 Yes=0 .=226	No=2 YesBut=1 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226	No=3 YesBut=0 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226	No=3 YesBut=0 Yes=0 .=202	No=0 YesBut=0 Yes=0 .=226
TBI_ah1†	text bc: behavior change ns (not specified) nbc: negative behavior change pbc: positive behavior change	[if yes] specify	narrative bc, nbc, pbc: 1	narrative bc, nbc, pbc:0	narrative bc, nbc, pbc: 1	narrative bc, nbc, pbc: 0	narrative bc, nbc, pbc: 0	narrative bc, nbc, pbc: 0	narrative bc, nbc, pbc: 0	narrative bc, nbc, pbc: 0
TBI_ah†	Yes=Yes No=No .=missing	after injury, did friends or family members say you acted differently or did you have more trouble in school	Yes=2 No=2 .=201	Yes=0 No=0 .=226	Yes=1 No=2 .=202	Yes=0 No=0 .=226	Yes=1 No=2 .=202	Yes=0 No=0 .=226	Yes=2 No=1 .=202	Yes=0 No=0 .=226

TBI Tool: TBI 09-TBI 12									
Variable Name	Variable Code	Descriptor	Freq Males	Freq Females	Freq Males	Freq Females	Freq Males	Freq Females	
TBI_ai1†	text a/v: aggression/ violent bc: behavior change ns (not specified) nbc: negative behavior change pbc: positive behavior change mh: mental health aa:controlling temper	[if yes] describe	TBI-09	TBI-10	TBI-11	TBI-12			
			narrative a/v:1 bc, nbc, pbc:0 mh:0 aa:1	narrative a/v:0 bc, nbc, pbc:0 mh:0 aa:0	narrative a/v:0 bc, nbc, pbc:1 mh:0 aa:0	narrative a/v:0 bc, nbc, pbc:0 mh:0 aa:0	narrative a/v:1 bc, nbc, pbc:1 mh:1 aa:0	narrative a/v:0 bc, nbc, pbc:0 mh:0 aa:0	narrative a/v:0 bc, nbc, pbc:0 mh:0 aa:0

